FEBS LETTERS

AN INTERNATIONAL JOURNAL FOR THE RAPID PUBLICATION OF SHORT REPORTS IN BIOCHEMISTRY, BIOPHYSICS AND MOLECULAR CELL BIOLOGY

MASTER INDEX

VOLUMES 357–377 (1995)

Published by Elsevier on behalf of the Federation of European Biochemical Societies

Volume 377, Supplement
FEBLAL 377 (Suppl.) 1–102

ISSN 0 014 5793

FEBS LETTERS

An international journal established for the most rapid possible publication of essentially final short papers in the field of Biochemistry, Biophysics and Molecular Cell Biology

Published by Elsevier Science B.V. on behalf of the

FEDERATION OF EUROPEAN BIOCHEMICAL SOCIETIES

FEBS Letters is intended to be a journal for the fast dissemination of significant and novel work in an essentially complete form. It is NOT the vehicle for preliminary or fragmentary observations, or for 'leftovers' from larger papers, or for material which, although sound, does not have to appear quickly, or is addressed to a small audience only. As a rule, for example, we do not publish incomplete sequences, or sequences which are known in other species; or incomplete NMR or other spectroscopic assignments; or the conventionally achieved crystallisation of a protein; or the conventionally achieved expression of a gene in bacteria or yeast; or just negative observations. Also, methodological papers are not usually published by us, unless they are truly novel and significant. The overriding criterion is that a paper must be of sufficient immediate importance to justify urgent publication. As space is finite, we are forced to refuse papers which, although sound, do not have top priority. We apologise, therefore, for 'approving but not publishing' such manuscripts.

Attention of the authors is drawn to the fact that our rejection procedure may take as long as in other journals, as explained elsewhere (see FEBS Letters, 217 (1987) 143–144. For details on the preparation of the manuscripts, see our 'Notes' (e.g. FEBS Letters, Volume 370, No. 3, pp. 278–279 and thereafter at the end of each tenth volume, i.e. at the end of Vol. 380, 390, 400 etc.).

The authors should submit their papers to the Editor who is the closest to their field of interest (rather than geographically): this accelerates the reviewing process. In case of doubt, please contact any editor. The 'date of receipt' eventually appearing in the published paper will be that upon which the editor who actually handled the manuscript took receipt of it.

The authors must submit a floppy disk of their manuscript along with the printed version (see under Notes to Authors). This accelerates the handling process and reduces the danger of misprints eventually appearing. Figures: the authors should, if possible, submit figures of the size intended in the published article, i.e. as a rule, not larger than one column. Also original photos should be submitted (not copies of photos).

Note: telefax numbers are included below (bold in parentheses). *When corresponding with these editors it is preferable to use a courier service.

Editors:

G. SEMENZA (Managing Editor), Swiss Federal Institute of Technology, Department of Biochemistry, ETH-Zentrum, Universitätstrasse 16, CH-8092 Zürich, Switzerland **(41-1-632-1089;** E-mail: semenza@bc.biol.ethz.ch)

S.P. DATTA (Honorary Chairman), London, England

M. SARASTE (Reviews Editor) EMBL, Meyerhofstrasse 1, Postfach 10.2209, D-69012 Heidelberg, Germany **(49-6221-387306;** E-mail: saraste@embl-heidelberg.de)

J.E. CELIS, Department of Medical Biochemistry, Ole Worms Allé, Building 170, University Park, Aarhus University, DK-8000 Aarhus, Denmark **(45-86-131-160)** (Editor of book reviews also)

M. BAGGIOLINI, Th. Kocher-Institut, Universität Bern, Freiestrasse 1, CH-3012 Berne, Switzerland **(41-31-631-3799;** E-mail: baggiolini@tki.unibe.ch)

H. EKLUND, Department of Molecular Biology, BMC, PO Box 590, S-75124 Uppsala, Sweden **(46-18-53-6971)**

H. FELDMANN, Institut für Physiologische Chemie, Physikalische Biochemie und Zellbiologie, Munich University, Schillerstrasse 44, D-80336 München, Germany **(49-89-59 96 316;** E-mail: feldmann@dec1.bio.med.uni.muenchen.de)

U.-I. FLÜGGE, Lehrstuhl Botanik II, Gyrhofstr. 15, 50931 Köln, Germany **(49-221-470-5039)**

J.M. GANCEDO, Instituto de Investigaciones Biomédicas, CSIC, Calle Arturo Duperier 4, 28029 Madrid, Spain **(34-1-585-4587;** E-mail: jmgancedo@biomed.iib.uam.es)

B. HALLIWELL, Pharmacology Group, King's College, Chelsea Campus, Manresa Road, London SW3 6LX, England **(44-171-333-4949)**

J. HANOUNE, Unité de Recherches, INSERM U-99, Hôpital Henri Mondor, 94010 Créteil, France **(33-1-48-98-09-08)**

H. HOLZER, Biochemisches Institut der Universität, Hermann-Herder-Str. 7, D-79104 Freiburg i.Br., Germany **(49-761-203-5253)**

Th.L. JAMES, UCSF Magnetic Resonance Laboratory, Department of Pharmaceutical Chemistry, 926 Medical Science, San Francisco, CA 94143-0446, USA **(1-415-502 4690;** E-mail: james@picasso.ucsf.EDU)

P. JOLLÈS, Laboratoire de Chimie des Substances Naturelles, URA CNRS 401, Muséum National d'Histoire Naturelle, 63, rue Buffon, F 75005 Paris, France **(33-1-4079-3122)**

C. KLEE, Laboratory of Biochemistry, NCI, Bldg. 37, Room 4E 28, 37 Convent DR. MSC 4255, Bethesda, MD 20892-4255, USA **(1-301-402-3095)**

N. MANTEI, Neurobiologie, ETH-Hönggerberg, CH-8093 Zürich, Switzerland **(41-1-633-1046;** E-mail: mantei@neuro.biol.ethz.ch)

T. MASAKI, Department of Pharmacology, Kyoto University, Faculty of Medicine, Kyoto 606, Japan **(81-75-753-4402;** E-mail: masaki@mfour.med.kyoto-u.ac.jp)

P. MATHIS, Dept. de Biologie Moléculaire et Cellulaire, Section de Bioénergétique, Bat. 532, C.E. Saclay, F 91191 Gif-sur-Yvette, France **(33-1-69-08-87-17)**

A.D. MIRZABEKOV, Engelhardt Institute of Molecular Biology, Russian Academy of Sciences, Vavilov str. 32, 117984 Moscow B-334, Russia* **(7-095-135-1405;** E-mail: amir@imb.msk.su.internet)

M. MONTAL, Department of Biology, Science Building, University of California San Diego, 9500 Gilman Drive, La Jolla, CA 92093, USA **(1-619-534 0931;** E-mail: montal@jeeves.ucsd.edu)

M.J. OWEN, Imperial Cancer Research Fund, PO Box 123, 44 Lincoln's Inn Fields, London WC2A 3PX, England **(44-171-269-3479)**

P.J. RANDLE, Nuffield Department of Clinical Biochemistry, Radcliffe Infirmary, Woodstock Rd., Oxford OX2 6HE, England **(44-1865-224 000)**

S. SHALTIEL, The Kleeman Professor of Biochemistry, Head, Department of Biological Regulation, The Weizmann Institute of Science, Rehovot 76100, Israel **(972-8-342 804;** E-mail: lishalt@weizmann.weizmann.ac.il)

V.P. SKULACHEV, Department of Bioenergetics, A.N. Belozersky Institute of Physico-Chemical Biology, Moscow State University, Moscow 119899, Russia* **(7-095-939-0338;** E-mail: Skulach@Head.Genebee.msu.su)

A.V. SOMLYO, Department of Molecular Physiology and Biological Physics, Box 449, University of Virginia, 1300 Jefferson Park Avenue, Charlottesville, VA 22908, USA **(1-804-982-1616)**

G. TETTAMANTI, Università degli Studi di Milano, Facoltà di Medicina e Chirurgia, Dipartimento di Chimica e Biochimica Medica, Via Saldini, 50, I 20133 Milano, Italy **(39-2-236-3584)**

M. VAN MONTAGU, Laboratorium voor Genetika, Universiteit Gent, Ledeganckstraat 35, B-9000 Gent, Belgium **(32-9-264-5349)**

G. VON HEIJNE, Department of Biochemistry, Arrhenius Laboratory, Stockholm University, S-106 91 Stockholm, Sweden **(46-8-15-36-79;** E-mail: gunnar@biokemi.su.se)

F. WIELAND, Institut für Biochemie I, Im Neuenheimer Feld 328, D-69120 Heidelberg, Germany **(49-6221-544-366;** E-mail: wieland@novsrv1.pio1.uni-heidelberg.de)

Sh. YAMAMOTO, Department of Biochemistry, Tokushima University School of Medicine, Kuramoto-cho, Tokushima 770, Japan **(81-886-33-6409)**

Published weekly. **Printed in The Netherlands.**

♾ The paper used in this publication meets the requirements of ANSI/NISO 239.48-1992 (Permanence of Paper)

Elsevier Science B.V., PO Box 211, 1000 AE Amsterdam, The Netherlands

MASTER INDEX VOLUMES 357–377

FEBLAL Volume 377 (Suppl.) 1–102

FEBS LETTERS

An international journal for the rapid
publication of short reports in
biochemistry, biophysics and molecular cell biology

EDITORS

M. Baggiolini, Berne
J.E. Celis, Aarhus
S.P. Datta, London, Honorary Chairman
H. Eklund, Uppsala
H. Feldmann, München
U.-I. Flügge, Köln
J.M. Gancedo, Madrid
B. Halliwell, London
J. Hanoune, Créteil
H. Holzer, Freiburg i.Br.
Th.L. James, San Francisco
P. Jollès, Paris
C. Klee, Bethesda
N. Mantei, Zürich
T. Masaki, Kyoto
P. Mathis, Saclay
A.D. Mirzabekov, Moscow
M. Montal, La Jolla
M.J. Owen, London
P.J. Randle, Oxford
M. Saraste, Heidelberg, Reviews Editor
G. Semenza, Zürich, Managing Editor
S. Shaltiel, Rehovot
V.P. Skulachev, Moscow
A.V. Somlyo, Charlottesville
G. Tettamanti, Milan
M. Van Montagu, Gent
G. von Heijne, Stockholm
F. Wieland, Heidelberg
Sh. Yamamoto, Tokushima

Published by Elsevier Science B.V.
on behalf of the
Federation of European Biochemical Societies

The exclusive © for all languages and countries is vested in the Federation of European Biochemical Societies

*No part of this volume may be reproduced in any form by print, photoprint, microfilm or any other means without the prior permission of the copyright owner**

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Special regulations for readers in the U.S.A.

This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fees indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

Special regulations for authors

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Federation of European Biochemical Societies. This transfer will ensure the widest possible dissemination of information

ADONIS Identifier

This Journal is in the ADONIS Service, whereby copies of individual articles can be printed out from CD-ROM on request. An explanatory leaflet can be obtained by writing to ADONIS B.V., P.O. Box 839, 1000 AV Amsterdam, The Netherlands.

* But see item 6 in Notes to Authors

♾ The paper used in this publication meets the requirements of ANSI/NISO 239.48-1992 (Permanence of Paper)

PRINTED IN THE NETHERLANDS

Subscription information: The subscription price for 1996, volumes 378–398 (21 volumes in 63 issues) is *f* 5859.00 (US$ 3573.00) including postage, packaging and handling. The Dutch guilder price is definitive. The U.S. dollar price is subject to exchange-rate fluctuations and is given only as a guide.
Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon.
Subscription orders can be entered only by calendar year (Jan-Dec.) and should be sent to Elsevier Science Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, telephone 31.20.4853642, fax 31.20.4853266, or to your usual subscription agent.
Postage & handling charges include surface delivery except following countries where air delivery via SAL (Surface Air Lift) mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA.
Claims for missing issues must be made within six months of our publication (mailing) date, otherwise such claims cannot be honoured free of charge.
The Publishers reserve the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered on receipt of payment. In the United States and Canada: For further information concerning this or any other Elsevier Science journal, contact Elsevier Science Co., Inc., Attn: Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, USA. Telephone: (212) 633-3750; Telefax: (212) 633-3990; Telex: 420-643 AEP UI.
Information for Advertisers. Advertising orders and enquiries can be sent to the Advertising Manager, Elsevier Science Advertising Department, Van de Sande, Bakhuyzenstraat 4, 1061 AG Amsterdam, or P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel.: 20-5153.220; Fax: 20-6833.041, attn. Advertising Dept; U.K.: T.G. Scott and Son Ltd., Tim Blake, Portland House, 21 Narborough Road, Cosby, Leicestershire, LE9 5TA, U.K., Tel.: (44) (533) 753.333; Fax: (44) (533) 750.522; U.S.A. and Canada: Weston Media Associates, Daniel Lipner, P.O. Box 1110, Greens Farms, CT 06436-1110, U.S.A., Tel.: 203-261.2500; Fax: 203-261.0101

US Mailing Notice

US mailing notice – FEBS Letters (ISSN 0014-5793) is published weekly by Elsevier Science B.V. (Molenwerf 1, Postbus 211, 1000 AE Amsterdam, Netherlands). Annual subscription price in the USA US$ 3573.00 (subject to change), including air speed delivery. Application to mail at second class postage rate is paid at Jamaica, NY 11431.
USA POSTMASTERS: Send address changes to *FEBS Letters*, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003.
Airfreight and mailing in the USA by Publications Expediting.

FEBS Letters Volumes 357–377
Master Author Index

A

Aagaard, L. see H. Vissing (369) 153
Aarden, L.A. see F.D. de Hon (369) 187
Aarts, L., R. van der Hee, I. Dekker, J. de Jong, H. Langemeijer and A. Bast, The widely used anesthetic agent propofol can replace α-tocopherol as an antioxidant (357) 83
Aasa, R. see D.M. Mitchell (374) 371
AB, G. see K.N. Faber (357) 115
Abboud, H.E. see P. Biswas (373) 146
Abdel-Razzak, Z., L. Corcos, A. Fautrel and A. Guillouzo, Interleukin-1β antagonizes phenobarbital induction of several major cytochromes P450 in adult rat hepatocytes in primary culture (366) 159
Abdulaeva, G. see J. Puig (362) 185
Abe, K. see N. Nakajima (365) 108
Abe, K.Y. see P.C. Kuo (360) 10
Abel, K., G. Mieskes and U. Walter, Dephosphorylation of the focal adhesion protein VASP in vitro and in intact human platelets (370) 184
Abel, P.D. see J.A. Grimes (369) 290
Abeyama, K., K. Kawano, T. Nakajima, I. Takasaki, I. Kitajima and I. Maruyama, Interleukin 6 mediated differentiation and rescue of cell redox in PC12 cells exposed to ionizing radiation (364) 298
Aboud, M. see E. Priel (362) 59
Abraham, L.D., D.T. Chow and C. Breuil, Characterization of the cleavage specificity of a subtilisin-like serine proteinase from *Ophiostoma piceae* by liquid chromatography/mass spectrometry and tandem MS (374) 208
Abrami, L. see V. Laizé (373) 269
Abramov, V.M. see V.P. Zav'yalov (371) 65
Abruzzese, F., M. Greco, E. Perlino, S. Doonan and E. Marra, Lack of correlation between mRNA expression and enzymatic activity of the aspartate aminotransferase isoenzymes in various tissues of the rat (366) 170
Ackerley, C. see L. Lavoie (366) 109
Acuña, G., W. Shi, K. Trudeau and D.R. Zusman, The 'CheA' and 'CheY' domains of *Myxococcus xanthus* FrzE function independently in vitro as an autokinase and a phosphate acceptor, respectively (358) 31
Adachi, A. see H. Sakai (365) 141
Adachi, M., T. Torigoe, M. Sekiya, Y. Minami, T. Taniguchi, Y. Hinoda, A. Yachi, J.C. Reed and K. Imai, IL-2-induced gene expression of protein-tyrosine phosphatase LC-PTP requires acidic and serine-rich regions within IL-2 receptor β chain (372) 113
Adachi, M. see M. Nakano (372) 140
Adachi-Yamada, T. see T. Noguti (376) 251
Adanin, V.M. see O.P. Serdyuk (365) 10
Adcock, I. see E.-B. Haddad (363) 285
Adeenah-Zadah, A. see O.S. Fedorova (369) 287
Adelman, J. see H. Sakura (367) 193
Adelman, J.P. see C.T. Bond (367) 61
Ådelroth, P. see D.M. Mitchell (374) 371
Adermann, K. see R. Hess (374) 34
Adermann, K. see H.-D. Zucht (372) 185
Adiga, P.R. see R. Gurunath (361) 176
Aepfelbacher, M. see D. Dash (363) 231
Aepfelbacher, M., ADP-ribosylation of Rho enhances adhesion of U937 cells to fibronectin via the α5β1 integrin receptor (363) 78
Aflalo, E. see E. Priel (362) 59
Agango, E.G. see M.M.G.M. Thunnissen (364) 243
Aggarwal, B.B., E. Pocsik and K. Totpal, Transfection of cells with basic fibroblast growth factor and Kaposi fibroblast growth factor genes induce resistance to and receptor modulation of tumor necrosis factor (372) 44
Aggarwal, B.B., E. Pocsik, K. Totpal and F. Ali-Osman, Suppression of antiproliferative effects of tumor necrosis factor by transfection of cells with human platelet-derived growth factor B/c-sis gene (357) 1
Aggarwal, B.B., S. Singh, R. LaPushin and K. Totpal, Fas antigen signals proliferation of normal human diploid fibroblast and its mechanism is different from tumor necrosis factor receptor (364) 5
Aggarwal, S.R., K.O. Lindros and T.N. Palmer, Glucagon stimulates phosphorylation of different peptides in isolated periportal and perivenous hepatocytes (377) 439
Agrò, A.F. see M. Maccarrone (371) 223
Ahmad, S. see A. Selvapandiyan (374) 253
Ahmadian, M.R., R. Kreutzer, B. Blechschmidt and M. Sprinzl, Site-directed mutagenesis of *Thermus thermophilus* EF-Tu: the substitution of threonine-62 by serine or alanine (377) 253
Ahmed, A., H.A. Tajmir-Riahi and R. Carpentier, A quantitative secondary structure analysis of the 33 kDa extrinsic polypeptide of photosystem II by FTIR spectroscopy (363) 65
Ahn, J.Y., N. Tanahashi, K.-y. Akiyama, H. Hisamatsu, C. Noda, K. Tanaka, C.H. Chung, N. Shibmara, P.J. Willy, J.D. Mott, C.A. Slaughter and G.N. DeMartino, Primary structures of two homologous subunits of PA28, a γ-interferon-inducible protein activator of the 20S proteasome (366) 37
Ah-See, A.K. see J.A. McKay (374) 270
Aiach, M. see P. Gaussem (365) 219
Aiach, M. see A. Vincenot (367) 153
Aiba, H., H. Yamada, R. Ohmiya and T. Mizuno, The osmo-inducible *gpd1*$^+$ gene is a target of the signaling pathway involving Wis1 MAP-kinase kinase in fission yeast (376) 199
Aitken, A. see D.H. Jones (368) 55
Akagi, T., H. Ono, T. Sasaki and K. Shimotohno, Increased protein tyrosine-phosphorylation in primary T-cells transduced with Tax1 of Human T-cell leukemia virus type I (358) 34
Akahori, Y. see L. Ji (358) 211
Akasaka, Y. see H. Kikuchi (360) 26
Akedo, H. see K. Yoshioka (372) 25
Åkerström, B., T. Bratt and J.J. Enghild, Formation of the α_1-microglobulin chromophore in mammalian and insect cells: a novel post-translational mechanism? (362) 50
Akeson, A. see H. Schreuder (373) 39
Akiyama, K.-y. see J.Y. Ahn (366) 37
Akiyama, K.-y., K.-y. Yokota, S. Kagawa, N. Shimbara, G.N. DeMartino, C.A. Slaughter, C. Noda and K. Tanaka, cDNA cloning of a new putative ATPase subunit p45 of the human 26S proteasome, a homolog of yeast transcriptional factor Sug1p (363) 151
Akiyama, S.K. see A.P. Mould (363) 118
Akiyama, Y. see S. Kishigami (364) 55
Akiyama, Y. see A. Kataoka (364) 264
Akutsu, H. see K. Tozawa (376) 190
Alaluf, S., E.R. Mulvihill and R.A.J. McIlhinney, Rapid agonist mediated phosphorylation of the metabotropic glutamate receptor 1α by protein kinase C in permanently transfected BHK cells (367) 301
Alam, K. see R. Hasan (368) 27
Alameddine, H. see B.J. Jasmin (374) 393
Alava, M.A. see N. González-Ramón (371) 227
Alben, J.O. see M.W. Calhoun (368) 523
Alberati-Giani, D. see P. Malherbe (367) 141
Albertini, R., S. Rindi, A. Passi, G. Palladini, G. Pallavicini and G. De Luca, The effect of heparin on Cu^{2+}-mediated oxidation of human low-density lipoproteins (377) 240
Albrecht, M., A. Klein, P. Hugueney, G. Sandmann and M. Kuntz, Molecular cloning and functional expression in *E. coli* of a novel plant enzyme mediating ζ-carotene desaturation (372) 199
Aldabe, R., E. Feduchi, I. Novoa and L. Carrasco, Expression of poliovirus $2A^{pro}$ in mammalian cells: effects on translation (377) 1
Aledo, J.C. and H.S. Hundal, Sedimentation and immunological analyses of GLUT4 and α2-Na,K-ATPase subunit-containing vesicles from rat skeletal muscle: evidence for segregation (376) 211
Alekseev, A.M. see I.I. Senin (376) 87
Aleshin, A.E. see B. Stoffer (358) 57
Aleshina, G.M. see S.S.L. Harwig (362) 65
Alexiev, U., P. Scherrer, T. Marti, H.G. Khorana and M.P. Heyn, Time-resolved surface charge change on the cytoplasmic side of bacteriorhodopsin (373) 81
Alexis, M.N. see D.J. Mitsiou (362) 309
Algarra, P. see F. Thümmler (357) 149
Al-Hillawi, E. see C. Dohet (377) 131
Ali, R. see R. Hasan (368) 27
Ali-Osman, F. see B.B. Aggarwal (357) 1
Aliverti, A., W.R. Hagen and G. Zanetti, Direct electrochemistry and EPR spectroscopy of spinach ferredoxin mutants with modified electron transfer properties (368) 220
Al-Karadaghi, S. see N.L. Davydova (369) 229

Allakhverdiev, S.I. see V.V. Klimov (363) 251
Allan, V., Membrane traffic motors (369) 101
Allard, B., G. Fournet, O. Rougier, B. Descans and M. Vivaudou, Dose-dependent activation and block by bisG10, a K^+ channel blocker, of mouse and frog skeletal muscle K_{ATP} channels (375) 215
Allen, J.F. see G. Håkansson (372) 238
Allende, C.C. see M.V. Hinrichs (368) 211
Allende, J.E. see M.V. Hinrichs (368) 211
Allentoff, A. see L.P. Wennogle (371) 315
Allis, C.D. see W.R. Taylor (377) 51
Al-Mehdi, A.B. see H. Ischiropoulos (364) 279
Almog, J. see O. Geyer (374) 399
Alon, R.N., L. Mirny, J.L. Sussman and D.L. Gutnick, Detection of α/β-hydrolase fold in the cell surface esterases of Acinetobacter species using an analysis of 3D profiles (371) 231
Alonso, A. see M. Asun Requero (357) 75
Alonso, A. see J.L. Nieva (368) 143
Alonso, M.D., E.J. Lagzdins, J. Lomako, W.M. Lomako and W.J. Whelan, New and specific nucleoside diphosphate glucose substrates for glycogenin (359) 110
Al-Shawi, M.K. see A.E. Senior (377) 285
Altimari, A. see M. Crimi (367) 167
Altman, S. see U. Lundberg (371) 345
Altschmied, L. see A. Sokolenko (371) 176
Alvarez de Toledo, G. see R. Fernández-Chacón (363) 221
Alvergna, P. see M. Brigotti (373) 115
Åman, P. see M. Zhang (373) 203
Amano, F. and T. Noda, Improved detection of nitric oxide radical ($NO^•$) production in an activated macrophage culture with a radical scavenger, carboxy PTIO, and Griess reagent (368) 425
Amano, T. see M. Yoshida (359) 1
Amler, E. see I. Konopásek (374) 338
Ämmälä, C. see C.T. Bond (367) 61
Ämmälä, C. see H. Sakura (377) 338
Ammendola, R., F. Fiore, F. Esposito, G. Caserta, M. Mesuraca, T. Russo and F. Cimino, Differentially expressed mRNAs as a consequence of oxidative stress in intact cells (371) 209
Amodeo, P., G. Balboni, O. Crescenzi, R. Guerrini, D. Picone, S. Salvadori, T. Tancredi and P.A. Temussi, Conformational analysis of potent and very selective δ opioid dipeptide antagonists (377) 363
Amrhein, N. see Y. Li (377) 208
An, S., C. Tsai and E.J. Goetzl, Cloning, sequencing and tissue distribution of two related G protein-coupled receptor candidates expressed prominently in human lung tissue (375) 121
Anachi, R.B., D.L. Siegel, J. Baum and B. Brodsky, Acid destabilization of a triple-helical peptide model of the macrophage scavenger receptor (368) 551
Anand-Srivastava, M.B. see P. Savoie (370) 6
Anantharam, V. see J.P. Roche (371) 43
Andersen, G.R. see K. Dolmer (372) 93
Andersen, J.P. and B. Vilsen, Structure–function relationships of cation translocation by Ca^{2+}- and Na^+,K^+-ATPases studied by site-directed mutagenesis (359) 101
Andersen, P.H. see C.K. Tygesen (363) 184
Anderson, K.I. see Å. Jaworowski (365) 167
Andersson, L.A., A.K. Johnson, M.D. Simms and T.R. Willingham, Comparative analysis of catalases: spectral evidence against heme-bound water for the solution enzymes (370) 97
Andersson, M., T. Curstedt, H. Jörnvall and J. Johansson, An amphipathic helical motif common to tumourolytic polypeptide NK-lysin and pulmonary surfactant polypeptide SP-B (362) 328
Anderton, B.H. see D.A. Latimer (365) 42
Anderton, B.H. see C.J. Smith (375) 243
Andoh, T. see G.A. Nevinsky (368) 97
André, B. see M. Schleicher (369) 38
André, S. see H.-C. Siebert (371) 13
Andreeva, N. see B. Khodorov (371) 249
Andrei, G. see J. Balzarini (373) 41
Andreola, M.L. see O.D. Zakharova (361) 287
Andréoli, C. see V. Niggli (376) 172
Andréoli, C. see M. Schleicher (369) 38
Andresen, B.S. see P. Bross (377) 249
Andrew, P.W. see P.J. Morgan (371) 77
Andrews, D.W. see A. Vassilakos (359) 206
Anel, A. see S. Gamen (376) 15
Anemüller, S. see C.L. Schmidt (359) 239
Ånggård, E.E. see N.K. Gopaul (368) 225
Anglister, J., H. Ren, C.B. Klee and A. Bax, NMR identification of calcineurin B residues affected by binding of a calcineurin A peptide (375) 108
Anglister, J. see A. Zvi (368) 267
Aniello, F. see L. Tosi (361) 115
Anraku, Y. see M. Sato-Watanabe (374) 265
Anraku, Y. see T. Mogi (370) 259
Ansorge, S. see T. Wex (374) 341
Anthony, N., T. Rocheleau, G. Mocelin, H.-J. Lee and R. ffrench-Constant, Cloning, sequencing and functional expression of an acetylcholinesterase gene from the yellow fever mosquito *Aedes aegypti* (368) 461
Antolovic, R., W. Schoner, K. Geering, C. Canessa, B.C. Rossier and J.-D. Horisberger, Labeling of a cysteine in the cardiotonic glycoside binding site by the steroid derivative HDMA (368) 169
Anzon, E. see G. Pogliaghi (372) 181
Aoki, Y. see T. Onogi (357) 93
Aoki, Y. see M. Minami (364) 23
Aoyama, A. see S.-i. Kidokoro (367) 73
Aparicio, J.F. see S.F. Haydock (374) 246
Appel, J.R. see I. Mingarro (372) 131
Apte, S.S., M.-G. Mattei, M.F. Seldin and B.R. Olsen, The highly conserved defender against the death 1 (DAD1) gene maps to human chromosome 14q11-q12 and mouse chromosome 14 and has plant and nematode homologs (363) 304
Arad, G., R. Bar-Meir and M. Kotler, Ribosomal frameshifting at the *Gag-Pol* junction in avian leukemia sarcoma virus forms a novel cleavage site (364) 1
Aragón, J.J. see A.M. Estévez (374) 100
Arai, H., Y. Igarashi and T. Kodama, Expression of the *nir* and *nor* genes for denitrification of *Pseudomonas aeruginosa* requires a novel CRP/FNR-related transcriptional regulator, DNR, in addition to ANR (371) 73
Arai, Y. see K. Suzuki (364) 283
Araiso, T. see T. Kikukawa (377) 502
Arakawa, T., M. Nakamura, T. Yoshimoto and S. Yamamoto, The transcriptional regulation of human arachidonate 12-lipoxygenase gene by NFκB/Rel (363) 105
Arata, Y. see N. Shimba (360) 247
Araya, A. see V. Blanc (373) 56
Ardiles, W. see A. Savouré (372) 13
Arendsen, A.F., P.Th.M. Veenhuizen and W.R. Hagen, Redox properties of the sulfhydrogenase from *Pyrococcus furiosus* (368) 117
Arendt, A. see J. Puig (362) 185
Arias, J. see F.M. de Benito (360) 299
Ariel, I. see M. Elkin (374) 57
Arinbasarov, M.U. see O.P. Serdyuk (365) 10
Ariño, J. see F. Posas (368) 39
Arispe, N. see B.E. Cohen (377) 444
Arkinstall, S., C. Chabert, K. Maundrell and M. Peitsch, Mapping regions of $G_{\alpha q}$ interacting with PLCβ1 using multiple overlapping synthetic peptides (364) 45
Arkinstall, S., M. Edgerton, M. Payton and K. Maundrell, Co-expression of the neurokinin NK2 receptor and G-protein components in the fission yeast *Schizosaccharomyces pombe* (375) 183
Arlaud, G.J. see Y. Petillot (358) 323
Armentia, A. see G. García-Casado (364) 36
Armitage, I.M. see L.T. Kakalis (362) 55
Armstrong, E.M. see L.J. Ball (358) 278
Armstrong, Sh.R. see E.Yu. Morgunova (367) 183
Arnaud, E. see P. Gaussem (365) 219
Arner, A. see Å. Jaworowski (365) 167
Aro, E.-M. see E. Kanervo (364) 239
Aro, H.T. see A. Hiltunen (364) 171
Arora, N. see A. Selvapandiyan (374) 253
Arpagaus, M. see V. Talesa (357) 265
Arrowsmith, C.H. see Y. Yin (366) 1
Arseniev, A.S. see A.P. Golovanov (375) 162
Arsenjeva, E. see B. Khodorov (371) 249
Arslan, P. see M. Sandri (373) 291
Arthur, J.S.C., S. Gauthier and J.S. Elce, Active site residues in m-calpain: identification by site-directed mutagenesis (368) 397
Arthur, L.O. see E. Priel (362) 59
Aruoma, O.I. see J.P.E. Spencer (374) 233
Aruoma, O.I. see J.P.E. Spencer (375) 179
Asano, T. see H. Ishihara (371) 329

Asano, Y. see S.Y.K. Seah (370) 93
Asashima, M. see S. Hatada (371) 287
Ascenzi, P. see P. Sartori (358) 53
Ascenzi, P. see E. Leci (357) 227
Ascoli, F. see L. Fiorucci (363) 81
Ash, D.E. see D.J. Merkler (366) 165
Ashby, B. see F.M. Pulcinelli (364) 87
Ashcroft, F.M. see C.T. Bond (367) 61
Ashcroft, F.M. see H. Sakura (377) 338
Ashcroft, F.M. see H. Sakura (367) 193
Ashcroft, S.J.H. see V. Urquidi (358) 23
Ashcroft, S.J.H. see E. Molnár (371) 253
Ashfield, R. see C.T. Bond (367) 61
Ashford, M.J. see C.T. Bond (367) 61
Ashford, M.L.J. see A.K. Dixon (374) 135
Ashman, K. see T. Houthaeve (376) 91
Ashton, A.W., G. Kemball-Cook, D.J.D. Johnson, D.M.A. Martin, D.P. O'Brien, E.G.D. Tuddenham and S.J. Perkins, Factor VIIa and the extracellular domains of human tissue factor form a compact complex: a study by X-ray and neutron solution scattering (374) 141
Ashworth, A. see V.M. Macaulay (372) 222
Ashworth, A. see P. Taylor-Harris (360) 315
Askari, J.A. see A.P. Mould (363) 118
Askin, D. see R.J. Weesie (362) 34
Asok Kumar, R. see C. Soto (371) 110
Asselbergs, F.A.M. see C. Gandor (377) 290
Asselin, J. see F. Yanaga (368) 377
Assfalg-Machleidt, I. see E.A. Auerswald (361) 179
Assfalg-Machleidt, I. see C. Randak (363) 189
Assfalg-Machleidt, I. see W. Machleidt (361) 185
Assimacopoulos-Jeannet, F. see M. Moinat (373) 131
Assossou, O. see S. Fournel (367) 188
Astier, C. see S. Ouchane (374) 130
Asun Requero, M., M. González, F.M. Goñi, A. Alonso and G. Fidelio, Differential penetration of fatty acyl-coenzyme A and fatty acylcarnitines into phospholipid monolayers (357) 75
Atabekov, J.G. see O.V. Karpova (360) 281
Atack, J.R., H.B. Broughton and S.J. Pollack, Structure and mechanism of inositol monophosphatase (361) 1
Atkins, G.L. see J.H. Morais Cabral (366) 53
Atkinson, A.E. see J. Henderson (371) 293
Attenborough, S. see R.W. Osborn (368) 257
Attfield, P.V. see B.W. Hazell (377) 457
Aubes-Dufau, I., J. Capdevielle, J.L. Seris and D. Combes, Bitter peptide from hemoglobin hydrolysate: isolation and characterization (364) 115
Aubry, A. see K. Wi' l (368) 289
Auclair, M. see C. Mazière (363) 277
Auer, B. see J.M. Windisch (374) 125
Auer, B. see J. Zhang (377) 530
Auerswald, E.A., D.K. Nägler, I. Assfalg-Machleidt, M.T. Stubbs, W. Machleidt and H. Fritz, Hairpin loop mutations of chicken cystatin have different effects on the inhibition of cathepsin B, cathepsin L and papain (361) 179
Auerswald, E.A. see C. Randak (363) 189
Auerswald, E.A. see W. Machleidt (361) 185
Auge-Gouillou, C., Y. Bigot, N. Pollet, M.-H. Hamelin, M. Meunier-Rotival and G. Periquet, Human and other mammalian genomes contain transposons of the *mariner* family (368) 541
Ausio, J. see C. Rocchini (363) 37
Autrup, H. see E.C.B. Jørgensen (365) 101
Auwerx, J. see R. Buscà (367) 257
Avaeva, S.M., E.V. Rodina, S.A. Kurilova, T.I. Nazarova, N.N. Vorobyeva, E.H. Harutyunyan and V.Yu. Oganessyan, Mg^{2+} activation of *Escherichia coli* inorganic pyrophosphatase (377) 44
Avelange-Macherel, M.-H., D. Macherel, H. Wada and N. Murata, Site-directed mutagenesis of histidine residues in the Δ12 acyl-lipid desaturase of *Synechocystis* (361) 111
Avenel, D. see T. Prangé (357) 247
Avidor-Reiss, T. see M. Bayewitch (375) 143
Avidor-Reiss, T., R. Zippel, R. Levy, D. Saya, V. Ezra, J. Barg, N. Matus-Leibovitch and Z. Vogel, κ-Opioid receptor-transfected cell lines: modulation of adenylyl cyclase activity following acute and chronic opioid treatments (361) 70
Avila, J. see F.J. Moreno (372) 65
Avila, J., M.D. Pérez, N. Brito, C. González and J.M. Siverio, Cloning and disruption of the *YNR1* gene encoding the nitrate reductase apoenzyme of the yeast *Hansenula polymorpha* (366) 137
Avilés, F.X. see F.X. Gomis-Rüth (367) 211
Avril, L.-E., M. di Martino-Ferrer, M. Brillard-Bourdet and F. Gauthier, Inhibition of U-937 membrane-associated cathepsin G by GP120 (IIIB) and V3 loop-derived peptides from several strains of HIV-1 (367) 251
Axén, E., Purification from pig kidney of a microsomal cytochrome P_{450} catalyzing 1α-hydroxylation of 25-hydroxyvitamin D_3 (375) 277
Ayala, A. see C. Santa Maria (374) 85
Ayusawa, D. see M. Fujii (375) 263
Azuma, M., W.R. Harvey and H. Wieczorek, Stoichiometry of K^+/H^+ antiport helps to explain extracellular pH 11 in a model epithelium (361) 153
Azzone, G.F. see I. Schmehl (375) 206

B

Baba, H. see J. Okabe-Kado (363) 311
Babakov, A.V., Answer from Muromtsev's group (361) 128
Babiychuk, E. see L. Lepiniec (364) 103
Bačáková, L. see J. Jakubík (377) 275
Bacigalupo, J. see B. Morales (359) 41
Backmann, J., H. Fabian and D. Naumann, Temperature-jump-induced refolding of ribonuclease A: a time-resolved FTIR spectroscopic study (364) 175
Bacon, C.M., P.J. Tortolani, A. Shimosaka, R.C. Rees, D.L. Longo and J.J. O'Shea, Thrombopoietin (TPO) induces tyrosine phosphorylation and activation of STAT5 and STAT3 (370) 63
Baczynskyj, L. see M.B. Fairbanks (369) 197
Bader, M. see R. Metzger (357) 27
Baek, S.H. see Y.H. Lee (358) 105
Baenziger, J.E. see N.M. Young (377) 135
Bagella, L., M. Scocchi and M. Zanetti, cDNA sequences of three sheep myeloid cathelicidins (376) 225
Bagnasco, S. see A. Rasola (373) 229
Bai, Y.-h. see G.-f. Fan (357) 13
Baier-Bitterlich, G., D. Fuchs, C. Murr, G. Reibnegger, G. Werner-Felmayer, R. Sgonc, G. Böck, M.P. Dierich and H. Wachter, Effect of neopterin and 7,8-dihydroneopterin on tumor necrosis factor-α induced programmed cell death (364) 234
Bailleul, B. see L. Dupont-Wallois (357) 197
Bailly, C., A. Kénani and M.J. Waring, Analogue versus digital recognition of DNA by bleomycin: an effect of the carbohydrate moiety (372) 144
Baker, B.I. see R. Drozdz (359) 199
Baker, M.E. see H.A. Norman (368) 135
Baker, P.J. see S.Y.K. Seah (370) 93
Baker, R. see C.G. Wray (365) 71
Baksh, S., C. Spamer, C. Heilmann and M. Michalak, Identification of the Zn^{2+} binding region in calreticulin (376) 53
Balaram, P. see R. Gurunath (361) 176
Balboni, G. see P. Amodeo (377) 363
Bald, R. see A. Nolte (374) 292
Baldari, C.T. see M.M. Di Somma (363) 101
Baldi, E. see L. Bonaccorsi (364) 83
Baldin, V. see P. Mazars (362) 295
Baldini, G. see A.M. Martelli (368) 271
Baldini, G. see A.M. Martelli (368) 271
Baldwin, B.C. see D.C. Lamb (368) 326
Baldwin, B.C. see S.L. Kelly (377) 217
Baldwin, G.S., Binding of progastrin fragments to the 78 kDa gastrin-binding protein (359) 97
Baldwin, J.E. see C.-Y. Shiau (358) 97
Baldwin, J.E. see C.-Y. Shiau (373) 303
Baldwin, S.A. see K. Brickley (364) 129
Bálint, M. see G. Kaslik (370) 179

Balke, N., U. Holtkamp, W.H. Hörl and H. Tschesche, Inhibition of degranulation of human polymorphonuclear leukocytes by complement factor D (371) 300
Ball, K.L., J. Barker, N.G. Halford and D.G. Hardie, Immunological evidence that HMG-CoA reductase kinase-A is the cauliflower homologue of the RKIN1 subfamily of plant protein kinases (377) 189
Ball, L.J., G.P. Diakun, P.L. Gadhavi, N.A. Young, E.M. Armstrong, C.D. Garner and E.D. Laue, Zinc co-ordination in the DNA-binding domain of the yeast transcriptional activator PPR1 (358) 278
Balliano, G. see P. Sartori (358) 53
Ballio, A., A comment on 'Endogenous fusicoccin-like ligand revealed in higher plants by radioreceptor and radioimmunoassays', by Aleksei V. Babakov et al. (1994) FEBS Lett. 351, 243–245 (361) 127
Balny, C. see R.V. Rariy (364) 98
Baltas, L.G., P. Karczewski and E.-G. Krause, The cardiac sarcoplasmic reticulum phospholamban kinase is a distinct δ-CaM kinase isozyme (373) 71
Balzarini, J., G. Andrei, R. Kumar, E.E. Knaus, L.I. Wiebe and E. De Clercq, The cytostatic activity of 5-(1-azidovinyl)-2′-deoxyuridine (AzVDU) against herpes simplex virus thymidine kinase gene-transfected FM3A cells is due to inhibition of thymidylate synthase and enhanced by UV light (λ = 254 nm) exposure (373) 41
Bamberg, E. see G. Nagel (377) 263
Ban, T. see Y. Yamada (377) 390
Bandemer, K. see T. Krumm (377) 523
Bang, H. see U. Krummrei (371) 47
Bang, R. see U. Krummrei (371) 47
Bannai, S. see R.C.M. Siow (368) 239
Bansal, S. see M. Fielder (369) 243
Barahmand-pour, F., A. Meinke, A. Eilers, F. Gouilleux, B. Gr̈oner and T. Decker, Colony-stimulating factors and interferon-γ activate a protein related to MGF-Stat 5 to cause formation of the differentiation-induced factor in myeloid cells (360) 29
Baranov, S.V. see V.V. Klimov (363) 251
Barboule, N. see P. Mazars (362) 295
Bárcena, M. see G. Colmenarejo (374) 426
Barco, A. and L. Carrasco, Poliovirus $2A^{pro}$ expression inhibits growth of yeast cells (371) 4
Bardot, O., M.C. Clemencet, P. Passilly and N. Latruffe, The analysis of modified peroxisome proliferator responsive elements of the peroxisomal bifunctional enzyme in transfected HepG2 cells reveals two regulatory motifs (360) 183
Bareggi, R. see A.M. Martelli (368) 271
Barg, J. see M. Bayewitch (375) 143
Barg, J. see T. Avidor-Reiss (361) 70
Barile, G., B. Pernozzoli, V. Tiracchia, S. Ioppolo, M. De Cristofaro, E. Mattei and A. Faggioni, Cross-linking of at least three binding sites mediates signal transduction in a CR2-positive Burkitt lymphoma derived cell line (Raji) (372) 291
Barker, H.M. see N.R. Helps (377) 295
Barker, J. see K.L. Ball (377) 189
Barker, S., S. Kapas, R.J. Fluck and A.J.L. Clark, Effects of the selective protein kinase C inhibitor Ro 31–7549 on human angiotensin II receptor desensitisation and intracellular calcium release (369) 263
Barker, S. and K.H. Mayo, Quarternary structure amplification of protein folding differences observed in 'native' platelet factor-4 (357) 301
Barlati, S., G. De Petro, C. Bona, F. Paracini and M. Tonelli, Phosphorylation of human plasminogen activators and plasminogen (363) 170
Barlowe, C., COPII: a membrane coat that forms endoplasmic reticulum-derived vesicles (369) 93
Barman, T. see C. Lionne (364) 59
Bar-Meir, R. see G. Arad (364) 1
Barnathan, E.S. see K. Karikó (361) 118
Barnekow, A. see A.C. Schiedel (376) 113
Barnes, P.J. see E.-B. Haddad (363) 285
Barnes, R.C. and D.M. Worrall, Identification of a novel human serpin gene; cloning sequencing and expression of leupin (373) 61
Barnett, Y.A. see E. Donnelly (377) 118
Barnier, J.V. see P. Peraldi (357) 290
Barone, V. see A. Rasola (373) 229
Barrand, M.A., K.J. Robertson and S.F. von Weikersthal, Comparisons of *P*-glycoprotein expression in isolated rat brain microvessels and in primary cultures of endothelial cells derived from microvasculature of rat brain, epididymal fat pad and from aorta (374) 179
Barrett, R.W. see H. Schreuder (373) 39
Barroso, C., J.M. Vega and C. Gotor, A new member of the cytosolic *O*-acetylserine(thiol)lyase gene family in *Arabidopsis thaliana* (363) 1
Barsky, E.L. see V.D. Samuilov (357) 55
Barsukov, L.I. see A.I. Polozova (358) 17
Bartsch, S. and H. Tschesche, Cloning and expression of human neutrophil lipocalin cDNA derived from bone marrow and ovarian cancer cells (357) 255
Basáñez, G. see J.L. Nieva (368) 143
Basarsky, T. see V. Parpura (377) 489
Bashkirov, V.N. see P.V. Sergeev (360) 194
Baskerville, P.A. see G.T. Stavri (358) 311
Basset, P. see C. Tomasetto (373) 245
Bast, A. see L. Aarts (357) 83
Basu, S.K. see A. Mukhopadhyay (376) 95
Basus, V.J., L. Nadasdi, J. Ramachandran and G.P. Miljanich, Solution structure of ω-conotoxin MVIIA using 2D NMR spectroscopy (370) 163
Batchu, R.B. and P.L. Hermonat, The *trans*-inhibitory Rep78 protein of adeno-associated virus binds to TAR region DNA of the human immunodeficiency virus type 1 long terminal repeat (367) 267
Bates, P.A. see R. Chinery (357) 50
Bates, P.J. see V.M. Macaulay (372) 222
Battistoni, A. and G. Rotilio, Isolation of an active and heat-stable monomeric form of Cu,Zn superoxide dismutase from the periplasmic space of *Escherichia coli* (374) 199
Batz, O. see K. Kampfenkel (374) 351
Baudet, C. see I.D. Laviada (364) 301
Baudin, V. see A. Dumoulin (374) 39
Baudoin, C. see A. van der Flier (369) 340
Bauer, C.K. see T. Falk (367) 127
Bauer, M. see P. Ježek (361) 303
Bauerfeind, R., R. Jelinek and W.B. Huttner, Synaptotagmin I- and II-deficient PC12 cells exhibit calcium-independent, depolarization-induced neurotransmitter release from synaptic-like microvesicles (364) 328
Baum, J. see R.B. Anachi (368) 551
Baum, O. see K. Löster (373) 234
Baumann, M. see C. Soto (371) 110
Baumeister, W. see T. Waldmann (376) 67
Baumeister, W. see E. Seemüller (359) 173
Baumgartner, W. see K. Groschner (373) 30
Baur, W.E. see R.H. Karas (377) 103
Bautista, J.M., P.J. Mason and L. Luzzatto, Human glucose-6-phosphate dehydrogenase: Lysine 205 is dispensable for substrate binding but essential for catalysis (366) 61
Bautsch, W. see M. Burg (377) 426
Bauwe, H. see M. Teige (377) 349
Baverstock, J. see C. Venien-Bryan (359) 45
Bawumia, S. see B. Mehul (360) 160
Bax, A. see J. Anglister (375) 108
Bayer, E.A. see S. Yaron (360) 121
Bayewitch, M., T. Avidor-Reiss, R. Levy, J. Barg, R. Mechoulam and Z. Vogel, The peripheral cannabinoid receptor: adenylate cyclase inhibition and G protein coupling (375) 143
Baykousheva, S.P., D.L. Luthria and H. Sprecher, Peroxisomal–microsomal communication in unsaturated fatty acid metabolism (367) 198
Baykov, A.A. see I.V. Velichko (359) 20
Bazaes, S., H. Goldie, E. Cardemil and A.M. Jabalquinto, Identification of reactive lysines in phospho*enol*pyruvate carboxykinases from *Escherichia coli* and *Saccharomyces cerevisiae* (360) 207
Bazhulina, N.P. see A.A. Makarov (357) 58
Beatrix, B. see O. Zelder (369) 252
Beattie, J. see P. Mahon (373) 76
Beauchemin, M. see M.-C. Pepin (377) 368
Beauvais, F., L. Michel and L. Dubertret, The nitric oxide donors, azide and hydroxylamine, inhibit the programmed cell death of cytokine-deprived human eosinophils (361) 229
Bec, N. see R.V. Rariy (364) 98
Becchi, M. see J. Straczek (373) 207

Beck, K. see S. Mollner (371) 241
Becker, D.J., L.N. Ongemba, V. Brichard, J.-C. Henquin and S.M. Brichard, Diet- and diabetes-induced changes of *ob* gene expression in rat adipose tissue (371) 324
Becker, K. see M. Hane (373) 265
Becker, N., P. Gilardi-Hebenstreit, T. Seitanidou, D. Wilkinson and P. Charnay, Characterisation of the Sek-1 receptor tyrosine kinase (368) 353
Becker, P.B. see P.D. Varga-Weisz (369) 118
Becker, W.-M. see A. Bufe (363) 6
Beckman, B.S. see I.J. Rondon (359) 267
Beckman, J.S. see M.M. Tarpey (364) 314
Beena, T.K. see R. Gurunath (361) 176
Beeor-Tzahar, T., G. Ben-Hayyim, D. Holland, Z. Faltin and Y. Eshdat, A stress-associated citrus protein is a distinct plant phospholipid hydroperoxide glutathione peroxidase (366) 151
Beggs, A.H. see T.J. Byers (368) 500
Beintema, J.J. see U.M.S. Soedjanaatmadja (363) 211
Belayew, A. see S. Wera (358) 158
Bell, J. see D.J. Merkler (366) 165
Belleville, F. see J. Straczek (373) 207
Bellingan, G.J. see S. Hannah (372) 233
Bellmann, K. see V. Burkart (364) 259
Belorgey, D. and J.G. Bieth, DNA binds neutrophil elastase and mucus proteinase inhibitor and impairs their functional activity (361) 265
Belozersky, M.A., Y.E. Dunaevsky, A.X. Musolyamov and T.A. Egorov, Complete amino acid sequence of the protease inhibitor from buckwheat seeds (371) 264
Belyavsky, A.V. see M.A. Ershler (375) 50
Benaissa, M. see D. Legrand (365) 57
Benarous, R. see D. Lener (361) 85
Ben-Asher, E. see A. Lapidot (367) 33
Ben-Av, P., L.J. Crofford, R.L. Wilder and T. Hla, Induction of vascular endothelial growth factor expression in synovial fibroblasts by prostaglandin E and interleukin-1: a potential mechanism for inflammatory angiogenesis (372) 83
Bendahan, A. see G.I. Keshet (371) 39
Bengtsdotter, M. see A.G. Weeds (360) 227
Ben-Hayyim, G. see T. Beeor-Tzahar (366) 151
Benito, M. see T. Teruel (364) 193
Benjannet, S., J. Lusson, J. Hamelin, D. Savaria, M. Chrétien and N.G. Seidah, Structure-function studies on the biosynthesis and bioactivity of the precursor convertase PC2 and the formation of the PC2/7B2 complex (362) 151
Benka, M.L., M. Lee, G.-R. Wang, S. Buckman, A. Burlacu, L. Cole, A. DePina, P. Dias, A. Granger, B. Grant, A. Hayward-Lester, S. Karki, S. Mann, O. Marcu, A. Nussenzweig, P. Piepenhagen, M. Raje, F. Roegiers, S. Rybak, A. Salic, J. Smith-Hall, J. Waters, N. Yamamoto, J. Yanowitz, K. Yeow, W.B. Busa and M.E. Mendelsohn, The thrombin receptor in human platelets is coupled to a GTP binding protein of the $G\alpha_q$ family (363) 49
Bensch, K.W., M. Raida, H.-J. Mägert, P. Schulz-Knappe and W.-G. Forssmann, hBD-1: a novel β-defensin from human plasma (368) 331
Benvenuto, G. see P. Salvatore (373) 159
Benyamin, Y. see J.-P. Labbé (373) 221
Benz, B. see I. Jupin (362) 116
Berberich, C. see R. Metzger (357) 27
Berden, J.A. see J. Cladera (371) 115
Berden, J.A. see H. Boumans (368) 105
Bereta, J., M.C. Cohen and M. Bereta, Stimulatory effect of ouabain on VCAM-1 and iNOS expression in murine endothelial cells: involvement of NF-κB (377) 21
Bereta, M. see J. Bereta (377) 21
Beretta, G.L. see G. Gadda (363) 307
Bereziat, G. see Y. Vandenbrouck (376) 99
Berger, S. see J. Espinal (368) 36
Berggren, P.-O. see H. Kindmark (369) 315
Berglund, A. see I.L. Korzh-Sleptsova (359) 151
Berglund, A. see E. Lindström (370) 118
Bergman, T. see T. Pettersson (365) 23
Bergonia, H. see Y.-M. Kim (374) 228
Bergström, L. see L. Nilsson (372) 88
Bernardi, H. see V. Talesa (357) 265
Bernardi, P. see P. Costantini (362) 239
Bernaschek, G. see T. Soucek (373) 164
Bernelli-Zazzera, A. see G. Pogliaghi (372) 181
Bernier, M. and R. Carpentier, The action of mercury on the binding of the extrinsic polypeptides associated with the water oxidizing complex of photosystem II (360) 251
Berrow, N. see V. Campbell (370) 135
Berrow, N. see K. Brickley (364) 129
Berthier-Vergnes, O. see N. Zebda (362) 161
Berthonaud, V. see V. Laizé (373) 269
Berti, A. see P. Chiarugi (372) 49
Bertin, Y. see J.-P. Girardeau (357) 103
Bertin, Y. see M.-C. Méchin (364) 319
Bertini, I. see S.L. Davy (363) 199
Bertoli, E. see G. Lippe (373) 141
Bessho, R. see A. Kataoka (364) 264
Bessou, G. see L. Halbwachs-Mecarelli (374) 29
Best-Belpomme, M. see A. Haoudi (377) 67
Beth, A.H. see P.G.W. Gettins (367) 137
Betteridge, D.J. see N.K. Gopaul (368) 225
Bettuzzi, S., M. Marinelli, P. Strocchi, P. Davalli, D. Cevolani and A. Corti, Different localization of spermidine/spermine N^1-acetyltransferase and ornithine decarboxylase transcripts in the rat kidney (377) 321
Betz, H. see J. Morr (368) 495
Betz, H. see K. Sato (375) 99
Betzel, C. see A. Nolte (374) 292
Beukelman, C.J. see A.J.J. van den Berg (358) 215
Beullens, M. see S. Renouf (375) 75
Beyreuther, K. see R.N. LePage (377) 267
Beyreuther, K. see M. Simons (368) 363
Bhaduri, A. see D. Sarkar (375) 83
Bhairi, S.M. see G.-P. Shi (357) 129
Bhatia, J. see A. Carne (372) 243
Bhatnagar, R.K. see A. Selvapandiyan (374) 253
Bhattacharyya, B. see S. Raha (362) 316
Bhuiyan, M.Z.A. see M. Sugiyama (362) 80
Bialek-Bylka, G.E., T. Tomo, K. Satoh and Y. Koyama, 15-*cis*-β-Carotene found in the reaction center of spinach photosystem II (363) 137
Bian, Z.C. see Z.G. Wo (368) 230
Bianco, P. see L. Florens (373) 280
Bienert, M. see B. Thiede (357) 65
Bieri, S., J.T. Djordjevic, N. Jamshidi, R. Smith and P.A. Kroon, Expression and disulfide-bond connectivity of the second ligand-binding repeat of the human LDL receptor (371) 341
Bierzynski, A. see K. Bolewska (377) 172
Bieth, J.G. see D. Belorgey (361) 265
Bignon, C., N. Daniel, A.-Y. Kermabon and J. Djiane, Prolactin induces growth inhibition and promotes differentiation of CHO cells stably transfected with prolactin receptor complementary DNA (358) 84
Bigot, Y. see C. Auge-Gouillou (368) 541
Bilgin, N. see V. Dinçbaş (357) 19
Binart, N. see A. Sotiropoulos (369) 169
Binder, A. see M. Fielder (369) 243
Binet, M.-N. see D. Wendehenne (374) 203
Biosca, J.A. see M. Rosario Fernández (370) 23
Birchall, J.D. see C. Exley (364) 182
Birck, C., B. Raynaud-Messina and J.-P. Samama, Oligomerization state in solution of the cell cycle regulators $p13^{suc1}$ from the fission yeast and $p9^{cksphy}$ from the myxomycete *Physarum*, two members of the cks family (363) 145
Birkenmeier, G. see G. Kopperschläger (363) 17
Birnbach, U. see J. Lundström-Ljung (357) 305
Birnbaumer, L. see R. Coria (367) 122
Birnbaumer, L. see X. Zhu (373) 193
Biro, S. see M. Miyata (377) 493
Birukov, K.G. see D.M. Watterson (373) 217
Bisaccia, F. see L. Capobianco (357) 297
Bisby, R.H. see C.G. Morgan (375) 113
Bishop, N.I., T. Urbig and H. Senger, Complete separation of the β,ε- and β,β-carotenoid biosynthetic pathways by a unique mutation of the lycopene cyclase in the green alga, *Scenedesmus obliquus* (367) 158
Bisogno, T. see S. Maurelli (377) 82
Bissonnette, M. see H.K. Roy (366) 143
Bisswanger, H. see V. Bunik (371) 167
Biswas, B.B. see S. Raha (362) 316

Biswas, P., H.E. Abboud, H. Kiyomoto, U.O. Wenzel, G. Grandaliano and G. Ghosh Choudhury, PKC α regulates thrombin-induced PDGF-B chain gene expression in mesangial cells (373) 146
Björck, L. see M.U. Johansson (374) 257
Björk, I. see B. Turk (360) 101
Björk, I. see V. Stoka (370) 101
Björk, I. see K. Ylinenjärvi (357) 309
Björnstedt, M. see G. Spyrou (368) 59
Blaauw, M., N. Dekker, H.M. Verheij, K.H. Kalk and B.W. Dijkstra, Crystallization and preliminary X-ray analysis of outer membrane phospholipase A from *Escherichia coli* (373) 10
Blache, D., C. Rodriguez and J. Davignon, Pro-oxidant effects of 7-hydroperoxycholest-5-en-3β-ol on the copper-initiated oxidation of low density lipoprotein (357) 135
Blache, D., C. Rodriguez and J. Davignon, Enhanced susceptibility of cholesteryl sulfate-enriched low density lipoproteins to copper-mediated oxidation (362) 197
Blagbrough, I.S. see D.J. Hardick (365) 79
Blagova, E.V. see E.Y. Morgunova (367) 183
Blair, D.G. see E. Priel (362) 59
Blair, T.A. see C.T. Bond (367) 61
Blajchman, M.A. see W.P. Sheffield (365) 189
Blake, D.R. see D.P. Naughton (361) 167
Blake, N. see K. Moreton (372) 33
Blanc, V., S. Litvak and A. Araya, RNA editing in wheat mitochondria proceeds by a deamination mechanism (373) 56
Blanck, T.J.J. see M.B. Meyers (357) 230
Blasi, F. see M. Conese (358) 73
Blasi, F. see P. Limongi (369) 207
Blattner, J., H. Dörsam and C.E. Clayton, Function of N-terminal import signals in trypanosome microbodies (360) 310
Blázquez, M.A., F.-J. Gamo and C. Gancedo, A mutation affecting carbon catabolite repression suppresses growth defects in pyruvate carboxylase mutants from *Saccharomyces cerevisiae* (377) 197
Blechschmidt, B. see M.R. Ahmadian (377) 253
Blein, J.-P. see D. Wendehenne (374) 203
Blencowe, C. see B. Fyrnys (357) 7
Bloem, A.C. see P.G.M. Bloemen (357) 140
Bloemen, P.G.M. see M.J. van de Velde (369) 301
Bloemen, P.G.M., P.A.J. Henricks, L. van Bloois, M.C. van den Tweel, A.C. Bloem, F.P. Nijkamp, D.J.A. Crommelin and G. Storm, Adhesion molecules: a new target for immunoliposome-mediated drug delivery (357) 140
Bloemendal, M. see M. Kooijman (358) 185
Blondelle, S.E. see I. Mingarro (372) 131
Bo, X., Y. Zhang, M. Nassar, G. Burnstock and R. Schoepfer, A P2X purinoceptor cDNA conferring a novel pharmacological profile (375) 129
Bocchini, V. see G. Scarano (365) 214
Bocharov, A.L. see G.I. Yakovlev (366) 156
Bochkareva, E.S. see A.S. Girshovich (366) 17
Böck, G. see G. Baier-Bitterlich (364) 234
Bode, H.P. see A. Volz (373) 23
Bode, W. see M.T. Stubbs (375) 103
Bodor, J., W. Walker, E. Flemington, A.-L. Spetz and J.F. Habener, Modulation of Tax and PKA-mediated expression of HTLV-I promoter via cAMP response element binding and modulator proteins CREB and CREM (377) 413
Boekema, E.J. see B. Böttcher (373) 262
Boersma, M.G. see J. Koerts (368) 279
Bogatcheva, N.V. and N.B. Gusev, Computer-assistant prediction of phospholipid binding sites of caldesmon and calponin (363) 269
Bogatcheva, N.V. and N.B. Gusev, Interaction of smooth muscle calponin with phospholipids (371) 123
Bogdan, C., E. Werner, S. Stenger, H. Wachter, M. Röllinghoff and G. Werner-Felmayer, 2,4-Diamino-6-hydroxypyrimidine, an inhibitor of tetrahydrobiopterin synthesis, downregulates the expression of iNOS protein and mRNA in primary murine macrophages (363) 69
Bogdanova, N., C. Bork and R. Hell, Cysteine biosynthesis in plants: isolation and functional identification of a cDNA encoding a serine acetyltransferase from *Arabidopsis thaliana* (358) 43
Bøgestrand, S., O. Wiborg, S. Thirup and J. Nyborg, Analysis and crystallization of a 25 kDa C-terminal fragment of cloned elongation factor Ts from *Escherichia coli* (368) 49
Boguski, M.S. see T. Madej (373) 13
Bohner, T. see K. Wild (368) 289
Boileau, G. see N. Brakch (362) 143
Boisset, C., R. Borsali, M. Schülein and B. Henrissat, Dynamic light scattering study of the two-domain structure of *Humicola insolens* endoglucanase V (376) 49
Boiziau, C., F. Debart, B. Rayner, J.-L. Imbach and J.-J. Toulme, Chimeric alpha-beta oligonucleotides as antisense inhibitors of reverse transcription (361) 41
Bok, D. see M.P. Lostao (377) 181
Boland, W. see T. Krumm (377) 523
Boldin, M.P., I.L. Mett and D. Wallach, A protein related to a proteasomal subunit binds to the intracellular domain of the p55 TNF receptor upstream to its 'death domain' (367) 39
Boldyreff, B. see O. Marin (363) 111
Bolewska, K., D. Krowarsch, J. Otlewski, L. Jaroszewski and A. Bierzynski, Synthesis, cloning and expression in *Escherichia coli* of a gene coding for the Met8→Leu CMTI I – a representative of the squash inhibitors of serine proteinases (377) 172
Bollen, M. see S. Renouf (375) 75
Bollen, M. see F. Posas (368) 39
Bollum, F.J. see O. Trubiani (374) 367
Bolognesi, M. see P. Sartori (358) 53
Bolognesi, M. see E. Leci (357) 227
Bolwell, G.P. see C. Castelluccio (368) 188
Bona, C. see S. Barlati (363) 170
Bonaccorsi, L., M. Luconi, G. Forti and E. Baldi, Tyrosine kinase inhibition reduces the plateau phase of the calcium increase in response to progesterone in human sperm (364) 83
Bonaventura, C. see D.E. Holm (370) 53
Bonaventura, J. see D.E. Holm (370) 53
Bond, C. see H. Sakura (367) 193
Bond, C.T., C. Ämmälä, R. Ashfield, T.A. Blair, F. Gribble, R.N. Khan, K. Lee, P. Proks, I.C.M. Rowe, H. Sakura, M.J. Ashford, J.P. Adelman and F.M. Ashcroft, Cloning and functional expression of the cDNA encoding an inwardly-rectifying potassium channel expressed in pancreatic β-cells and in the brain (367) 61
Bondon, A. see N. Legrand (364) 152
Bondy, S.C. and S. Marwah, Stimulation of synaptosomal free radical production by fatty acids: relation to esterification and to degree of unsaturation (375) 53
Bonhivers, M. and L. Letellier, Calcium controls phage T5 infection at the level of the *Escherichia coli* cytoplasmic membrane (374) 169
Bonne, J. see M. Daadi (358) 137
Boonstra, J. see S. van Delft (357) 251
Boquet, P. see M.U. Ehrengruber (372) 161
Borbe, H.O. see V. Bunik (371) 167
Borchert, T.V., J.Ph. Zeelen, W. Schliebs, M. Callens, W. Minke, R. Jaenicke and R.K. Wierenga, An interface point-mutation variant of triosephosphate isomerase is compactly folded and monomeric at low protein concentrations (367) 315
Bordallo, J. and P. Suárez-Rendueles, Identification of regulatory proteins that might be involved in carbon catabolite repression of the aminopeptidase I gene of the yeast *Saccharomyces cerevisiae* (376) 120
Bordallo, J., R. Cueva and P. Suárez-Rendueles, Transcriptional regulation of the yeast vacuolar aminopeptidase yscI encoding gene (*APE1*) by carbon sources (364) 13
Borden, L.A. see K.E. Smith (357) 86
Borel, J.-P. see P. Gillery (357) 287
Borgese, N. see M. De Silvestris (370) 69
Borisova, O.F. see A.K. Shchyolkina (367) 81
Bork, C. see N. Bogdanova (358) 43
Bork, P. see M. Sudol (369) 67
Borlat, F. see A.E.I. Proudfoot (376) 19
Borodulin, V.B. see A.S. Zasedatelev (375) 304
Borregaard, N. see J.B. Cowland (368) 173
Borremans, F.A.M. see W.F. Vranken (374) 117
Borsali, R. see C. Boisset (376) 49
Boscá, L. see F. Terenzi (368) 193
Boschenok, J. see G. Wickham (360) 231
Boschero, A.C. see L.A. Velloso (377) 353
Bosco, M. see A. Fontana (362) 266
Bosse, E. see L. Lacinová (373) 103
Bossemeyer, D., Protein kinases – structure and function (369) 57
Böttcher, B., P. Gräber, E.J. Boekema and U. Lücken, Electron cryomicroscopy of two-dimensional crystals of the H⁺-ATPase from chloroplasts (373) 262
Bouakham, T. see G. Prevost (376) 135
Boudkin, O. see M.J. Todd (359) 123

Bougeret, C. see M. Sudol (369) 67
Boulez, K. see W.F. Vranken (374) 117
Boumans, H., J.A. Berden and L.A. Grivell, Identification of additional homologues of subunits VII and VIII of the ubiquinol–cytochrome *c* oxidoreductase enables definition of consensus sequences (368) 105
Bourguignon, J. see A. Héron (374) 195
Bourinbaiar, A.S. and S. Lee-Huang, The non-steroidal anti-inflammatory drug, indomethacin, as an inhibitor of HIV replication (360) 85
Bouron, A., N.M. Soldatov and H. Reuter, The β_1-subunit is essential for modulation by protein kinase C of an human and a non-human L-type Ca^{2+} channel (377) 159
Bovenschulte, M., D. Riemer and K. Weber, The sequence of a cytoplasmic intermediate filament (IF) protein from the annelid *Lumbricus terrestris* emphasizes a distinctive feature of protostomic IF proteins (360) 223
Bovin, N.V. see A.S. Gambaryan (366) 57
Bovina, C. see G. Lenaz (366) 119
Bowen, B.R. see L.P. Wennogle (371) 315
Bowlin, T. see H. Schreuder (373) 39
Bowry, V.W. see P.K. Witting (375) 45
Boyer, M. see J.-P. Labbé (373) 221
Boyer, W. see L.P. Wennogle (371) 315
Bracale, A. see V. Cafaro (359) 31
Brachet, P. see I.D. Laviada (364) 301
Braidot, E. see A. Vianello (365) 7
Braidot, E. see A. Vianello (371) 258
Brakch, N., A.S. Galanopoulou, Y.C. Patel, G. Boileau and N.G. Seidah, Comparative proteolytic processing of rat prosomatostatin by the convertases PC1, PC2, furin, PACE4 and PC5 in constitutive and regulated secretory pathways (362) 143
Brakenhoff, J.P.J. see F.D. de Hon (369) 187
Braks, J.A.M. and G.J.M. Martens, The neuroendocrine chaperone 7B2 can enhance in vitro POMC cleavage by prohormone convertase PC2 (371) 154
Brancaccio, A., T. Schulthess, M. Gesemann and J. Engel, Electron microscopic evidence for a mucin-like region in chick muscle α-dystroglycan (368) 139
Brancaccio, A. see E. Leci (357) 227
Branchek, T.A. see K.E. Smith (357) 86
Brändle, U. see T. Doi (375) 193
Brandt, N.R. see S.V. Polishchuk (362) 271
Brandt, S. and T.J. Jentsch, ClC-6 and ClC-7 are two novel broadly expressed members of the CLC chloride channel family (377) 15
Brandt, W. see H. Weißhoff (372) 203
Brann, M.R. see E.S. Burstein (363) 261
Branno, M. see L. Tosi (361) 115
Brasitus, T.A. see H.K. Roy (366) 143
Bratt, T. see B. Åkerström (362) 50
Braüner-Osborne, H. see E.S. Burstein (363) 261
Bravo, A. see A. Lorence (360) 217
Bredberg, A. see Z. Sandor (374) 287
Bredenbeek, P. see R. Rijnbrand (365) 115
Breen, K.C. see C.M. Coughlan (369) 260
Breier, G. see G.T. Stavri (358) 311
Breitbart, H. see B. Spungin (357) 98
Brekelmans, S.S.C. see A.F.J. Ram (358) 165
Brenelli, S.L. see M.J.A. Saad (370) 131
Brenner, S.E. see M. Suzuki (372) 215
Brethorst, S. see V. Parpura (360) 266
Breton, J. see S.L. Davy (363) 199
Breuil, C. see L.D. Abraham (374) 208
Breunig, K.D. see M.A. Freire-Picos (360) 39
Brezinski-Caliguri, D.J. see M.M. Mahoney (377) 519
Briand, C.M. see G.I. Yakovlev (366) 156
Brichard, S.M. see D.J. Becker (371) 324
Brichard, V. see D.J. Becker (371) 324
Brick, D.J., M.J. Brumlik, J.T. Buckley, J.-X. Cao, P.C. Davies, S. Misra, T.J. Tranbarger and C. Upton, A new family of lipolytic plant enzymes with members in rice, arabidopsis and maize (377) 475
Brickley, K., V. Campbell, N. Berrow, R. Leach, R.I. Norman, D. Wray, A.C. Dolphin and S.A. Baldwin, Use of site-directed antibodies to probe the topography of the α_2 subunit of voltage-gated Ca^{2+} channels (364) 129
Brickley, K. see V. Campbell (370) 135
Briffeuil, P. see P.A. Denoel (361) 238
Brigotti, M., D. Carnicelli, P. Alvergna, A. Pallanca, S. Sperti and L. Montanaro, Differential up-regulation by tRNAs of ribosome-inactivating proteins (373) 115
Brihuega, F. see A. Chiloeches (361) 46
Brillard-Bourdet, M. see L.-E. Avril (367) 251
Briscoe, C.P. and M.J.O. Wakelam, Heterologous desensitization of bombesin- and vasopressin-stimulated phospholipase D activity in Swiss 3T3 fibroblasts (361) 162
Brito, N. see J. Avila (366) 137
Britton, G. see R.J. Weesie (362) 34
Britton, K.L. see S.Y.K. Seah (370) 93
Broadway, N.M. and E.D. Saggerson, Inhibition of liver microsomal carnitine acyltransferases by sulphonylurea drugs (371) 137
Brock, R. see C. Chen (370) 46
Brock, T.A. see M.M. Tarpey (364) 314
Brocklehurst, K. see F. Willenbrock (358) 189
Brodsky, B. see R.B. Anachi (368) 551
Broekaert, W.F. see R.W. Osborn (368) 257
Brooker, M.J. see K.A. Krown (376) 24
Brooks, D.E. see H. Walter (361) 135
Broom, J.K. see C.C. Winterbourn (368) 449
Bross, P., B.S. Andresen, I. Knudsen, T.A. Kruse and N. Gregersen, Human ClpP protease: cDNA sequence, tissue-specific expression and chromosomal assignment of the gene (377) 249
Brossard, G. see C. Serradeil-Le Gal (362) 192
Broughton, H.B. see J.R. Atack (361) 1
Brown, F. see A.P. Shivji (371) 25
Brown, G. see W.E.B. Johnson (364) 309
Brown, G.C., Nitric oxide regulates mitochondrial respiration and cell functions by inhibiting cytochrome oxidase (369) 136
Brown, G.M. see F. Liu (374) 273
Brown, G.P. see G.C. Rossi (369) 192
Brown, K.D. see A.N. Corps (368) 160
Brown, M.D. see B.B. Wolf (376) 177
Brown, P.R. see C. Novo (367) 275
Broxterman, H.J. see N. Feller (368) 385
Brudler, R., H.J.M. de Groot, W.B.S. van Liemt, P. Gast, A.J. Hoff, J. Lugtenburg and K. Gerwert, FTIR spectroscopy shows weak symmetric hydrogen bonding of the Q_B carbonyl groups in *Rhodobacter sphaeroides* R26 reaction centres (370) 88
Brulfert, J. see H. Gehrig (377) 399
Brumlik, M.J. see D.J. Brick (377) 475
Brunati, A.M., A. Donella-Deana, M. Ruzzene, O. Marin and L.A. Pinna, Site specificity of $p72^{syk}$ protein tyrosine kinase: efficient phosphorylation of motifs recognized by Src homology 2 domains of the Src family (367) 149
Brune, K. see U. Krummrei (371) 47
Brune, M. see C. Lionne (364) 59
Bruni, C.B. see P. Salvatore (373) 159
Bruni, C.B. see C. Bucci (366) 65
Brunner, F., H. Stessel and W.R. Kukovetz, Novel guanylyl cyclase inhibitor, ODQ reveals role of nitric oxide, but not of cyclic GMP in endothelin-1 secretion (376) 262
Brunner, F., H. Stessel, N. Watzinger, B.-M. Löffler and L.H. Opie, Binding of endothelin to plasma proteins and tissue receptors: effects on endothelin determination, vasoactivity, and tissue kinetics (373) 97
Bruschi, M. see L. Florens (373) 280
Brusilow, W.S.A. see D.K.W. Hsu (371) 127
Bruyneel, E. see J. Willems (363) 289
Bruzzone, R., T.W. White, G. Yoshizaki, R. Patiño and D.L. Paul, Intercellular channels in teleosts: functional characterization of two connexins from Atlantic croaker (358) 301
Bryant, S.H. see T. Madej (373) 13
Brzezinski, P. see D.M. Mitchell (374) 371
Buc-Calderon, P. see I. Latour (373) 299
Bucchini, D. see B. Lamothe (373) 51
Bucci, C., A. Lütcke, O. Steele-Mortimer, V.M. Olkkonen, P. Dupree, M. Chiariello, C.B. Bruni, K. Simons and M. Zerial, Co-operative regulation of endocytosis by three RAB5 isoforms (366) 65
Bucci, M. see A. Pierangeli (374) 327
Bucciantini, M. see N. Taddei (362) 175
Büch, K., H. Stransky and A. Hager, FAD is a further essential cofactor of the NAD(P)H and O_2-dependent zeaxanthin-epoxidase (376) 45
Bucher, P. see K. Hofmann (358) 153
Buchner, J. see H. Lilie (362) 43
Buckel, W. see M. Mack (357) 145

Buckel, W. see O. Zelder (369) 252
Buckley, J.T. see D.J. Brick (377) 475
Buckman, S. see M.L. Benka (363) 49
Budagova, K.R. see V.L. Gabai (375) 21
Budesinsky, M. see W.F. Vranken (374) 117
Budovskaya, E.V. see A.T. Gudkov (367) 280
Budworth, J. and A. Gescher, Differential inhibition of cytosolic and membrane-derived protein kinase C activity by staurosporine and other kinase inhibitors (362) 139
Bufe, A., G. Schramm, M.B. Keown, M. Schlaak and W.-M. Becker, Major allergen *Phl p* Vb in timothy grass is a novel pollen RNase (363) 6
Bugreev, D.V. see G.A. Nevinsky (368) 97
Buhler, J.-M. see G. Rousselet (359) 215
Bukau, B. see E.J. Levy (368) 435
Büldt, G. see G. Nagel (377) 263
Bulet, P. see M. Salzet (357) 187
Bundgaard, J.R., T.v.O. Hansen, L. Friis-Hansen, I.J. Rourke, W.W. van Solinge, F.C. Nielsen and J.F. Rehfeld, A distal Sp1-element is necessary for maximal activity of the human gastrin gene promoter (369) 225
Bune, A.J., J.K. Shergill, R. Cammack and H.T. Cook, L-Arginine depletion by arginase reduces nitric oxide production in endotoxic shock:: an electron paramagnetic resonance study (366) 127
Buneva, V.N. see G.A. Nevinsky (368) 97
Bunik, V., A. Shoubnikova, S. Loeffelhardt, H. Bisswanger, H.O. Borbe and H. Follmann, Using lipoate enantiomers and thioredoxin to study the mechanism of the 2-oxoacid-dependent dihydrolipoate production by the 2-oxoacid dehydrogenase complexes (371) 167
Bunnemann, B. see R. Metzger (357) 27
Burbaev, D.S. see A.D. Vinogradov (370) 83
Burbelo, P.D. see F. Levavasseur (363) 132
Burg, M., U. Raffetseder, M. Grove, A. Klos, J. Köhl and W. Bautsch, Gα-16 complements the signal transduction cascade of chemotactic receptors for complement factor C5a (C5a-R) and *N*-formylated peptides (fMLF-R) in *Xenopus laevis* oocytes: Gα-16 couples to chemotactic receptors in *Xenopus* oocytes (377) 426
Burgat, J.-M., C. Ghelis and R. Cardinaud, Cleavage points of rabbit skeletal myosin light chains selectively modified in situ by limited proteolysis: structural characteristics of the neoformed isozymes (369) 255
Burgeson, R.E. see U. Mayer (365) 129
Burgess, J.W. see R. Zehavi-Feferman (368) 122
Burgoyne, R.D. see D. Roth (374) 77
Burkart, V., A. Groß-Eick, K. Bellmann, J. Radons and H. Kolb, Suppression of nitric oxide toxicity in islet cells by α-tocopherol (364) 259
Burke, M.D. see G.I. Murray (364) 79
Burke, M.D. see J.A. McKay (374) 270
Burlacu, A. see M.L. Benka (363) 49
Burlakova, A.A. see E.Yu. Morgunova (367) 183
Burnstock, G. see X. Bo (375) 129
Burstein, E.S., T.A. Spalding, H. Braüner-Osborne and M.R. Brann, Constitutive activation of muscarinic receptors by the G-protein G_q (363) 261
Burstein, S.H. see M. Wartmann (359) 133
Busa, W.B. see M.L. Benka (363) 49
Buscà, R., J. Peinado, E. Vilella, J. Auwerx, S.S. Deeb, S. Vilaró and M. Reina, The mutant $Asn^{291} \rightarrow Ser$ human lipoprotein lipase is associated with reduced catalytic activity and does not influence binding to heparin (367) 257
Busch, A.E. see T. Doi (375) 193
Busch, H. see D.A. Weidner (366) 146
Buse, G. see T. Soulimane (368) 132
Bushueva, T.L. see M.V. Medvedeva (360) 89
Busse, R. see M. Hecker (359) 251
Butt, E. see D. Pöhler (374) 419
Buttke, T.M. see P.A. Sandstrom (365) 66
Bychkova, V.E. and O.B. Ptitsyn, Folding intermediates are involved in genetic diseases? (359) 6
Bycroft, M., M. Proctor, S.M.V. Freund and D. St. Johnston, Assignment of the backbone $^{1}H,^{15}N,^{13}C$ NMR resonances and secondary structure of a double-stranded RNA binding domain from the *Drosophila* protein staufen (362) 333
Byers, T.J., A.H. Beggs, E.M. McNally and L.M. Kunkel, Novel actin crosslinker superfamily member identified by a two step degenerate PCR procedure (368) 500
Byford, M.F. see C.-Y. Shiau (373) 303
Byford, M.F. see C.-Y. Shiau (358) 97
Bzowska, A., M. Luić, W. Schröder, D. Shugar, W. Saenger and G. Koellner, Calf spleen purine nucleoside phosphorylase: purification, sequence and crystal structure of its complex with an *N*(7)-acycloguanosine inhibitor (367) 214

C

Caaveiro, J.M.M. see S.G. Taneva (367) 297
Cabantchik, Z.I. see L. Vieira (361) 123
Caboche, M. see C. Meyer (370) 197
Cafaro, V., C. De Lorenzo, R. Piccoli, A. Bracale, M.R. Mastronicola, A. Di Donato and G. D'Alessio, The antitumor action of seminal ribonuclease and its quaternary conformations (359) 31
Caffrey, M. see N. Morelle (365) 172
Caffrey, M., J.-P. Simorre, M. Cusanovich and D. Marion, Characterization of the dynamic properties of *Rhodobacter capsulatus* ferricytochrome c′ – a 28 kDa paramagnetic heme protein (368) 519
Cahill, M.A. see W.H. Ernst (357) 45
Caillet-Boudin, M.L. see L. Dupont-Wallois (357) 197
Cain, K., S.H. Inayat-Hussain, L. Kokileva and G.M. Cohen, Multi-step DNA cleavage in rat liver nuclei is inhibited by thiol reactive agents (358) 255
Cairo, A. see R.H. Sarma (357) 317
Caldenhoven, E. see C. Lütticken (360) 137
Calder, L. see E. Zocchi (359) 35
Calhoun, M.W., L.J. Lemieux, J.A. Garcia-Horsman, J.W. Thomas, J.O. Alben and R.B. Gennis, The highly conserved methionine of subunit I of the heme-copper oxidases is not at the heme-copper dinuclear center: mutagenesis of M110 in subunit I of cytochrome bo_3-type ubiquinol oxidase from *Escherichia coli* (368) 523
Callebaut, I. and J.-P. Mornon, Trigger factor, one of the *Escherichia coli* chaperone proteins, is an original member of the FKBP family (374) 211
Calleja, V. see P. Peraldi (357) 290
Callens, M. see T.V. Borchert (367) 315
Calogero, R.A. see D. Lener (361) 85
Calonge, M. see L.A. Pérez-Mediavilla (357) 121
Calothy, G. see P. Peraldi (357) 290
Calvete, J.J., K. Mann, W. Schäfer, M. Raida, L. Sanz and E. Töpfer-Petersen, Boar spermadhesin PSP-II: location of posttranslational modifications, heterodimer formation with PSP-I glycoforms and effect of dimerization on the ligand-binding capabilities of the subunits (365) 179
Cambi, F. see P. Strocchi (359) 203
Camici, G. see A. Caselli (374) 249
Camici, G. see A. Modesti (375) 235
Camici, G. see P. Chiarugi (372) 49
Cammack, R. see A.J. Bune (366) 127
Campbell, D. see M. Wartmann (359) 133
Campbell, D.G. see R.W. MacKintosh (371) 236
Campbell, F.M. and A.K. Dutta-Roy, Plasma membrane fatty acid-binding protein ($FABP_{pm}$) is exclusively located in the maternal facing membranes of the human placenta (375) 227
Campbell, K.P. see S.L. Roberds (364) 245
Campbell, V., N. Berrow, K. Brickley, K. Page, R. Wade and A.C. Dolphin, Voltage-dependent calcium channel β-subunits in combination with α_1 subunits, have a GTPase activating effect to promote the hydrolysis of GTP by $G\alpha_o$ in rat frontal cortex (370) 135
Campbell, V. see K. Brickley (364) 129
Camps, M. see A.P. Simões (365) 155
Cànaves, J.M. see L.M. Gutiérrez (372) 39
Canessa, C. see R. Antolovic (368) 169
Cansado, J. see T. Soto (367) 263
Canters, G.W. see C. Dennison (365) 92
Canton, M. see I. Schmehl (375) 206
Cao, J.-X. see D.J. Brick (377) 475
Capaldi, R.A. see S.D. Watts (368) 235

Capdevielle, J. see I. Aubes-Dufau (364) 115
Capobianco, L., F. Bisaccia, A. Michel, F.E. Sluse and F. Palmieri, The N- and C-termini of the tricarboxylate carrier are exposed to the cytoplasmic side of the inner mitochondrial membrane (357) 297
Caput, D. see S. Lefort (366) 122
Cardemil, E. see S. Bazaes (360) 207
Cardinaud, R. see J.-M. Burgat (369) 255
Cardone, M. and K. Mostov, Wortmannin inhibits transcytosis of dimeric IgA by the polymeric immunoglobulin receptor (376) 74
Cariou, S. see F. Levavasseur (363) 132
Carmon, S. see C.S. Fishburn (361) 215
Carne, A., R.A. McGregor, J. Bhatia, A. Sivaprasadarao, J.N. Keen, A. Davies and J.B.C. Findlay, A β-subclass phosphatidylinositol-specific phospholipase C from squid (*Loligo forbesi*) photoreceptors exhibiting a truncated C-terminus (372) 243
Carneiro, E.M. see L.A. Velloso (377) 353
Carnicelli, D. see M. Brigotti (373) 115
Carpenter, K.L.H. see C.E. Marchant (358) 175
Carpentier, R. see A. Ahmed (363) 65
Carpentier, R. see M. Bernier (360) 251
Carraresi, L. see A. Modesti (375) 235
Carraro, U. see M. Sandri (373) 291
Carrasco, L. see A. Barco (371) 4
Carrasco, L. see J. Lama (367) 5
Carrasco, L. see R. Aldabe (377) 1
Cartaud, J. see B.J. Jasmin (374) 393
Carvalho, C.R.O. see M.J.A. Saad (370) 131
Carvalho, R.S.H. see T.A. Pertinhez (375) 239
Carver, J.A., G. Esposito, G. Schwedersky and M. Gaestel, ^{1}H NMR spectroscopy reveals that mouse Hsp25 has a flexible C-terminal extension of 18 amino acids (369) 305
Casado, F.J. see J.V. Martínez-Mas (362) 85
Casado, M. see F. Terenzi (368) 193
Cascante, M. see B.N. Kholodenko (368) 1
Casellas, P. see J.-M. Derocq (369) 177
Caselli, A., P. Chiarugi, G. Camici, G. Manao and G. Ramponi, In vivo inactivation of phosphotyrosine protein phosphatases by nitric oxide (374) 249
Caserta, G. see R. Ammendola (371) 209
Caspersen, C. and M. Treiman, Thapsigargin discriminates strongly between Ca^{2+}-ATPase phosphorylated intermediates with different subcellular distributions in bovine adrenal chromaffin cells (377) 31
Cassart, J.-P., I. Georis, J. Östling, H. Ronne and J. Vandenhaute, The MIG1 repressor from *Kluyveromyces lactis*: cloning, sequencing and functional analysis in *Saccharomyces cerevisiae* (371) 191
Castaño, E.M. see C. Soto (371) 110
Castelluccio, C., G. Paganga, N. Melikian, G.P. Bolwell, J. Pridham, J. Sampson and C. Rice-Evans, Antioxidant potential of intermediates in phenylpropanoid metabolism in higher plants (368) 188
Castiglione Morelli, M.A., G. Stier, T. Gibson, C. Joseph, G. Musco, A. Pastore and G. Travè, The KH module has an $\alpha\beta$ fold (358) 193
Castresana, J. and M. Saraste, Does Vav bind to F-actin through a CH domain? (374) 149
Catapano, A.L. see W.M. Zhu (372) 1
Caudwell, F.B. see I.A. Leighton (375) 289
Cavallaro, U. see M. Conese (358) 73
Cazaux, C.A., L. Sterin-Borda, G. Gorelik and G.A. Cremaschi, Down-regulation of β-adrenergic receptors induced by mitogen activation of intracellular signaling events in lymphocytes (364) 120
Cazzulo, J.J. see V. Stoka (370) 101
Cecchi, C. see M.M.G.M. Thunnissen (364) 243
Ceci, L.R., N. Spoto, M. de Virgilio and R. Gallerani, The gene coding for the mustard trypsin inhibitor-2 is discontinuous and wound-inducible (364) 179
Celis, J.E. see P.S. Gromov (377) 221
Ceña, V. see R. Granja (362) 15
Cerdan, M.E. see M.A. Freire-Picos (360) 39
Ceska, T.A. see R. Ficner (357) 62
Cesura, A.M. see P. Malherbe (367) 141
Cetin, Y. see R. Hess (374) 34
Cevolani, D. see S. Bettuzzi (377) 321
Chabert, C. see S. Arkinstall (364) 45
Chabre, M. see M. Franco (362) 286
Chadee, D.N. see W.R. Taylor (377) 51
Chadeuf, G. see P. Gaussem (365) 219
Chaix, J.-C. see N. Juge (363) 299
Chakraborty, A. see A. Slominski (374) 113
Chambert, R. see P.A. Scotti (360) 307
Chambon, C. see L. Gannoun-Zaki (375) 268
Champion, S. see A. Haoudi (377) 67
Chan, K.-F.J. see C.N. Lok (365) 137
Chan, K.W. and R.E. Koeppe II, Role of lysine-195 in the KMSKS sequence of *E. coli* tryptophanyl-tRNA synthetase (363) 33
Chan, S.J. see S.J. Duguay (371) 69
Chandler, S.P. and K.R. Fox, Extension of DNA triple helix formation to a neighbouring $(AT)_n$ site (360) 21
Chang, Y.-T. see P.J. Cullen (358) 240
Chao, C.C.-K., Lack of elevated drug efflux in adriamycin-resistant immunoblastic B lymphoma cells with *mdr*1 overexpression (373) 285
Chao, H., C.I. DeLuca and P.L. Davies, Mixing antifreeze protein types changes ice crystal morphology without affecting antifreeze activity (357) 183
Chapman, B.S., A region of the 75 kDa neurotrophin receptor homologous to the death domains of TNFR-I and Fas (374) 216
Chapman, G. and P.D. Rathjen, Sequence and evolutionary conservation of the murine *Gbx-2* homeobox gene (364) 289
Chapman, H.A. see G.-P. Shi (357) 129
Chardin, P., D. Cussac, S. Maignan and A. Ducruix, The Grb2 adaptor (369) 47
Charles, J.-F. see O. Ravoahangimalala (362) 111
Charnay, P. see N. Becker (368) 353
Charvin, N. see O. El Far (361) 101
Chary, K.V.R. see A.K. Sau (377) 301
Chatton, J.-Y., H. Liu and J.W. Stucki, Simultaneous measurements of Ca^{2+} in the intracellular stores and the cytosol of hepatocytes during hormone-induced Ca^{2+} oscillations (368) 165
Chaudhuri, B., M. Hämmerle and P. Fürst, The interaction between the catalytic A subunit of calcineurin and its autoinhibitory domain, in the yeast two-hybrid system, is disrupted by cyclosporin A and FK506 (357) 221
Chaudhuri, B. and C. Stephan, A C-terminal domain, which prevents secretion of the neuroendocrine protein 7B2 in *Saccharomyces cerevisiae*, inhibits Kex2 yet is processed by the Yap3 protease (364) 91
Chawla, R.K. see J. Cichy (359) 262
Chejanovsky, N., N. Zilberberg, H. Rivkin, E. Zlotkin and M. Gurevitz, Functional expression of an alpha anti-insect scorpion neurotoxin in insect cells and lepidopterous larvae (376) 181
Chemeris, N.K. see E.E. Fesenko (366) 49
Chemeris, N.K. see V.I. Geletyuk (359) 85
Chen, C., R. Brock, F. Luh, P.-J. Chou, J.W. Larrick, R.-F. Huang and T.-h. Huang, The solution structure of the active domain of CAP18 — a lipopolysaccharide binding protein from rabbit leukocytes (370) 46
Chen, C.-P. see A.M. Wu (371) 32
Chen, C.-q. see A.K. Sau (377) 301
Chen, H.I. see M. Sudol (369) 67
Chen, R., B. Doiron and A. Kahn, Glucose responsiveness of a reporter gene transduced into hepatocytic cells using a retroviral vector (365) 223
Cheng, C.-L. see W. Hu (369) 331
Chern, Y. see I. Uphues (377) 109
Chernokalskaya, E.B. see L.V. Znamenskaya (357) 16
Chernov, B.K. see D.A. Kostyuk (369) 165
Chernovskaya, T.V. see V.P. Zav'yalov (371) 65
Chernyak, B.V., V.N. Dedov and V.Yu. Chernyak, Ca^{2+}-triggered membrane permeability transition in deenergized mitochondria from rat liver (365) 75
Chernyak, B.V. see P. Costantini (362) 239
Chernyak, V.Yu. see I.V. Velichko (359) 20
Chernyak, V.Yu. see B.V. Chernyak (365) 75
Cheung, C.C. see G.R. Huesmann (371) 311
Chiancone, E. see M.B. Meyers (357) 230
Chiariello, M. see C. Bucci (366) 65
Chiariotti, L. see P. Salvatore (373) 159
Chiarugi, P., P. Cirri, G. Raugei, G. Camici, F. Dolfi, A. Berti and G. Ramponi, PDGF receptor as a specific in vivo target for low M_r phosphotyrosine protein phosphatase (372) 49
Chiarugi, P. see A. Caselli (374) 249
Chiarugi, P. see T. Fiaschi (367) 145
Chiba, H. see K. Iba (373) 1
Chiba, M. see K. Suetake (361) 201

Chida, D., T. Kume, Y. Mukouyama, S. Tabata, N. Nomura, M.L. Thomas, T. Watanabe and M. Oishi, Characterization of a protein tyrosine phosphatase (RIP) expressed at a very early stage of differentiation in both mouse erythroleukemia and embryonal carcinoma cells (358) 233
Chiloeches, A., M. Lasa, F. Brihuega, A. Montes and M.J. Toro, Effects of lovastatin on adenylyl cyclase activity and G proteins in GH_4C_1 cells (361) 46
Chilvers, E.R. see S. Hannah (372) 233
Chimel, K. see J.P.E. Spencer (374) 233
Chimel, K. see J.P.E. Spencer (375) 179
Chin, H. see D.S. Kim (376) 11
Chinery, R., P.A. Bates, A. De and P.S. Freemont, Characterisation of the single copy trefoil peptides intestinal trefoil factor and pS2 and their ability to form covalent dimers (357) 50
Chirico, W.J. see E.J. Levy (368) 435
Chluba-de Tapia, J. see R. Drozdz (359) 199
Choorit, W., J. Kaneko, K. Muramoto and Y. Kamio, Existence of a new protein component with the same function as the LukF component of leukocidin or γ-hemolysin and its gene in *Staphylococcus aureus* P83 (357) 260
Chou, K.-C., The convergence–divergence duality in lectin domains of selectin family and its implications (363) 123
Chou, K.-C., Does the folding type of a protein depend on its amino acid composition? (363) 127
Chou, P.-J. see C. Chen (370) 46
Chow, D.T. see L.D. Abraham (374) 208
Chow, L.-P. see A.M. Wu (371) 32
Chow, S.C., M. Weis, G.E.N. Kass, T.H. Holmström, J.E. Eriksson and S. Orrenius, Involvement of multiple proteases during Fas-mediated apoptosis in T lymphocytes (364) 134
Chowienczyk, P. see N.J. Miller (365) 164
Chrestensen, C.A., C.B. Eckman, D.W. Starke and J.J. Mieyal, Cloning, expression and characterization of human thioltransferase (glutaredoxin) in *E. coli* (374) 25
Chrétien, M. see S. Benjannet (362) 151
Christen, P. see M. Widmann (377) 481
Christensen, U. see U. Sidenius (361) 250
Christiano, A.M. see K. Korang (368) 556
Christnacher, A. and B. Sommer, Alternative splicing of AMPA receptor subunits: regulation in clonal cell lines (373) 93
Christodoulou, J., P.J. Sadler and A. Tucker, ^{1}H NMR of albumin in human blood plasma: drug binding and redox reactions at Cys^{34} (376) 1
Chrzanowska-Lightowlers, Z.M.A. see T. Preiss (367) 291
Chu, C.T. see X.-D. Ren (368) 87
Chu, P.B. see X. Zhu (373) 193
Chumakov, P.M. see T.P. Stromskaya (368) 373
Chung, C.H. see J.Y. Ahn (366) 37
Chung, C.H. see J.H. Seol (377) 41
Chung, K.F. see E.-B. Haddad (363) 285
Chung, S.-K. see P.J. Cullen (358) 240
Chung, S.K. and R.W. Parish, Studies on the promoter of the *Arabidopsis thaliana cdc2a* gene (362) 215
Chupin, V., J.M. Leenhouts, A.I.P.M. de Kroon and B. de Kruijff, Cardiolipin modulates the secondary structure of the presequence peptide of cytochrome oxidase subunit IV: a 2D ^{1}H-NMR study (373) 239
Ciccoli, L. see C. Signorini (362) 165
Cichy, J., J. Potempa, R.K. Chawla and J. Travis, Regulation of α_1-antichymotrypsin synthesis in cells of epithelial origin (359) 262
Ciesiołka, J. see J. Wrzesinski (374) 62
Cifuentes, F. see A.L. Escobar (364) 335
Cimino, F. see R. Ammendola (371) 209
Cirri, P. see A. Modesti (375) 235
Cirri, P. see T. Fiaschi (367) 145
Cirri, P. see P. Chiarugi (372) 49
Citores, L. see F.M. de Benito (360) 299
Ciurli, S. see A. Hochkoeppler (357) 70
Cladera, J., J. Villaverde, A.F. Hartog, E. Padrós, J.A. Berden, J.-L. Rigaud and M. Duñach, Influence of nucleotides on the secondary structure and on the thermal stability of mitochondrial F_1 visualized by infrared spectroscopy (371) 115
Clague, M.J., C. Thorpe and A.T. Jones, Phosphatidylinositol 3-kinase regulation of fluid phase endocytosis (367) 272
Claing, A. see J.-B. Denault (362) 276
Clark, A.J.L. see S. Barker (369) 263
Clayton, C.E. see J. Blattner (360) 310
Clemencet, M.C. see O. Bardot (360) 183
Clément, B. see G. Philipps (358) 67
Clément, B. see F. Levavasseur (363) 132
Clemente, A. see C. Novo (367) 275
Cléry, C., F. Renault and P. Masson, Pressure-induced molten globule state of cholinesterase (370) 212
Coates, T.D. see M.U. Ehrengruber (372) 161
Coates, T.D. see M.U. Ehrengruber (359) 229
Cochran, S. see P.Y. Gasdaska (373) 5
Cochrane, Sh.M. and G.B. Robinson, In vitro glycation of glomerular basement membrane alters its permeability: a possible mechanism in diabetic complications (375) 41
Cocquerelle, C. see L. Dupont-Wallois (357) 197
Coddeville, B. see Y. Petillot (358) 323
Coddeville, B. see D. Legrand (365) 57
Coffer, P. see C. Lütticken (360) 137
Coggins, J.R. see J. Nairn (359) 192
Coggins, J.R. see T. Krell (360) 93
Cohen, B.E., G. Lee, N. Arispe and H.B. Pollard, Cyclic 3′-5′-adenosine monophosphate binds to annexin I and regulates calcium-dependent membrane aggregation and ion channel activity (377) 444
Cohen, G.M. see H. Zhu (374) 303
Cohen, G.M. see H.O. Fearnhead (357) 242
Cohen, G.M. see H.O. Fearnhead (375) 283
Cohen, G.M. see K. Cain (358) 255
Cohen, M.C. see J. Bereta (377) 21
Cohen, P. see A. Cuenda (364) 229
Cohen, P. see R.W. MacKintosh (371) 236
Cohen, P. see G. Moorhead (362) 101
Cohen, P. see Y.N. Doza (364) 223
Cohen, P. see I.A. Leighton (375) 289
Cohen, P. see M.J. Doherty (375) 294
Cohen, P.T.W. see N.R. Helps (377) 295
Cohen, P.T.W. see I.A. Leighton (375) 289
Cohen, P.T.W. see M.J. Doherty (375) 294
Cohen, P.T.W. see S.P. Davies (377) 421
Cohen, P.T.W. see R.W. MacKintosh (371) 236
Colamonici, O.R. see P. Domanski (374) 317
Cole, L. see M.L. Benka (363) 49
Coletta, M. see L. Fiorucci (363) 81
Collin, H. see B.J. Jasmin (374) 393
Collinge, M. see D.M. Watterson (373) 217
Collins, C. see M.-C. Pepin (377) 368
Colmenarejo, G., M. Bárcena, M.C. Gutiérrez-Alonso, F. Montero and G. Orellana, DNA photocleavage by novel intercalating 6-(2-pyridinium)phenanthridinium viologens (374) 426
Colnaghi, R. see S. Pagani (357) 79
Combes, D. see I. Aubes-Dufau (364) 115
Combes, D. see M.A. Longo (375) 63
Comporti, M. see C. Signorini (362) 165
Conese, M., U. Cavallaro, N. Sidenius, D. Olson, M.R. Soria and F. Blasi, PMA-induced down-regulation of the receptor for α2-macroglobulin in human U937 cells (358) 73
Conradt, H.S. see M. Nimtz (365) 203
Conradt, H.S. see A. Hoffmann (359) 164
Consonni, R., R. Limiroli, H. Molinari, P. Fusi, M. Grisa, M. Vanoni and P. Tortora, ^{1}H-NMR and photo-CIDNP spectroscopies show a possible role for Trp^{23} and Phe^{31} in nucleic acid binding by P2 ribonuclease from the archaeon *Sulfolobus solfataricus* (372) 135
Conte, A. and E. Ottaviani, Nitric oxide synthase activity in molluscan hemocytes (365) 120
Contursi, C. see P. Salvatore (373) 159
Cook, H.T. see A.J. Bune (366) 127
Cook, R.M. see A.G. James (373) 111
Cooper, G. see D.J. Hardick (365) 79
Cooper, M. see M. Elkin (374) 57
Cooperman, B.S. see I.V. Velichko (359) 20
Coppola, S. see L. Ghibelli (377) 9
Corcoran, M.L. see M.R. Emmert-Buck (364) 28
Corcos, L. see Z. Abdel-Razzak (366) 159
Coria, R., A.L. Saviñon-Tejeda and L. Birnbaumer, STE2/SCG1-dependent inhibition of STE4-induced growth arrest by mutant $STE4^{4C6}$ in the yeast pheromone response pathway (367) 122
Corot, C. see T. Prangé (357) 247
Corps, A.N. and K.D. Brown, Insulin and insulin-like growth factor I stimulate expression of the primary response gene cMG1/TIS11b by a wortmannin-sensitive pathway in RIE-1 cells (368) 160

Corran, A. see D.C. Lamb (368) 326
Corran, A.J. see S.L. Kelly (377) 217
Corrette, B.J. see T. Falk (367) 127
Corti, A. see S. Bettuzzi (377) 321
Costantini, P., B.V. Chernyak, V. Petronilli and P. Bernardi, Selective inhibition of the mitochondrial permeability transition pore at the oxidation–reduction sensitive dithiol by monobromobimane (362) 239
Costello, C.E. see R. Niemelä (367) 67
Coughlan, C.M. and K.C. Breen, The control of sialyltransferase activity in tumor-cell lines derived from different tissues is multifactorial (369) 260
Coukell, B., J. Moniakis and A. Grinberg, Cloning and expression in *Escherichia coli* of a cDNA encoding a developmentally regulated Ca^{2+}-binding protein from *Dictyostelium discoideum* (362) 342
Couteaux, R. see A. d'Albis (375) 67
Covès, J. see M. Eschenbrenner (374) 82
Cowland, J.B., A.H. Johnsen and N. Borregaard, hCAP-18, a cathelin/pro-bactenecin-like protein of human neutrophil specific granules (368) 173
Craft, C.M. and D.H. Whitmore, The arrestin superfamily: cone arrestins are a fourth family (362) 247
Cramer, W.A. see L.I. Krishtalik (369) 140
Craxton, M. and M. Goedert, Synaptotagmin V: a novel synaptotagmin isoform expressed in rat brain (361) 196
Cremaschi, G.A. see C.A. Cazaux (364) 120
Cremata, J. see M. Raices (369) 233
Cremona, O. see P. Limongi (369) 207
Crepaldi, S.C. see L.A. Velloso (377) 353
Crescenzi, O. see P. Amodeo (377) 363
Cressman, C.M., P.S. Mohan, R.A. Nixon and T.B. Shea, Proteolysis of protein kinase C: mM and μM calcium-requiring calpains have different abilities to generate, and degrade the free catalytic subunit, protein kinase M (367) 223
Crews, B. see P.G.W. Gettins (367) 137
Crilly, K.S. see Z. Kiss (360) 165
Crilly, K.S. see Z. Kiss (357) 279
Crimi, M., V. Fregni, A. Altimari and B.A. Melandri, Unreliability of carotenoid electrochromism for the measure of electrical potential differences induced by ATP hydrolysis in bacterial chromatophores (367) 167
Crofford, L.J. see P. Ben-Av (372) 83
Crommelin, D.J.A. see P.G.M. Bloemen (357) 140
Cross, C.E. see J.P.E. Spencer (374) 233
Cross, C.E. see J.P.E. Spencer (375) 179
Cross, R.A. see A. Lockhart (368) 531
Crouse, B.R. see H. Fujii (377) 345
Crouse, B.R., C.-A. Yu, L. Yu and M.K. Johnson, Spectroscopic identification of the axial ligands of cytochrome b_{560} in bovine heart succinate-ubiquinone reductase (367) 1
Csonga, R. see H. Klier (364) 207
Cuenda, A. see Y.N. Doza (364) 223
Cuenda, A., J. Rouse, Y.N. Doza, R. Meier, P. Cohen, T.F. Gallagher, P.R. Young and J.C. Lee, SB 203580 is a specific inhibitor of a MAP kinase homologue which is stimulated by cellular stresses and interleukin-1 (364) 229
Cueva, R. see J. Bordallo (364) 13
Cuillel, M. see F. de Jesus (376) 167
Culetto, E. see V. Talesa (357) 265
Cullen, P.J., S.-K. Chung, Y.-T. Chang, A.P. Dawson and R.F. Irvine, Specificity of the purified inositol (1,3,4,5) tetrakisphosphate-binding protein from porcine platelets (358) 240
Cunningham, P. see M. Fielder (369) 243
Cura, V., D. Kern, A. Mitschler and D. Moras, Crystallization of threonyl-tRNA synthetase from *Thermus thermophilus* and preliminary crystallographic data (374) 110
Curatola, G. see I. Konopásek (374) 338
Curstedt, T. see M. Andersson (362) 328
Curty, C., N. Engel and A. Gossauer, Evidence for a monooxygenase-catalyzed primary process in the catabolism of chlorophyll (364) 41
Cusanovich, M. see N. Morelle (365) 172
Cusanovich, M. see M. Caffrey (368) 519
Cushman, S.W. see M. Omatsu-Kanbe (374) 187
Cussac, D. see P. Chardin (369) 47
Cutruzzolà, F. see E. Leci (357) 227
Cyr, D.M., Cooperation of the molecular chaperone Ydj1 with specific Hsp70 homologs to suppress protein aggregation (359) 129
Czajkowsky, D.M. see J. Mou (371) 279

D

d'Albis, A., R. Couteaux, F. Goubel, C. Janmot and J.-C. Mira, Relationship between muscle myosin isoforms and contractile features in rabbit fast-twitch denervated muscle (375) 67
D'Alessio, G. see V. Cafaro (359) 31
D'Amore, P.A. see D.T. Shima (370) 203
D'Arcangelo, G. see S.R.J. Salton (360) 106
D'Arrigo, A. see M. De Silvestris (370) 69
D'Orléans-Juste, P. see J.-B. Denault (362) 276
Daadi, M., C. Lenoir, A. Dace, J. Bonne, M. Teboul, R. Planells and J. Torresani, Nuclear factors specifically favor thyroid hormone binding to c-ErbAα1 protein (thyroid hormone receptor α) over-expressed in *E. coli* (358) 137
Dabadie, P. see F. Sztark (368) 101
Dabbeni-Sala, F. see G. Lippe (373) 141
Dace, A. see M. Daadi (358) 137
Dahl, J.A. see S. Fidai (372) 264
Dahlberg, A.E. see S.T. Gregory (361) 25
Dalby, K.N. see I.A. Leighton (375) 289
Dalby, K.N. see R.W. MacKintosh (371) 236
Dale, S., W.A. Wilson, A.M. Edelman and D.G. Hardie, Similar substrate recognition motifs for mammalian AMP-activated protein kinase, higher plant HMG-CoA reductase kinase-A, yeast SNF1, and mammalian calmodulin-dependent protein kinase I (361) 191
Dallner, G. see J. Grünler (358) 230
Damaschun, G. see K. Gast (358) 247
Danescu, J. and A.K. Werenskiold, Post-transcriptional inhibition of the interleukin-1 binding protein B15R of Vaccinia virus after coexpression of the related T1 protein (367) 89
Dang, J., Y. Wang and W.F. Doe, Sodium butyrate inhibits expression of urokinase and its receptor mRNAs at both transcription and post-transcription levels in colon cancer cells (359) 147
Daniel, J.L. see F.M. Pulcinelli (364) 87
Daniel, N. see C. Bignon (358) 84
Daniell, T. and R. Edwards, Changes in protein methylation associated with the elicitation response in cell cultures of alfalfa (*Medicago sativa* L.) (360) 57
Danielsson, O. see L. Hjelmqvist (367) 237
Danilkovich, A., K. Freze, J. Romashkova, A. Valujskikh, E. Makarov, O. Targoni, N. Makarova and A. Kushch, Influence of synthetic peptides, corresponding to fragments of the human α-2 interferon molecule, on the proliferation of lymphoblastoid cells in vitro. Growth inhibition and receptor binding (369) 161
Dan-Sohkawa, M. see T. Shimizu (369) 221
Darley-Usmar, V., H. Wiseman and B. Halliwell, Nitric oxide and oxygen radicals: a question of balance (369) 131
Darley-Usmar, V.M. see M. Iwatsuki (360) 271
Darling, D.S. see S.-U. Gorr (361) 8
Darnhofer-Demar, B. see J. Stolz (377) 167
Darszon, A. see F. Espinosa (372) 119
Darszon, A. see A. Lorence (360) 217
Das, A. see E.-B. Haddad (363) 285
Das, K.P. and W.K. Surewicz, Temperature-induced exposure of hydrophobic surfaces and its effect on the chaperone activity of α-crystallin (369) 321
Dash, D., M. Aepfelbacher and W. Siess, The association of $pp125^{FAK}$, $pp60^{Src}$, CDC42Hs and Rap1B with the cytoskeleton of aggregated platelets is a reversible process regulated by calcium (363) 231
Daum, G. see P. Hechtberger (367) 201
Daum, G. see G. Tuller (372) 29
Daum, G. see A. Leber (377) 271
Dauter, Z. see C. Rush (359) 244
Dauter, Z. see K. Petratos (368) 432
Dauter, Z. see A. Nolte (374) 292
Dautréaux, B. see A. Héron (374) 195
Davalli, P. see S. Bettuzzi (377) 321
Davie, J.R. see W.R. Taylor (377) 51
Davies, A. see A. Carne (372) 243
Davies, A. see C. Venien-Bryan (359) 45
Davies, G. see C. Rush (359) 244

Davies, J. and L. Riechmann, An antibody VH domain with a *lox*-Cre site integrated into its coding region: bacterial recombination within a single polypeptide chain (377) 92
Davies, J.E. see M. Sugiyama (362) 80
Davies, K.E. see Nguyen thi Man (358) 262
Davies, K.E. see B.J. Jasmin (374) 393
Davies, M.C. see A.P. Shivji (371) 25
Davies, P.C. see D.J. Brick (377) 475
Davies, P.J.A. see S. Mian (370) 27
Davies, P.L. see H. Chao (357) 183
Davies, P.L. see B.P. Duncker (377) 185
Davies, S.P., N.R. Helps, P.T.W. Cohen and D.G. Hardie, 5′-AMP inhibits dephosphorylation, as well as promoting phosphorylation, of the AMP-activated protein kinase. Studies using bacterially expressed human protein phosphatase-2Cα and native bovine protein phosphatase-$2A_C$ (377) 421
Davignon, J. see D. Blache (362) 197
Davignon, J. see D. Blache (357) 135
Davis, D.R. see C.J. Smith (375) 243
Davis, L. see P.S. Huang (358) 287
Davis, R.J. see M. Wartmann (359) 133
Davy, S.L., M.J. Osborne, J. Breton, G.R. Moore, A.J. Thomson, I. Bertini and C. Luchinat, Determination of the $[Fe_4S_4]Cys_4$ cluster geometry of *Desulfovibrio africanus* ferredoxin I by ^1H NMR spectroscopy (363) 199
Davydova, N.L., O.I. Gryaznova, O.V. Mashchenko, V.S. Vysotskaya, B.-H. Jonsson, S. Al-Karadaghi, A. Liljas and M.B. Garber, Ribosomal protein L22 from *Thermus thermophilus*: sequencing, overexpression and crystallisation (369) 229
Dawkins, C. see J. Hannig (359) 9
Dawson, A.P. see P.J. Cullen (358) 240
Day, E.S. see I. Svendsen (371) 1
De, A. see R. Chinery (357) 50
de Benito, F.M., L. Citores, R. Iglesias, J.M. Ferreras, F. Soriano, J. Arias, E. Méndez and T. Girbés, Ebulitins: a new family of type 1 ribosome-inactivating proteins (rRNA *N*-glycosidases) from leaves of *Sambucus ebulus* L. that coexist with the type 2 ribosome-inactivating protein ebulin l (360) 299
De Biasi, M. see K. Majumder (361) 13
De Boer, A.P.N. see R.J.M. Van Spanning (360) 151
De Camilli, P., Molecular mechanisms in synaptic vesicle recycling (369) 3
de Carvalho, D.S. see M.J.A. Saad (370) 131
de Cavanagh, E.M.V., F. Inserra, L. Ferder, L. Romano, L. Ercole and C.G. Fraga, Superoxide dismutase and glutathione peroxidase activities are increased by enalapril and captopril in mouse liver (361) 22
de Château, M. see M.U. Johansson (374) 257
de Champlain, J. see P. Savoie (370) 6
De Clercq, E. see J. Balzarini (373) 41
de Cointet, P. see C. Serradeil-Le Gal (362) 192
De Cristofaro, M. see G. Barile (372) 291
De Filippis, V. see A. Fontana (362) 266
De Flora, A. see E. Zocchi (359) 35
De Flora, A. see L. Guida (368) 481
de Gier, J.-W.L. see J. van der Oost (371) 267
de Graaff, M., C.J. Houwing, N. Lukács and E.M.J. Jaspars, RNA duplex unwinding activity of alfalfa mosaic virus RNA-dependent RNA polymerase (371) 219
de Groot, H.J.M. see R.J. Weesie (362) 34
de Groot, H.J.M. see R. Brudler (370) 88
de Groot, N. see M. Elkin (374) 57
de Hon, F.D., H. Klaasse Bos, S.B. Ebeling, J. Grötzinger, G. Kurapkat, S. Rose-John, L.A. Aarden and J.P.J. Brakenhoff, Leucine-58 in the putative 5th helical region of human interleukin (IL)-6 is important for activation of the IL-6 signal transducer, gp130 (369) 187
de Jesus, F., M. Cuillel and Y. Dupont, Evidence for direct involvement of the sarcoplasmic reticulum Ca^{2+}-ATPase in a passive monovalent cation (K^+/Na^+) exchange (376) 167
de Jong, J. see L. Aarts (357) 83
de Jongh, H.H.J., T. Ritsema and J.A. Killian, Lipid specificity for membrane mediated partial unfolding of cytochrome *c* (360) 255
de Kroon, A.I.P.M. see V. Chupin (373) 239
de Kroon, A.I.P.M. see J.M. Leenhouts (370) 189
de Kruijff, B. see R.C.A. Keller (358) 251
de Kruijff, B. see V. Chupin (373) 239
de Kruijff, B. see J.M. Leenhouts (370) 189
de Kruijff, B. see R. van 't Hof (361) 35
de la Cruz, C.P. see C. Santa Maria (374) 85
De Lorenzo, C. see V. Cafaro (359) 31
De Luca, G. see R. Albertini (377) 240
De Petro, G. see S. Barlati (363) 170
De Petrocellis, L. see S. Maurelli (377) 82
De Samblanx, G.W. see R.W. Osborn (368) 257
De Silvestris, M., A. D'Arrigo and N. Borgese, The targeting information of the mitochondrial outer membrane isoform of cytochrome b_5 is contained within the carboxyl-terminal region (370) 69
De Smedt, V., H. Rime, C. Jessus and R. Ozon, Inhibition of glycosphingolipid synthesis induces $p34^{cdc2}$ activation in *Xenopus* oocyte (375) 249
De Smet, L. see B. Samyn (377) 145
de Virgilio, M. see L.R. Ceci (364) 179
de Vries, S. see C. Dennison (365) 92
De Wachter, R. see B. Nelissen (377) 232
Deacon, C.F., A.H. Johnsen and J.J. Holst, Human colon produces fully processed glucagon-like peptide-1 (7–36) amide (372) 269
Dean, J.F.D. see C. Eggert (376) 202
Dearborn, D.G. see P. Manavalan (366) 87
Debabov, V.G. see E.Yu. Morgunova (367) 183
Debart, F. see C. Boiziau (361) 41
Debost, S. see A. Vincenot (367) 153
Debrock, S. and P.J. Declerck, Characterization of common neoantigenic epitopes generated in plasminogen activator inhibitor-1 after cleavage of the reactive center loop or after complex formation with various serine proteinases (376) 243
Dechesne, C.A. see L. Gannoun-Zaki (375) 268
Decker, G. see K.-L. Schimz (362) 29
Decker, H. see R. Sterner (364) 9
Decker, T. see F. Barahmand-pour (360) 29
Declerck, P.J. see S. Debrock (376) 243
Dedov, V.N. see B.V. Chernyak (365) 75
Deeb, S.S. see R. Buscà (367) 257
DeFranco, R. see F. Marra (376) 141
Degener, A.M. see A. Pierangeli (374) 327
Deigner, H.-P. see B. Fyrnys (357) 7
Deisher, T.A. see J.M. McCarty (372) 194
Dekker, I. see L. Aarts (357) 83
Dekker, N. see M. Blaauw (373) 10
Delacourte, A. see L. Dupont-Wallois (357) 197
Delaunay, J., Genetic disorders of the red cell membranes (369) 34
DeLeeuw, C. see G.-P. Shi (357) 129
Delgado, R., R. Latorre and P. Labarca, Selectivity and gating properties of a cAMP-modulated, K^+-selective channel from *Drosophila* larval muscle (370) 113
Deli, E. see Z. Kiss (365) 146
Della Bruna, R., K. Schricker, S. Holmer and A. Kurtz, Rat renin gene transcription is initiated at a single start site (372) 157
Delrot, S. see D. Rentsch (370) 264
DeLuca, C.I. see H. Chao (357) 183
DeMartino, G.N. see J.Y. Ahn (366) 37
DeMartino, G.N. see K.-y. Akiyama (363) 151
Demchyshyn, L.L. see K.S. Sugamori (362) 131
Demoulin, J.B. see I. Latour (373) 299
Denault, J.-B., A. Claing, P. D'Orléans-Juste, T. Sawamura, T. Kido, T. Masaki and R. Leduc, Processing of proendothelin-1 by human furin convertase (362) 276
Deng, C. see M. Moinat (373) 131
Denisenko, O. see T. Sklyarova (363) 273
Denman, R.B. see N. Haque (360) 132
Dennis, M.S. see J.S. Ulmer (365) 159
Dennison, C., E. Vijgenboom, S. de Vries, J. van der Oost and G.W. Canters, Introduction of a Cu_A site into the blue copper protein amicyanin from *Thiobacillus versutus* (365) 92
Denoel, P.A., M.S. Zygmunt, V. Weynants, A. Tibor, B. Lichtfouse, P. Briffeuil, J.N. Limet and J.-J. Letesson, Cloning and sequencing of the bacterioferritin gene of *Brucella melitensis* 16M strain (361) 238
Denovan-Wright, E.M. and R.W. Lee, Evidence that the fragmented ribosomal RNAs of *Chlamydomonas* mitochondria are associated with ribosomes (370) 222
DePina, A. see M.L. Benka (363) 49
Dér, A., R. Tóth-Boconádi, L. Keszthelyi, H. Kramer and W. Stoeckenius, Orientation of purple membrane in combined electric and magnetic fields (377) 419

Deranleau, D.A. see M.U. Ehrengruber (359) 229
Deranleau, D.A. see M.U. Ehrengruber (372) 161
Dergacheva, G.B. see S.I. Galkina (374) 17
Derocq, J.-M., M. Ségui, J. Marchand, G. Le Fur and P. Casellas, Cannabinoids enhance human B-cell growth at low nanomolar concentrations (369) 177
DeSalle, R. see C.G. Wray (365) 71
Descans, B. see B. Allard (375) 215
Desideri, A. see E. Leci (357) 227
Desmadril, M. see K. Gast (358) 247
Desnick, R.J. see Z. Saifudeen (371) 181
Desplancq, D. see C. Krebber (377) 227
Desrues, L. see C. Patte (362) 106
Destruelle, M. see S. Nwaka (360) 286
Dettmer, T.M. see P.C. Schmid (375) 117
Deutsch, U. see D.T. Shima (370) 203
Deviller, P. see F. Tardy (359) 169
Di Donato, A. see V. Cafaro (359) 31
Di Luccia, A. see S. Maurelli (377) 82
di Martino-Ferrer, M. see L.-E. Avril (367) 251
Di Marzo, V. see S. Maurelli (377) 82
Di Pancrazio, F. see G. Lippe (373) 141
Di Primio, R. see O. Trubiani (374) 367
Di Salvo, J. see L.A. Semenchuk (370) 127
Di Somma, M.M., S. Nuti, J.L. Telford and C.T. Baldari, p56lck plays a key role in transducing apoptotic signals in T cells (363) 101
Diakun, G.P. see L.J. Ball (358) 278
Diarra-Mehrpour, M. see A. Héron (374) 195
Dias, P. see M.L. Benka (363) 49
Díaz, C. see A. Lorence (360) 217
Díaz González, K. and A. Nieto, Binding of uteroglobin to microsomes and plasmatic membranes (361) 255
Diaz, I. see M. Piñeiro (369) 239
Dib-Hajj, S.D. and S.G. Waxman, Genes encoding the β1 subunit of voltage-dependent Na^+ channel in rat, mouse and human contain conserved introns (377) 485
DiCesare, P.E. see N. Hauser (368) 307
Dicker, A.P. see M.B. Meyers (357) 230
Dieckmann, R., Y.-O. Lee, H. van Liempt, H. von Döhren and H. Kleinkauf, Expression of an active adenylate-forming domain of peptide synthetases corresponding to acyl-CoA-synthetases (357) 212
Dierich, M.P. see G. Baier-Bitterlich (364) 234
Dierstein, R. see M.H. Tadros (368) 243
Dietmeier, K. see N. Seki (375) 307
Díez-Guerra, F.J. see P. Tejero-Díez (363) 293
Dijkstra, A.J., F. Hermann and W. Keck, Cloning and controlled overexpression of the gene encoding the 35 kDa soluble lytic transglycosylase from *Escherichia coli* (366) 115
Dijkstra, B.W. see M. Blaauw (373) 10
Dimroth, P. see X.D. Pfenninger-Li (369) 173
Dinçbaş, V., N. Bilgin, J. Scoble and M. Ehrenberg, Two GTPs are consumed on EF-Tu per peptide bond in poly(Phe) synthesis, in spite of switching stoichiometry of the EF-Tu·aminoacyl-tRNA complex with temperature (357) 19
Dinsdale, D. see H.O. Fearnhead (375) 283
Dinsdale, D. see H.O. Fearnhead (357) 242
Dirr, H. see N. Sluis-Cremer (371) 94
Dissing, S. see J. Gromada (360) 303
Dissing, S. see J. Gromada (373) 182
Divne, C. see M. Raices (369) 233
Dixon, A.K., A.K. Gubitz, M.L.J. Ashford, P.J. Richardson and T.C. Freeman, Distribution of mRNA encoding the inwardly rectifying K^+ channel, BIR1 in rat tissues (374) 135
Dizdaroglu, M. see T.H. Zastawny (364) 255
Djamgoz, M.B.A. see J.A. Grimes (369) 290
Djiane, J. see C. Bignon (358) 84
Djinovic Carugo, K. see P. Sartori (358) 53
Djordjevic, J.T. see S. Bieri (371) 341
Dodds, A.W. see X.-D. Ren (368) 87
Doe, W.F. see J. Dang (359) 147
Doerfler, W. see C. Kämmer (362) 301
Doerfler, W. see S. Kochanek (360) 115
Doetsch, P.W. see T.H. Zastawny (364) 255
Doherty, F.J. see P. Löw (368) 125
Doherty, M.J., G. Moorhead, N. Morrice, P. Cohen and P.T.W. Cohen, Amino acid sequence and expression of the hepatic glycogen-binding (G_L)-subunit of protein phosphatase-1 (375) 294
Dohet, C., E. Al-Hillawi, I.P. Trayer and J.C. Rüegg, Reconstitution of skinned cardiac fibres with human recombinant cardiac troponin-I mutants and troponin-C (377) 131
Dohi, K. see M. Ikeda (375) 37
Doi, M. see H. Kawai (370) 193
Doi, T., B. Fakler, J.H. Schultz, H. Ehmke, U. Brändle, H.-P. Zenner, H. Süßbrich, F. Lang, J.P. Ruppersberg and A.E. Busch, Subunit-specific inhibition of inward-rectifier K^+ channels by quinidine (375) 193
Doiron, B. see R. Chen (365) 223
Dolenc, I. see A. Pariš (369) 326
Dolenc, I. see B. Turk (360) 101
Dolfi, F. see P. Chiarugi (372) 49
Dolmer, K., L.B. Jenner, L. Jacobsen, G.R. Andersen, T.J. Koch, S. Thirup, L. Sottrup-Jensen and J. Nyborg, Crystallisation and preliminary X-ray analysis of the receptor-binding domain of human and bovine α_2-macroglobulin (372) 93
Dolphin, A.C. see V. Campbell (370) 135
Dolphin, A.C. see K. Brickley (364) 129
Domanski, P., H. Yan, M.M. Witte, J. Krolewski and O.R. Colamonici, Homodimerization and intermolecular tyrosine phosphorylation of the Tyk-2 tyrosine kinase (374) 317
Dombrowski, L. and A. Marette, Marked depletion of GLUT4 glucose transporters in transverse tubules of skeletal muscle from streptozotocin-induced diabetic rats (374) 43
Domdey, H. see J. Hani (365) 198
Domigan, N.M. see C.C. Winterbourn (368) 449
Domínguez, A. see J. Ruiz-Herrera (357) 192
Domínguez, P., Cloning of a Syrian hamster cDNA related to sexual dimorphism. establishment of a new family of proteins (376) 257
Domoney, C., T. Welham, C. Sidebottom and J.L. Firmin, Multiple isoforms of *Pisum* trypsin inhibitors result from modification of two primary gene products (360) 15
Donella-Deana, A. see A.M. Brunati (367) 149
Donnelly, E., Y.A. Barnett and W. McCullough, Quantification of DNA damage and repair in amino acid auxotrophs and UV-sensitive mutants of *Aspergillus nidulans* using an ELISA (377) 118
Doonan, S. see F. Abruzzese (366) 170
Dorner, F. see B.E. Fischer (375) 259
Dörsam, H. see J. Blattner (360) 310
Døskeland, S.O. see M. Zorn (362) 291
Dostmann, W.R.G. see N. Wild (374) 356
Dostmann, W.R.G. see M. Zorn (362) 291
Dostmann, W.R.G., (R_p)-cAMPS inhibits the cAMP-dependent protein kinase by blocking the cAMP-induced conformational transition (375) 231
Dötsch, V., G. Wider, G. Siegal and K. Wüthrich, Salt-stabilized globular protein structure in 7 M aqueous urea solution (372) 288
Dötsch, V., G. Wider, G. Siegal and K. Wüthrich, Interaction of urea with an unfolded protein: The DNA-binding domain of the 434-repressor (366) 6
Dotti, C.G. see M. Simons (368) 363
Douglas, P., N. Morrice and C. MacKintosh, Identification of a regulatory phosphorylation site in the hinge 1 region of nitrate reductase from spinach (*Spinacea oleracea*) leaves (377) 113
Downing, J.E.G. see J.A. Grimes (369) 290
Doza, Y.N. see A. Cuenda (364) 229
Doza, Y.N., A. Cuenda, G.M. Thomas, P. Cohen and A.R. Nebreda, Activation of the MAP kinase homologue RK requires the phosphorylation of Thr-180 and Tyr-182 and both residues are phosphorylated in chemically stressed KB cells (364) 223
Dragan, S.M. see D.A. Kostyuk (369) 165
Drakenberg, T. see M.U. Johansson (374) 257
Drøbak, B.K. see H. Olsson (361) 282
Drouet, B. see G. Varadi (368) 405
Drozdz, R., W. Siegrist, B.I. Baker, J. Chluba-de Tapia and A.N. Eberle, Melanin-concentrating hormone binding to mouse melanoma cells in vitro (359) 199
Dry, I.B. see R.A. Stasys (358) 182
Dubachev, G.E. see A.I. Polozova (358) 17
Dubernard, V., D. Faucher, J.-M. Launay and C. Legrand, Identification of the cytoskeletal protein α-actinin as a platelet thrombospondin-binding protein (364) 109
Dubertret, L. see F. Beauvais (361) 229
Dubiel, W., K. Ferrell, R. Dumdey, S. Standera, S. Prehn and M. Rechsteiner, Molecular cloning and expression of subunit 12: a non-MCP and non-ATPase subunit of the 26 S protease (363) 97
Dubin, A.E. see K.A. Krown (376) 24

Ducastaing, A. see M. Savart (359) 60
Ducommun, B. see P. Mazars (362) 295
Ducruix, A. see P. Chardin (369) 47
Dudarenkov, V.Yu. see I.V. Velichko (359) 20
Dudek, R.W. see P.A. Sandstrom (365) 66
Duff, T. see G. Woldegiorgis (364) 143
Duguay, S.J., S.J. Chan, T.P. Mommsen and D.F. Steiner, Divergence of insulin-like growth factors I and II in the elasmobranch, *Squalus acanthias* (371) 69
Duharcourt, S. see I. Le Roux (368) 311
Duhault, J. see J. Espinal (368) 36
Dulloo, A.G. see M. Moinat (373) 131
Dumdey, R. see W. Dubiel (363) 97
Dumoulin, A., L. Kiger, R. Jiang, V. Baudin, C. Vasseur, S.G. Sligar, M.C. Marden, J. Pagnier and C. Poyart, Loss of allosteric behaviour in recombinant hemoglobin $\alpha_2\beta_2$92(F8) His→Ala: restoration upon addition of strong effectors (374) 39
Duñach, M. see J. Cladera (371) 115
Dunaevsky, Y.E. see M.A. Belozersky (371) 264
Duncan, J.S. see P. Trayhurn (368) 488
Duncker, B.P., M.D. Koops, V.K. Walker and P.L. Davies, Low temperature persistence of type I antifreeze protein is mediated by cold-specific mRNA stability (377) 185
Dunn, B.M. see S.D. Fowler (366) 72
Dupont, Y. see F. de Jesus (376) 167
Dupont-Wallois, L., P.E. Sautière, C. Cocquerelle, B. Bailleul, A. Delacourte and M.L. Caillet-Boudin, Shift from fetal-type to Alzheimer-type phosphorylated Tau proteins in SKNSH-SY 5Y cells treated with okadaic acid (357) 197
Dupree, P. see C. Bucci (366) 65
Dupuis, G. see T. Fulop Jr. (375) 69
Dura, J.-M., E. Taillebourg and T. Préat, The Drosophila learning and memory gene *linotte* encodes a putative receptor tyrosine kinase homologous to the human RYK gene product (370) 250
Durkin, M.M. see K.E. Smith (357) 86
Dutaud, D. see M. Savart (359) 60
Dutta-Roy, A.K. see F.M. Campbell (375) 227
Dwyer, T.M. and S.C. Froehner, Direct binding of *Torpedo* syntrophin to dystrophin and the 87 kDa dystrophin homologue (375) 91
Dyson, H.J. see A. Toy-Palmer (365) 35

E

Ealick, S.E. see E.Yu. Morgunova (367) 183
Earnest, D. see H.K. Roy (366) 143
Ebbert, R. see H.-J. Schüller (370) 149
Ebeling, S.B. see F.D. de Hon (369) 187
Eberle, A.N. see R. Drozdz (359) 199
Ebralidse, K.K. see D.E. Kamashev (375) 27
Ebringer, A. see M. Fielder (369) 243
Echegoyen, L. see D. Parra-Diaz (376) 58
Eckel, J. see I. Uphues (377) 109
Eckerskorn, C. see A. Jungbluth (375) 87
Eckert, V. see S. Roy (376) 164
Eckman, C.B. see C.A. Chrestensen (374) 25
Edelman, A.M. see S. Dale (361) 191
Edenius, C. see M. Sjölinder (377) 87
Eder, C. see H.-G. Fischer (373) 127
Eder, J. see H. Klier (364) 207
Eder, U. see J. Hoflehner (360) 294
Edgar, P.F., Hucolin, a new corticosteroid-binding protein from human plasma with structural similarities to ficolins, transforming growth factor-β1-binding proteins (375) 159
Edgerton, M. see P.A. Raj (368) 526
Edgerton, M. see S. Arkinstall (375) 183
Edwards, D.R. see E. Roeb (357) 33
Edwards, K. see P. Wittung (365) 27
Edwards, R. see T. Daniell (360) 57
Edwards, Y.J.K. and S.J. Perkins, The protein fold of the von Willebrand factor type A domain is predicted to be similar to the open twisted β-sheet flanked by α-helices found in human ras-p21 (358) 283
Efremov, R.G. see A.P. Golovanov (375) 162
Eftedal, I. see H. Nilsen (362) 205
Egawa, K., M. Yoshiwara, M. Shibanuma and K. Nose, Isolation of a novel *ras*-recision gene that is induced by hydrogen peroxide from a mouse osteoblastic cell line, MC3T3-E1 (372) 74
Eggert, C., U. Temp, J.F.D. Dean and K.-E.L. Eriksson, Laccase-mediated formation of the phenoxazinone derivative, cinnabarinic acid (376) 202
Egorov, Ts.A. see A.Z. Metlitskaya (357) 235
Egorov, T.A. see M.A. Belozersky (371) 264
Eguchi, H. see T. Horikoshi (363) 141
Ehmann, B. see N. Seki (375) 307
Ehmer, B. see D.P. Leader (376) 125
Ehmke, H. see T. Doi (375) 193
Ehrenberg, M. see V. Dinçbaş (357) 19
Ehrengruber, M.U., T.D. Coates and D.A. Deranleau, Shape oscillations: a fundamental response of human neutrophils stimulated by chemotactic peptides? (359) 229
Ehrengruber, M.U., P. Boquet, T.D. Coates and D.A. Deranleau, ADP-ribosylation of Rho enhances actin polymerization-coupled shape oscillations in human neutrophils (372) 161
Ehrig, T., D.J. O'Kane and F.G. Prendergast, Green-fluorescent protein mutants with altered fluorescence excitation spectra (367) 163
Ehrlich, M. see Z. Saifudeen (371) 181
Eichinger, L. see M. Schleicher (369) 38
Eiden, A. see L. Lehle, (370) 41
Eilers, A. see F. Barahmand-pour (360) 29
Einbond, A. see M. Sudol (369) 67
Eisenstein, M. see A. Lapidot (367) 33
Eklund, H. see B.B. Nielsen (373) 310
Eklund, H. see M. Ingelman (370) 209
Ekrami, H.M., A.R. Kennedy and W.-C. Shen, Water-soluble fatty acid derivatives as acylating agents for reversible lipidization of polypeptides (371) 283
El Alaoui, S. see S. Mian (370) 27
El Far, O., N. Charvin, C. Leveque, N. Martin-Moutot, M. Takahashi and M.J. Seagar, Interaction of a synaptobrevin (VAMP)-syntaxin complex with presynaptic calcium channels (361) 101
El yaagoubi, M., H. Hachad, H. Leh, G. Siest and M. Wellman, Gamma-glutamyltransferase expression during all-*trans* retinoic acid-induced differentiation of hematopoietic cell lines (369) 183
Elamrani, N. see M. Savart (359) 60
Elce, J.S. see J.S.C. Arthur (368) 397
El-Fakahany, E.E. see J. Jakubík (377) 275
Elkin, M., A. Shevelev, E. Schulze, M. Tykocinsky, M. Cooper, I. Ariel, D. Pode, E. Kopf, N. de Groot and A. Hochberg, The expression of the imprinted H19 and IGF-2 genes in human bladder carcinoma (374) 57
Elledge, S.J. see N.R. Helps (377) 295
Ellis, T.P. see P.M. Finnegan (368) 505
Ellouze, C. see H. Terenzi (369) 277
Emery, V.C. see C.G. Ullman (371) 199
Emmert-Buck, M.R., H.P. Emonard, M.L. Corcoran, H.C. Krutzsch, J.-M. Foidart and W.G. Stetler-Stevenson, Cell surface binding of TIMP-2 and pro-MMP-2/TIMP-2 complex (364) 28
Emonard, H.P. see M.R. Emmert-Buck (364) 28
Endo, I. see T. Noguchi (358) 9
Endo, K. see S.-i. Kidokoro (367) 73
Endo, T., S. Mitsui and D. Roise, Mitochondrial presequences can induce aggregation of unfolded proteins (359) 93
Endo, T. see M. Nakai (357) 202
Endo, T. see T. Nohara (364) 305
Engel, A.M. and D.G. Lowe, Characterization of the hormone binding site of natriuretic peptide receptor-C (360) 169
Engel, J. see A. Brancaccio (368) 139
Engel, J. see K. Tangemann (358) 179
Engel, N. see C. Curty (364) 41
Engel, P.C. see S.Y.K. Seah (370) 93
Engelbrecht, S. see D. Steinemann (362) 171
Engels, F. see M.J. van de Velde (369) 301

Engels, P., M. Sullivan, T. Müller and H. Lübbert, Molecular cloning and functional expression in yeast of a human cAMP-specific phosphodiesterase subtype (PDE IV-C) (358) 305
Enghild, J.J. see X.-D. Ren (368) 87
Enghild, J.J. see B. Åkerström (362) 50
Engström, M. see Å. Jaworowski (365) 167
Eppens, E. see R. Kusters (372) 253
Erba, F. see L. Fiorucci (363) 81
Ercole, L. see E.M.V. de Cavanagh (361) 22
Erdmann, V.A. see A. Nolte (374) 292
Erfle, V. see K. Gaedigk-Nitschko (357) 275
Erfle, V. see G. Sutter (371) 9
Eriksson, J.E. see S.C. Chow (364) 134
Eriksson, K.-E.L. see C. Eggert (376) 202
Ermak, G. see A. Slominski (374) 113
Ernst, W.H., R. Janknecht, M.A. Cahill and A. Nordheim, Transcriptional repression mediated by the serum response factor (357) 45
Ernström, U. see T. Pettersson (365) 23
Ernström, U., T. Pettersson and H. Jörnvall, A yellow component associated with human transthyretin has properties like a pterin derivative, 7,8-dihydropterin-6-carboxaldehyde (360) 177
Erren, A. see E. Roeb (357) 33
Ershler, M.A., I.M. Samokhvalov, A.V. Belyavsky and J.W.M. Visser, Genomic structure and alternative splicing of the murine *bhk/ctk/ntk* gene (375) 50
Erusalimsky, J.D. see G.T. Stavri (358) 311
Escartin, A. see N. González-Ramón (371) 227
Eschenbrenner, M., J. Covès and M. Fontecave, NADPH-sulfite reductase flavoprotein from *Escherichia coli*: contribution to the flavin content and subunit interaction (374) 82
Escobar, A.L., F. Cifuentes and J.L. Vergara, Detection of Ca^{2+}-transients elicited by flash photolysis of DM-nitrophen with a fast calcium indicator (364) 335
Eshdat, Y. see T. Beeor-Tzahar (366) 151
Esipova, N.G. see A.A. Makarov (357) 58
Esipova, N.G. see D.E. Kamashev (375) 27
Esipova, N.G. see V.J. Makeev (366) 33
Espinal, J., F. Lacour, S. Berger and J. Duhault, S15261 antagonises amylin-induced impaired glucose tolerance (368) 36
Espinosa, F. and A. Darszon, Mouse sperm membrane potential: changes induced by Ca^{2+} (372) 119
Esposito, F. see R. Ammendola (371) 209
Esposito, G. see J.A. Carver (369) 305
Estelberger, W., W. Mlekusch and G. Reibnegger, The conformational flexibility of 5,6,7,8-tetrahydrobiopterin and 5,6,7,8-tetrahydroneopterin: a molecular dynamical simulation (357) 37
Estévez, A.M., J.J. Heinisch and J.J. Aragón, Functional complementation of yeast phosphofructokinase mutants by the non-allosteric enzyme from *Dictyostelium discoideum* (374) 100
Etspüler, H. see U. Weser (375) 280
Ettelaie, C. see M. Fielder (369) 243
Evans, D.B. see N. Fan (370) 59
Evans, D.B. see N. Fan (359) 233
Evans, H.J. see R.M. Kini (375) 15
Evans, J.N.S. see Y. Li (377) 208
Evers, M.E., W. Harder and M. Veenhuis, In vitro dissociation and re-assembly of peroxisomal alcohol oxidases of *Hansenula polymorpha* and *Pichia pastoris* (368) 293
Evin, G. see R.N. LePage (377) 267
Evstafieva, A. see N. Pavlov (366) 43
Evtushenko, L.I. see A.S. Shashkov (371) 163
Ewen, S.W.B. see J.A. McKay (374) 270
Exley, C., L. Schley, S. Murray, C.M. Hackney and J.D. Birchall, Aluminium, β-amyloid and non-enzymatic glycosylation (364) 182
Ezoe, K. see T. Horikoshi (363) 141
Ezra, V. see T. Avidor-Reiss (361) 70
Ezumi, Y., H. Takayama and M. Okuma, Thrombopoietin, c-Mpl ligand, induces tyrosine phosphorylation of Tyk2, JAK2, and STAT3, and enhances agonists-induced aggregation in platelets in vitro (374) 48

F

Fabbri, B.J. see T. Naranda (372) 249
Faber, K.N., I. Keizer-Gunnink, D. Pluim, W. Harder, G. AB and M. Veenhuis, The N-terminus of amine oxidase of *Hansenula polymorpha* contains a peroxisomal targeting signal (357) 115
Fabian, H. see J. Backmann (364) 175
Faggioni, A. see G. Barile (372) 291
Fahrenholz, F. see E. Ufer (362) 19
Fairbanks, M.B., J.R. Pollock, M.D. Prairie, T.A. Scahill, L. Baczynskyj, R.L. Heinrikson and B.J. Stockman, Purification and structural characterization of the CD11b/CD18 integrin α subunit I domain reveals a folded conformation in solution (369) 197
Fairburn, K. see D.P. Naughton (361) 167
Fairweather, N. see G. Harwood (377) 73
Fajkus, J., R. Královics, A. Kovařík and L. Fajkusová, The telomeric sequence is directly attached to the HRS60 subtelomeric tandem repeat in tobacco chromosomes (364) 33
Fajkusová, L. see J. Fajkus (364) 33
Fajuk, D. see B. Khodorov (371) 249
Fakler, B. see T. Doi (375) 193
Falaleeva, M.I. see A.U. Igamberdiev (367) 287
Falk, T., W. Meyerhof, B.J. Corrette, J. Schäfer, C.K. Bauer, J.R. Schwarz and D. Richter, Cloning, functional expression and mRNA distribution of an inwardly rectifying potassium channel protein (367) 127
Falquet, L., N. Paquet, S. Frutiger, G.J. Hughes, K. Hoang-Van and J.-C. Jaton, A human de-ubiquitinating enzyme with both isopeptidase and peptidase activities in vitro (359) 73
Falquet, L., N. Paquet, S. Frutiger, G.J. Hughes, K. Hoang-Van and J.-C. Jaton, cDNA cloning of a human 100 kDa de-ubiquitinating enzyme: the 100 kDa human de-ubiquitinase belongs to the ubiquitin C-terminal hydrolase family 2 (UCH2) (376) 233
Faltin, Z. see T. Beeor-Tzahar (366) 151
Falus, A. see J. Mandl (376) 65
Fan, G.-f., Y.-g. Huang, Y.-h. Bai and F.-y. Yang, Effect of transmembrane Ca^{2+} gradient on G_i function (357) 13
Fan, N., K.B. Rank, D.B. Evans, R.C. Thomas, W.G. Tarpley and S.K. Sharma, Simultaneous mutations at Tyr-181 and Tyr-188 in HIV-1 reverse transcriptase prevents inhibition of RNA-dependent DNA polymerase activity by the bisheteroarylpiperazine (BHAP) U-90152s (370) 59
Fan, N., D.B. Evans, K.B. Rank, R.C. Thomas, W.G. Tarpley and S.K. Sharma, Mechanism of resistance to U-90152S and sensitization to L-697,661 by a proline to leucine change at residue 236 of human immunodeficiency virus type 1 (HIV-1) reverse transcriptase (359) 233
Fang, Y. see V. Parpura (377) 489
Fant, F. see W.F. Vranken (374) 117
Farnsworth, P.N. see K. Singh (372) 283
Fato, R. see G. Lenaz (366) 119
Fattah, F.A. see A. Selvapandiyan (374) 253
Faucher, D. see V. Dubernard (364) 109
Fautrel, A. see Z. Abdel-Razzak (366) 159
Fazioli, F. see P. Limongi (369) 207
Fazliev, F.N. see A.N. Grechkin (371) 159
Fearnhead, H.O., A.J. Rivett, D. Dinsdale and G.M. Cohen, A pre-existing protease is a common effector of thymocyte apoptosis mediated by diverse stimuli (357) 242
Fearnhead, H.O. see H. Zhu (374) 303
Fearnhead, H.O., D. Dinsdale and G.M. Cohen, An interleukin-1β-converting enzyme-like protease is a common mediator of apoptosis in thymocytes (375) 283
Fedon, Y. see V. Talesa (357) 265
Fedorova, O.S., A. Adeenah-Zadah and D.G. Knorre, Cooperative interactions in the tandem of oligonucleotide derivatives arranged at complementary target. Quantitative estimates and contribution of the target secondary structure (369) 287
Feduchi, E. see R. Aldabe (377) 1
Fehmann, H.-C. see A. Volz (373) 23
Feizi, T. see P.J. Green (360) 34
Feizi, T. see P.J. Green (360) 34
Felenbok, B. see S. Fillinger (368) 547
Felipe, A. see J.V. Martínez-Mas (362) 85

Feller, N., H.J. Broxterman, D.C.R. Währer and H.M. Pinedo, ATP-dependent efflux of calcein by the multidrug resistance protein (MRP): no inhibition by intracellular glutathione depletion (368) 385
Fellinger, E. see P. Löw (368) 125
Ferder, L. see E.M.V. de Cavanagh (361) 22
Ferguson, D.M. see T.G. Metzger (375) 1
Ferguson, M.A.J. see P.J. Green (360) 34
Ferguson, M.A.J. see P.J. Green (360) 34
Fernández, J. see T. Soto (367) 263
Fernández, V.M. see A.R. Klein (368) 203
Fernández-Chacón, R. and G. Alvarez de Toledo, Cytosolic calcium facilitates release of secretory products after exocytotic vesicle fusion (363) 221
Fernández-Fernández, J.M. see R. Granja (362) 15
Ferraccioli, R. see P. Sartori (358) 53
Ferrali, M. see C. Signorini (362) 165
Ferrara, P. see S. Lefort (366) 122
Ferrell, K. see W. Dubiel (363) 97
Ferreras, J.M. see F.M. de Benito (360) 299
Ferrer-Montiel, A.V. see L.M. Gutiérrez (372) 39
Ferrero, E., M.E. Ferrero, R. Pardi and M.R. Zocchi, The platelet endothelial cell adhesion molecule-1 (PECAM1) contributes to endothelial barrier function (374) 323
Ferrero, M.E. see E. Ferrero (374) 323
Ferroni, S., C. Marchini, P. Schubert and C. Rapisarda, Two distinct inwardly rectifying conductances are expressed in long term dibutyryl-cyclic-AMP treated rat cultured cortical astrocytes (367) 319
Fersht, A.R. see M. Ibba (358) 293
Fersht, A.R. see C. Frisch (370) 273
Fesenko, E.E., V.I. Geletyuk, V.N. Kazachenko and N.K. Chemeris, Preliminary microwave irradiation of water solutions changes their channel-modifying activity (366) 49
Fesenko, E.E. see V.I. Geletyuk (359) 85
Fesenko, E.E. and A.Ya. Gluvstein, Changes in the state of water, induced by radiofrequency electromagnetic fields (367) 53
Feussner, I. and H. Kühn, The lipid body lipoxygenase from cucumber seedlings exhibits unusual reaction specificity (367) 12
Fey, G.H. see K.L. Nielsen (373) 296
Feyziev, Ya.M. see V.V. Klimov (363) 251
ffrench-Constant, R. see N. Anthony (368) 461
Fiaschi, T., G. Raugei, R. Marzocchini, P. Chiarugi, P. Cirri and G. Ramponi, Cloning and expression of the cDNA coding for the erythrocyte isoenzyme of human acylphosphatase (367) 145
Ficca, A.G., L. Testa and G.P. Tocchini Valentini, The human β_2-adrenergic receptor expressed in *Schizosaccharomyces pombe* retains its pharmacological properties (377) 140
Ficner, R., U.H. Sauer, T.A. Ceska, G. Stier and D. Suck, Crystallization and preliminary crystallographic studies of recombinant dimerization cofactor of transcription factor HNF1/pterin-4α-carbinolamine dehydratase from liver (357) 62
Fidai, S., J.A. Dahl and W.R. Richards, Effect of the PufQ protein on early steps in the pathway of bacteriochlorophyll biosynthesis in *Rhodobacter capsulatus* (372) 264
Fidelio, G. see M. Asun Requero (357) 75
Fiechter, A. see C. Gandor (377) 290
Fiedler, H.R., R. Schmid, S. Leu, N. Shavit and H. Strotmann, Isolation of CF_0CF_1 from *Chlamydomonas reinhardtii* cw15 and the N-terminal amino acid sequences of the CF_0CF_1 subunits (377) 163
Fiedler, K. see D. Zacchetti (377) 465
Fiedler, K. see E. Ikonen (358) 273
Fiege, R., U. Schreiber, G. Renger, W. Lubitz and V.A. Shuvalov, Study of heme Fe(III) ligated by OH^- in cytochrome *b*-559 and its low temperature photochemistry in intact chloroplasts (377) 325
Fielder, M., S.J. Pirt, I. Tarpey, C. Wilson, P. Cunningham, C. Ettelaie, A. Binder, S. Bansal and A. Ebringer, Molecular mimicry and ankylosing spondylitis: possible role of a novel sequence in pullulanase of *Klebsiella pneumoniae* (369) 243
Figarella, C. see M.D. Merten (369) 202
Fillingame, R.H. see S.D. Watts (368) 235
Fillinger, S., C. Panozzo, M. Mathieu and B. Felenbok, The basal level of transcription of the *alc* genes in the ethanol regulon in *Aspergillus nidulans* is controlled both by the specific transactivator AlcR and the general carbon catabolite repressor CreA (368) 547
Filloux, C. see P. Peraldi (357) 290
Findlay, J.B.C. see A. Carne (372) 243
Finidori, J. see A. Sotiropoulos (369) 169
Finnegan, M.G. see H. Fujii (377) 345
Finnegan, P.M., T.P. Ellis, P. Nagley and H.B. Lukins, The mature *AEP2* gene product of *Saccharomyces cerevisiae*, required for the expression of subunit 9 of ATP synthase, is a 58 kDa mitochondrial protein (368) 505
Fiore, F. see R. Ammendola (371) 209
Fiorucci, L., F. Erba, M. Coletta and F. Ascoli, Evidence for multiple interacting binding sites in bovine tryptase (363) 81
Firmin, J.L. see C. Domoney (360) 15
Firsov, L.M. see B. Stoffer (358) 57
Fischer, B.E., U. Schlokat, A. Mitterer, M. Reiter, W. Mundt, P.L. Turecek, H.P. Schwarz and F. Dorner, Structural analysis of recombinant von Willebrand factor produced at industrial scale fermentation of transformed CHO cells co-expressing recombinant furin (375) 259
Fischer, G. see B. Schmidt (372) 169
Fischer, H.-G. and C. Eder, Voltage-gated K^+ currents of mouse dendritic cells (373) 127
Fischer-Colbrie, R. see J. Hoflehner (360) 294
Fish, E.N., Interferon receptor recognition peptides enhance the biological potency of interferon alphas (365) 87
Fishburn, C.S., S. Carmon and S. Fuchs, Molecular cloning and characterisation of the gene encoding the murine D_4 dopamine receptor (361) 215
Fisher, S.M. see P.M. Rose (361) 243
Flacher, M. see S. Fournel (367) 188
Fladmark, K.E. see M. Zorn (362) 291
Flemington, E. see J. Bodor (377) 413
Flockerzi, V. see L. Lacinová (373) 103
Florencio, F.J. see J.C. Reyes (367) 45
Florens, L., P. Bianco, J. Haladjian, M. Bruschi, I. Protasevich and A. Makarov, Thermal stability of the polyheme cytochrome c_3 superfamily (373) 280
Florentiev, V.L. see A.K. Shchyolkina (367) 81
Flörke, H. see C. Jakob (368) 5
Fluck, R.J. see S. Barker (369) 263
Fobo, G.M. see F. Thümmler (357) 149
Foidart, J.-M. see M.R. Emmert-Buck (364) 28
Folkers, G. see K. Wild (368) 289
Folkesson, R. see L. Nilsson (372) 88
Folks, T.M. see P.A. Sandstrom (365) 66
Föll, R. see R. Sterner (364) 9
Follmann, H. see S. Morell (369) 149
Follmann, H. see V. Bunik (371) 167
Fomitcheva, I. see D. Kosk-Kosicka (371) 57
Fontana, A., M. Zambonin, V. De Filippis, M. Bosco and P. Polverino de Laureto, Limited proteolysis of cytochrome *c* in trifluoroethanol (362) 266
Fontecave, M. see M. Eschenbrenner (374) 82
Forgey, R.W. see K. Giffin (357) 269
Formiggini, G. see G. Lenaz (366) 119
Forsén, S. see M.U. Johansson (374) 257
Forsman, C. and M. Pilon, Chloroplast import and sequential maturation of pea carbonic anhydrase: the roles of various parts of the transit peptide (358) 39
Forssmann, W.-G. see H.-D. Zucht (372) 185
Forssmann, W.-G. see R. Hess (374) 34
Forssmann, W.-G. see K.W. Bensch (368) 331
Forte, M.A. see K.S. Sugamori (362) 131
Forti, G. see L. Bonaccorsi (364) 83
Fosang, A.J. see R.N. LePage (377) 267
Fossati, G. see G. Legname (361) 211
Foster, C.S. see J.A. Grimes (369) 290
Fothergill-Gilmore, L.A. see J. Nairn (359) 192
Fourcade-Peronnet, F. see J. Lacoste (357) 283
Fournel, S., L. Genestier, J.-P. Rouault, G. Lizard, M. Flacher, O. Assossou and J.-P. Revillard, Apoptosis without decrease of cell DNA content (367) 188
Fournet, G. see B. Allard (375) 215
Fournier, M. see O.D. Zakharova (373) 255
Fournier, M. see O.D. Zakharova (361) 287
Fournier-Bidoz, S. see L. Gannoun-Zaki (375) 268
Fowler, S.D., J. Kay, B.M. Dunn and P.J. Tatnell, Monomeric human cathepsin E (366) 72
Fox, K.R., Kinetic studies on the formation of acridine-linked DNA triple helices (357) 312
Fox, K.R. see S.P. Chandler (360) 21

Fra, A.M., M. Masserini, P. Palestini, S. Sonnino and K. Simons, A photo-reactive derivative of ganglioside GM1 specifically cross-links VIP21-caveolin on the cell surface (375) 11
Fraga, C.G. see E.M.V. de Cavanagh (361) 22
Franceschi, C. see M. Sandri (373) 291
Francisco, W.A. see D.J. Merkler (366) 165
Franco del Amo, F. and M. Freire, The prothymosin α gene is specifically expressed in ectodermal and mesodermal regions during early postimplantation mouse embryogenesis (359) 15
Franco, L. see L. Guida (368) 481
Franco, L. see E. Zocchi (359) 35
Franco, M., S. Paris and M. Chabre, The small G-protein $ARF1_{GDP}$ binds to the $G_t\beta\gamma$ subunit of transducin, but not to $G_t\alpha_{GDP}$-$G_t\beta\gamma$ (362) 286
Frangou-Lazaridis, M. see K. Vareli (371) 337
Frank, K. see T. Wex (374) 341
Fraser, S.P. see J.A. Grimes (369) 290
Frawley Jr., B.P. see H.K. Roy (366) 143
Fredlund, K.M. see T.H. Roberts (373) 307
Freeman, T.C. see A.K. Dixon (374) 135
Freemont, P.S. see R. Chinery (357) 50
Fregni, V. see M. Crimi (367) 167
Freire, E. see M.J. Todd (359) 123
Freire, M. see F. Franco del Amo (359) 15
Freire-Picos, M.A., C.P. Hollenberg, K.D. Breunig and M.E. Cerdan, Regulation of cytochrome *c* expression in the aerobic respiratory yeast *Kluyveromyces lactis* (360) 39
Freund, S.M.V. see M. Bycroft (362) 333
Freze, K. see A. Danilkovich (369) 161
Fridman, R. see S. Menashi (361) 61
Fried, S.G. see K.E. Smith (357) 86
Friedrich, T., K. Steinmüller and H. Weiss, The proton-pumping respiratory complex I of bacteria and mitochondria and its homologue in chloroplasts (367) 107
Friis-Hansen, L. see J.R. Bundgaard (369) 225
Frings, E. see K.-L. Schimz (362) 29
Frisch, C., G. Schreiber and A.R. Fersht, Characterization of in vitro oxidized barstar (370) 273
Fritsch, M., C.C. Geilen, C. Heidrich and W. Reutter, Influence of extracellular matrices on ganglioside pattern of two hepatoma cell lines with different adhesive properties (376) 159
Fritz, H. see E.A. Auerswald (361) 179
Fritz, H. see W. Machleidt (361) 185
Frödin, M. see P. Peraldi (357) 290
Froehner, S.C. see T.M. Dwyer (375) 91
Frömmel, C. see H. Weißhoff (372) 203
Frommer, W.B. see D. Rentsch (370) 264
Fromwald, S. see G.A. Peschek (371) 89
Frost, K. see H. Weißhoff (372) 203
Fruchart, J.-C. see A. Leroy (361) 29
Frutiger, S. see L. Falquet (359) 73
Frutiger, S. see L. Falquet (376) 233
Fuchs, A. see P. Wagner (377) 155
Fuchs, D. see W. Schobersberger (377) 461
Fuchs, D. see G. Baier-Bitterlich (364) 234
Fuchs, M. see R. Hess (374) 34
Fuchs, S. see C.S. Fishburn (361) 215
Fujihira, E. see A. Yamaguchi (365) 193
Fujii, H., M.G. Finnegan, T. Miki, B.R. Crouse, K. Kakinuma and M.K. Johnson, Spectroscopic identification of the heme axial ligation of cytochrome b_{558} in the NADPH oxidase of porcine neutrophils (377) 345
Fujii, H. see E. Sato (374) 184
Fujii, M., T. Ogata, E. Takahashi, K. Yamada, K. Nakabayashi, M. Oishi and D. Ayusawa, Expression of the human cGMP-dependent protein kinase II gene is lost upon introduction of SV40 T antigen or immortalization in human cells (375) 263
Fujimoto, D. see H. Tachikawa (369) 212
Fujimoto, J. see A. Mogi (373) 135
Fujimoto, S. see S. Takahashi (368) 455
Fujinaga, Y. see R. Fujita (376) 41
Fujino, Y. see I. Matsuoka (371) 297
Fujisawa, K. see N. Kumagai (366) 11
Fujita, M. see E. Sato (374) 184
Fujita, R., Y. Fujinaga, K. Inoue, H. Nakajima, H. Kumon and K. Oguma, Molecular characterization of two forms of nontoxic-nonhemagglutinin components of *Clostridium botulinum* type A progenitor toxins (376) 41
Fujita, S. see H. Yamada (376) 37
Fujiwara, Y. see K. Okahara (373) 108
Fukasawa, M. see M. Sugimoto (363) 53
Fukuda, A. see K. Uchida (357) 165
Fukuda, K., K. Terasako, S. Kato and K. Mori, Identification of the amino acid residues involved in selective agonist binding in the first extracellular loop of the δ- and μ-opioid receptors (373) 177
Fukui, K., H. Ohya-Nishiguchi, M. Nakai, H. Sakurai and H. Kamada, Detection of vanadyl–nitrogen interaction in organs of the vanadyl-treated rat: electron spin echo envelope modulation study (368) 31
Fukui, Y. see I. Nakamura (361) 79
Fukushima, N. see H. Ueda (375) 201
Fukuta-Ohi, H. see H. Yamada (376) 37
Fulgosi, H. see A. Sokolenko (371) 176
Fuller, S.J. see R.N. LePage (377) 267
Fulop Jr., T., C. Leblanc, G. Lacombe and G. Dupuis, Cellular distribution of protein kinase C isozymes in CD3-mediated stimulation of human T lymphocytes with aging (375) 69
Funahashi, W. see H. Tachikawa (369) 212
Funk, M. see P. Wittung (368) 64
Fürst, P. see B. Chaudhuri (357) 221
Fürste, J.P. see A. Nolte (374) 292
Furuichi, T. see J. Hirota (368) 248
Furuichi, Y. see T. Iwamoto (368) 420
Furukawa, K. see K. Takamiya (358) 79
Furukawa, K. see K. Takamiya (358) 79
Furukawa, K.-I. see K. Yoshikawa (373) 250
Furukawa, T., S. Horikawa, T. Terai, T. Ogura, Y. Katayama and M. Hiraoka, Molecular cloning and characterization of a novel truncated form (ClC-2β) of ClC-2α (ClC-2G) in rabbit heart (375) 56
Furusho, K. see A. Kataoka (364) 264
Furuta, R.A. see H. Sakai (365) 141
Furuta, R.A. see S. Kubota (375) 31
Furutsu, Y. see Y. Kawata (369) 283
Furuyama, T. see S. Inagaki (370) 269
Furuyashiki, T. see P. Madaule (377) 243
Fusi, P. see R. Consonni (372) 135
Fusi, P., M. Grisa, G. Tedeschi, A. Negri, A. Guerritore and P. Tortora, An 8.5-kDa ribonuclease from the extreme thermophilic archaebacterium *Sulfolobus solfataricus* (360) 187
Futai, M. see Y. Moriyama (359) 69
Futai, M. see Y. Someya (374) 72
Fyrnys, B., C. Blencowe and H.-P. Deigner, Susceptibility of phospholipids of oxidizing LDL to enzymatic hydrolysis modulates uptake by $P388D_1$ macrophage-like cells (357) 7

G

Gabai, V.L., I.V. Zamulaeva, A.F. Mosin, Y.M. Makarova, V.A. Mosina, K.R. Budagova, Y.V. Malutina and A.E. Kabakov, Resistance of Ehrlich tumor cells to apoptosis can be due to accumulation of heat shock proteins (375) 21
Gabdrakhmanova, L.A. see L.V. Znamenskaya (357) 16
Gabius, H.-J. see H.-C. Siebert (371) 13
Gacto, M. see T. Soto (367) 263
Gadda, G., G.L. Beretta and M.S. Pilone, Reactivity of histidyl residues in D-amino acid oxidase from *Rhodotorula gracilis* (363) 307
Gadhavi, P.L. see L.J. Ball (358) 278
Gaedigk-Nitschko, K., A. Schön, G. Wachinger, V. Erfle and B. Kohleisen, Cleavage of recombinant and cell derived human immunodeficiency virus 1 (HIV-1) Nef protein by HIV-1 protease (357) 275
Gaestel, M. see J.A. Carver (369) 305
Gaffney, K. see D.P. Naughton (361) 167
Gaggero, B. see R. Gherzi (369) 335
Gagnon, C. see T. Iwamoto (368) 420
Gagnon, J. see Y. Petillot (358) 323
Gahmberg, C.G. see P.E. Kovanen (361) 233
Gailly, P. see C.M.M. Haystead (377) 123

Gal, A. see A. Sokolenko (371) 176
Galanopoulou, A.S. see N. Brakch (362) 143
Galietta, L.J.V. see A. Rasola (373) 229
Galione, A. see N.J. Willmott (371) 99
Galkina, S.I., G.F. Sud'ina, G.B. Dergacheva and L.B. Margolis, Regulation of intracellular pH by cell–cell adhesive interactions (374) 17
Gallagher, T.F. see A. Cuenda (364) 229
Gallerani, R. see L.R. Ceci (364) 179
Gallo, J.-M. see D.A. Latimer (365) 42
Gallo, J.-M. see C.J. Smith (375) 243
Galloway, I.S. see S.F. Haydock (374) 246
Galoro, C.A.O. see M.J.A. Saad (370) 131
Galve-Roperh, I. see I.D. Laviada (364) 301
Gambaryan, A.S., V.E. Piskarev, I.A. Yamskov, A.M. Sakharov, A.B. Tuzikov, N.V. Bovin, N.E. Nifant'ev and M.N. Matrosovich, Human influenza virus recognition of sialyloligosaccharides (366) 57
Gamen, S., A. Anel, J. Montoya, I. Marzo, A. Piñeiro and J. Naval, mtDNA-depleted U937 cells are sensitive to TNF and Fas-mediated cytototxicity (376) 15
Gamo, F.-J. see M.A. Blázquez (377) 197
Gamou, S. and N. Shimizu, Hydrogen peroxide preferentially enhances the tyrosine phosphorylation of epidermal growth factor receptor (357) 161
Gancedo, C. see M.A. Blázquez (377) 197
Gandolfo, P. see C. Patte (362) 106
Gandor, C., C. Leist, A. Fiechter and F.A.M. Asselbergs, Amplification and expression of recombinant genes in serum-independent Chinese hamster ovary cells (377) 290
Gannoun-Zaki, L., S. Fournier-Bidoz, G. Le Cam, C. Chambon, P. Millasseau, J.J. Léger and C.A. Dechesne, Down-regulation of mitochondrial mRNAs in the *mdx* mouse model for Duchenne muscular dystrophy (375) 268
Ganten, D. see R. Metzger (357) 27
Ganz, T. see C. Zhao (368) 197
Ganz, T. see C. Zhao (376) 130
Gao, X.-D. see H. Tachikawa (369) 212
Gao, Y. see P.G. Quirk (370) 175
Gao, Y. and K.C. Woo, Site-directed mutagenesis of Lys^{600} in phospho*enol*pyruvate carboxylase of *Flaveria trinervia*: its roles in catalytic and regulatory functions (375) 95
Garber, M.B. see N.L. Davydova (369) 229
Garbisa, S. see A. Negro (360) 52
García de Herreros, A. see A. Skoudy (374) 415
García-Casado, G., A. Armentia, R. Sánchez-Monge, L.M. Sánchez, C. Lopez-Otín and G. Salcedo, A major baker's asthma allergen from rye flour is considerably more active than its barley counterpart (364) 36
Garcia-Gil, A. see N. González-Ramón (371) 227
Garcia-Horsman, J.A. see M.W. Calhoun (368) 523
Garcia-Olmedo, F. see M. Piñeiro (369) 239
Garcia-Quintana, D. see P. Garriga (358) 27
Gardner, B. see M.S. Lee (359) 113
Garner, C.C. see U. Kistner (359) 159
Garner, C.D. see L.J. Ball (358) 278
Garratt, A.N. see A.P. Mould (363) 118
Garriga, P., D. Garcia-Quintana and J. Manyosa, An A-form of poly[d(A-C)]·poly[d(G-T)] induced by mercury (II) as studied by UV and FTIR spectroscopies (358) 27
Gasa, S. see K. Suetake (361) 201
Gasdaska, J.R. see P.Y. Gasdaska (373) 5
Gasdaska, P.Y., J.R. Gasdaska, S. Cochran and G. Powis, Cloning and sequencing of a human thioredoxin reductase (373) 5
Gast, K., G. Damaschun, M. Desmadril, P. Minard, M. Müller-Frohne, W. Pfeil and D. Zirwer, Cold denaturation of yeast phosphoglycerate kinase: which domain is more stable? (358) 247
Gast, P. see R. Brudler (370) 88
Gatica, M. see M.V. Hinrichs (368) 211
Gaudey, F. see T. Prangé (357) 247
Gaughan, D.J., D.M. Steel and A.S. Whitehead, Ribozyme mediated cleavage of acute phase serum amyloid A (A-SAA) mRNA in vitro (374) 241
Gausepohl, H. see T. Houthaeve (376) 91
Gaussem, P., V. Picard, G. Chadeuf, E. Arnaud and M. Aiach, Human thrombin variable region 1, including E39, is involved in interactions with α1-antitrypsin M358R and protein C (365) 219
Gaussem, P. see A. Vincenot (367) 153
Gauthier, F. see L.-E. Avril (367) 251
Gauthier, S. see J.S.C. Arthur (368) 397
Gauvry, L. see P.-Y. Rescan (362) 89
Gavériaux, C., J. Peluso, F. Simonin, J. Laforet and B. Kieffer, Identification of κ- and δ-opioid receptor transcripts in immune cells (369) 272
Gay, N.J. see K. Kubota (365) 83
Gazzaniga, P.P. see F.M. Pulcinelli (364) 87
Geering, K. see R. Antolovic (368) 169
Gehrig, H., T. Taybi, M. Kluge and J. Brulfert, Identification of multiple PEPC isogenes in leaves of the facultative Crassulacean Acid Metabolism (CAM) plant *Kalanchoe blossfeldiana* Poelln. cv. Tom Thumb (377) 399
Geilen, C.C. see M. Fritsch (376) 159
Geisler, N. see J. Laufs (377) 258
Geletyuk, V.I. see E.E. Fesenko (366) 49
Geletyuk, V.I., V.N. Kazachenko, N.K. Chemeris and E.E. Fesenko, Dual effects of microwaves on single Ca^{2+}-activated K^+ channels in cultured kidney cells *Vero* (359) 85
Genestier, L. see S. Fournel (367) 188
Gennari, F. see I. Schmehl (375) 206
Gennaro, R. see M. Zanetti (374) 1
Gennis, R.B. see M.W. Calhoun (368) 523
Gennis, R.B. see D.M. Mitchell (368) 148
Gennis, R.B. see D.M. Mitchell (374) 371
Genova, M.L. see G. Lenaz (366) 119
Gentile, V. see S. Mian (370) 27
Gentilini, P. see F. Marra (376) 141
Gentzsch, M., T. Immervoll and W. Tanner, Protein *O*-glycosylation in *Saccharomyces cerevisiae*: the protein *O*-mannosyltransferases Pmt1p and Pmt2p function as heterodimer (377) 128
Georg, G.I. see K. Kerksiek (377) 59
Georges, N. see P. Gillery (357) 287
Georgiev, G.P. see P.V. Sergeev (360) 194
Georgiev, O. see J. Silke (370) 170
Georis, I. see J.-P. Cassart (371) 191
Geraci, G. see L. Tosi (361) 115
Gerdes, H.-H. see C. Kaether (369) 267
Gerecke, D.R. see U. Mayer (365) 129
Gerisch, G. see U. Röhrig (374) 284
Gerisch, G. see A. Jungbluth (375) 87
Gerke, V. see J. Haberland (357) 173
Gerwert, K. see R. Brudler (370) 88
Gescher, A. see J. Budworth (362) 139
Gesemann, M. see A. Brancaccio (368) 139
Gettins, P.G.W., B. Crews, A.H. Beth and K. Hideg, Bait region-thiol ester mapping in human α_2-macroglobulin (367) 137
Getzlaff, R. see A. Hoffmann (359) 164
Geyer, O., J. Almog, M. Lupu-Meiri, M. Lazar and Y. Oron, Nitric oxide synthase inhibitors protect rat retina against ischemic injury (374) 399
Ghelis, C. see J.-M. Burgat (369) 255
Gherzi, R., M. Ponassi, B. Gaggero and L. Zardi, The first untranslated exon of the human tenascin-C gene plays a regulatory role in gene transcription (369) 335
Ghibelli, L., V. Maresca, S. Coppola and G. Gualandi, Protease inhibitors block apoptosis at intermediate stages: a compared analysis of DNA fragmentation and apoptotic nuclear morphology (377) 9
Ghosh Choudhury, G. see P. Biswas (373) 146
Giacobino, J.-P. see M. Moinat (373) 131
Gibson, G. see S. Perry (360) 277
Gibson, T. see M.A. Castiglione Morelli (358) 193
Gibson, T.J. see S.J. Winder (369) 27
Gierschik, P. see A.P. Simões (365) 155
Giffin, K., R.K. Rader, M.H. Marino and R.W. Forgey, Novel assay for the influenza virus M2 channel activity (357) 269
Gigot, C. see G. Philipps (358) 67
Gilardi-Hebenstreit, P. see N. Becker (368) 353
Giles, H. see G. Harwood (377) 73
Gill, E. see N. Legrand (364) 152
Gillery, P., N. Georges, J. Wegrowski, A. Randoux and J.-P. Borel, Protein synthesis in collagen lattice-cultured fibroblasts is controlled at the ribosomal level (357) 287
Gillespie, J.I. see J.M. Morgan (369) 295
Gillespie, J.I. see S. Lynn (372) 6
Gillespie, J.I. see S. Lynn (367) 23
Gilli, R.M. see G.I. Yakovlev (366) 156

Gimona, M. see Å. Jaworowski (365) 167
Girardeau, J.-P. and Y. Bertin, Pilins of fimbrial adhesins of different member species of Enterobacteriaceae are structurally similar to the C-terminal half of adhesin proteins (357) 103
Girardeau, J.-P. see M.-C. Méchin (364) 319
Girbés, T. see F.M. de Benito (360) 299
Giri, B. see S. Raha (362) 316
Girlich, D. see Y. Vandenbrouck (376) 99
Girshovich, A.S., E.S. Bochkareva, M.J. Todd and G.H. Lorimer, On the distribution of ligands within the asymmetric chaperonin complex, $GroEL_{14} \cdot ADP_7 \cdot GroES_7$ (366) 17
Giudici, M.L. see J.P. Vos (368) 393
Gladysheva, I.P. see T.V. Tikhonova (362) 225
Glembotski, C.C. see K.A. Krown (376) 24
Glover, L.A. see P. Mahon (373) 76
Gluvstein, A.Ya. see E.E. Fesenko (367) 53
Gnilozub, V.A. see A.S. Shashkov (371) 163
Go, M. see T. Noguti (376) 251
Gō, M. see M. Tateno (377) 77
Gobin, R. see V. Laizé (373) 269
Gochin, M. see K. Hom (361) 157
Godefroy, S. and C. Guenet, Autoprocessing of HSV-1 protease: effect of deletions on autoproteolysis (357) 168
Goderis, I. see R.W. Osborn (368) 257
Godette, G. see D.E. Holm (370) 53
Goedert, M. see M. Craxton (361) 196
Goetzl, E.J. see S. An (375) 121
Goffeau, A. see B. Nelissen (377) 232
Gohlke, U. see T. Soulimane (368) 132
Göke, B. see A. Volz (373) 23
Göke, R. see A. Volz (373) 23
Goldberg, A.L. see T.T. Lah (363) 85
Goldenberg, H. see M. Meilinger (360) 70
Goldfarb, P. see S. Perry (360) 277
Goldie, H. see S. Bazaes (360) 207
Goldman, A. see I.V. Velichko (359) 20
Goldmann, W.H. see R. Götter (359) 220
Goldmann, W.H., R. Senger, S. Kaufmann and G. Isenberg, Determination of the affinity of talin and vinculin to charged lipid vesicles: a light scatter study (368) 516
Goldstein, B.N., S.R. Saifullin and D.T. Zakrzhevskaya, Principles of symmetrical organization for the pyruvate dehydrogenase complex (373) 259
Golovanov, A.P., R.G. Efremov, V.A. Jaravine, G. Vergoten and A.S. Arseniev, Amino acid residue: is it structural or functional? (375) 162
Gómez, M. see F.X. Gomis-Rüth (367) 211
Gomis-Rüth, F.X., M. Gómez, S. Ventura, J. Vendrell and F.X. Avilés, Crystallization and preliminary X-ray analysis of the ternary complex of procarboxypeptidase A from bovine pancreas (367) 211
Goñi, F.M. see H. Ostolaza (371) 303
Goñi, F.M. see F.B. Pereira (362) 243
Goñi, F.M. see M. Asun Requero (357) 75
Goñi, F.M. see S.G. Taneva (367) 297
Goñi, F.M. see J.L. Nieva (368) 143
Gonneau, M. see C. Meyer (370) 197
González, C. see J. Avila (366) 137
González, M. see M. Asun Requero (357) 75
González-García, C. see R. Granja (362) 15
González-Ramón, N., M.A. Alava, J.A. Sarsa, M. Piñeiro, A. Escartin, A. Garcia-Gil, F. Lampreave and A. Piñeiro, The major acute phase serum protein in pigs is homologous to human plasma kallikrein sensitive PK-120 (371) 227
Gooch, J. see A.G. Weeds (360) 227
Goodhart, P.J. see P.S. Huang (358) 287
Goodnight, J. see A. Kieser (372) 189
Goody, R.S. see L. Wiesmüller (363) 22
Goossens, E.L.J., C.P.M. Reutelingsperger, F.H.M. Jongsma, R. Kraayenhof and W.T. Hermens, Annexin V perturbs or stabilises phospholipid membranes in a calcium-dependent manner (359) 155
Gopalakrishnan, M. see L. Parent (360) 144
Gopaul, N.K., E.E. Änggård, A.I. Mallet, D.J. Betteridge, S.P. Wolff and J. Nourooz-Zadeh, Plasma 8-epi-$PGF_{2\alpha}$ levels are elevated in individuals with non-insulin dependent diabetes mellitus (368) 225
Goping, I.S., D.G. Millar and G.C. Shore, Identification of the human mitochondrial protein import receptor, huMas20p. Complementation of *Δmas20* in yeast (373) 45
Goppelt-Struebe, M. and M. Stroebel, Synergistic induction of monocyte chemoattractant protein-1 (MCP-1) by platelet-derived growth factor and interleukin-1 (374) 375
Gorbulev, V. see E. Ufer (362) 19
Gore, J.Z. see M.M. Tarpey (364) 314
Gorelik, G. see C.A. Cazaux (364) 120
Görlich, D. see J. Oliver (362) 126
Gorodovikova, E.N. see I.I. Senin (376) 87
Gorr, S.-U. and D.S. Darling, An N-terminal hydrophobic peak is the sorting signal of regulated secretory proteins (361) 8
Gossauer, A. see C. Curty (364) 41
Goto, A. see K. Yamada (360) 67
Goto, A. see T. Nohara (364) 305
Goto, K. see R. Tsuboi (371) 188
Gotor, C. see C. Barroso (363) 1
Götter, R., W.H. Goldmann and G. Isenberg, Internal actin filament dynamics in the presence of vinculin: a dynamic light scattering study (359) 220
Götz, H. see C. Jakob (368) 5
Götze, O. see U. Hespeling (372) 108
Goubel, F. see A. d'Albis (375) 67
Gouilleux, F. see F. Barahmand-pour (360) 29
Goux, W.J., S. Rodriguez and D.R. Sparkman, Analysis of the core components of Alzheimer paired helical filaments A gas chromatography/mass spectrometry characterization of fatty acids, carbohydrates and long-chain bases (366) 81
Govil, G. see A.K. Sau (377) 301
Gräber, P. see B. Böttcher (373) 262
Graeve, L. see E. Roeb (357) 33
Gráf, L. see G. Kaslik (370) 179
Graf, R. see M. Jadot (371) 145
Graham, A. see J.L. Wood (366) 75
Grainger, D.J. see P.R. Kemp (368) 81
Grand, R.J.A. see D.P. Molloy (368) 297
Grandaliano, G. see P. Biswas (373) 146
Granger, A. see M.L. Benka (363) 49
Granja, R., J.M. Fernández-Fernández, V. Izaguirre, C. González-García and V. Ceña, ω-Agatoxin IVA blocks nicotinic receptor channels in bovine chromaffin cells (362) 15
Grant, B. see M.L. Benka (363) 49
Gräslund, A. see S. Pötsch (374) 95
Gray, M.W. see M.N. Schnare (362) 24
Grechkin, A.N., F.N. Fazliev and L.S. Mukhtarova, The lipoxygenase pathway in garlic (*Allium sativum* L.) bulbs: detection of the novel divinyl ether oxylipins (371) 159
Greco, M. see F. Abruzzese (366) 170
Green, P.J., M.A.J. Ferguson, P.J. Robinson and T. Feizi, The cation-independent mannose-6-phosphate receptor binds to soluble GPI-linked proteins via mannose-6-phosphate (360) 34
Green, P.J., M.A.J. Ferguson, P.J. Robinson and T. Feizi, The cation-independent mannose-6-phosphate receptor binds to soluble GPI-linked proteins via mannose-6-phosphate (360) 34
Green, R.D. see H.J. Yu (374) 89
Greenberg, S. see D.A. Weidner (366) 146
Greening, A. see S. Hannah (372) 233
Greenlee, W.F. see J.A. McKay (374) 270
Greenwood, C. see C.J. Ridout (365) 152
Greenwood, S.J. see M.N. Schnare (362) 24
Greger, R. see A. Hipper (374) 312
Gregersen, N. see P. Bross (377) 249
Gregory, S.T. and A.E. Dahlberg, Effects of mutations at position 36 of $tRNA^{Glu}$ on missense and nonsense suppression in *Escherichia coli* (361) 25
Greksák, M. see P. Šmigáň (371) 119
Gribble, F. see C.T. Bond (367) 61
Gribble, F.M. see H. Sakura (377) 338
Griffin, M. see S. Mian (370) 27
Griffiths, W. see T. Pettersson (365) 23
Grigorian, I.A. see T.P. Stromskaya (368) 373
Grimes, J.A., S.P. Fraser, G.J. Stephens, J.E.G. Downing, M.E. Laniado, C.S. Foster, P.D. Abel and M.B.A. Djamgoz, Differential expression of voltage-activated Na^+ currents in two prostatic tumour cell lines: contribution to invasiveness in vitro (369) 290
Grinberg, A. see B. Coukell (362) 342
Grisa, M. see R. Consonni (372) 135
Grisa, M. see P. Fusi (360) 187
Grivell, L.A. see H. Boumans (368) 105
Grivennikova, V.G. see A.D. Vinogradov (370) 83

Groisman, R. see D. Trouche (361) 140
Grokhovsky, S.L. see A.S. Zasedatelev (375) 304
Gromada, J., T.D. Jørgensen and S. Dissing, Cyclic ADP-ribose and inositol 1,4,5-trisphosphate mobilizes Ca^{2+} from distinct intracellular pools in permeabilized lacrimal acinar cells (360) 303
Gromada, J., P. Rorsman, S. Dissing and B.S. Wulff, Stimulation of cloned human glucagon-like peptide 1 receptor expressed in HEK 293 cells induces cAMP-dependent activation of calcium-induced calcium release (373) 182
Gromo, G. see G. Legname (361) 211
Gromov, P.S., P. Madsen, N. Tomerup and J.E. Celis, A novel approach for expression cloning of small GTPases: identification, tissue distribution and chromosome mapping of the human homolog of *rheb* (377) 221
Gronenborn, B. see J. Laufs (377) 258
Gronenborn, B. see I. Jupin (362) 116
Groner, B. see F. Barahmand-pour (360) 29
Groome, N. see K. Moreton (372) 33
Grootveld, M. see D.P. Naughton (361) 167
Groschner, K., K. Schuhmann, W. Baumgartner, V. Pastushenko, H. Schindler and C. Romanin, Basal dephosphorylation controls slow gating of L-type Ca^{2+} channels in human vascular smooth muscle (373) 30
Gross, R.W. see M.J. Wolf (377) 358
Grote, J. see W. Schobersberger (377) 461
Groth, G. and W. Junge, ATP synthase: activating versus catalytic proton transfer (358) 142
Groth-Vasselli, B. see K. Singh (372) 283
Grötzinger, J. see F.D. de Hon (369) 187
Grove, M. see M. Burg (377) 426
Groß-Eick, A. see V. Burkart (364) 259
Grubb, A. see M. Zhang (373) 203
Grundke-Iqbal, I. see N. Haque (360) 132
Grundke-Iqbal, I. see T. Tanaka (360) 5
Grundke-Iqbal, I. see T.J. Singh (358) 267
Grundke-Iqbal, I. see T.J. Singh (358) 4
Grünler, J., J.M. Olsson and G. Dallner, Estimation of dolichol and cholesterol synthesis in microsomes and peroxisomes isolated from rat liver (358) 230
Gryaznova, O.I. see N.L. Davydova (369) 229
Grynspan, F. see M. Mercken (368) 10
Gu, M.-L., J. Rappaport and S.H. Leppla, Furin is important but not essential for the proteolytic maturation of gp160 of HIV-1 (365) 95
Gu, Z.-J. see Z.-Y. Lu (377) 515
Gualandi, G. see L. Ghibelli (377) 9
Gubanova, O.N. see V.D. Samuilov (357) 55
Gubitz, A.K. see A.K. Dixon (374) 135
Gudkov, A.T., E.V. Budovskaya and N.M. Sherstobaeva, The first 37 residues are sufficient for dimerization of ribosomal L7/L12 protein (367) 280
Guénal, I. and B. Mignotte, Studies of specific gene induction during apoptosis of cell lines conditionally immortalized by SV40 (374) 384
Guenet, C. see S. Godefroy (357) 168
Guerin, M. see X. Roucou (364) 161
Guerrini, R. see P. Amodeo (377) 363
Guerritore, A. see P. Fusi (360) 187
Guest, S.S. see W.E.B. Johnson (364) 309
Guida, L. see E. Zocchi (359) 35
Guida, L., L. Franco, E. Zocchi and A. De Flora, Structural role of disulfide bridges in the cyclic ADP-ribose related bifunctional ectoenzyme CD38 (368) 481
Guillemain, I. and B. Rossignol, Protein kinase C and phospholipase D activation in rat parotid glands (363) 13
Guillemaut, P. see M.-L. Schantz (358) 149
Guillouzo, A. see Z. Abdel-Razzak (366) 159
Gulik, A. see J.L. Nieva (368) 143
Guo, X.-J. see N. Juge (363) 299
Gurevitz, M. see N. Chejanovsky (376) 181
Gursky, G.V. see A.S. Zasedatelev (375) 304
Gurunath, R., T.K. Beena, P.R. Adiga and P. Balaram, Enhancing peptide antigenicity by helix stabilization (361) 176
Gusev, N.B. see N.V. Bogatcheva (363) 269
Gusev, N.B. see N.V. Bogatcheva (371) 123
Gusev, N.B. see M.V. Medvedeva (360) 89
Gustafson, E.L. see K.E. Smith (357) 86
Gustafsson, J.-Å. see M. Nord (374) 403
Gutiérrez, L.M., J.M. Cànaves, A.V. Ferrer-Montiel, J.A. Reig, M. Montal and S. Viniegra, A peptide that mimics the carboxy-terminal domain of SNAP-25 blocks Ca^{2+}-dependent exocytosis in chromaffin cells (372) 39
Gutiérrez-Alonso, M.C. see G. Colmenarejo (374) 426
Gutnick, D.L. see R.N. Alon (371) 231
Gutteridge, J.M.C. see J. Swain (368) 513

H

Ha, D.B. see J.H. Seol (377) 41
Haas, I.G., Protein-mediated protein maturation in eukaryotes (369) 72
Haase, W. see H.M. Weiß (377) 451
Habener, J.F. see J. Bodor (377) 413
Haberland, J. and V. Gerke, Recombinant expression and domain structure of the Rna1 protein from *Schizosaccharomyces pombe* (357) 173
Häberlein, I. see S. Morell (369) 149
Hachad, H. see M. El yaagoubi (369) 183
Hackett, M. see L. Hjelmqvist (367) 237
Hackney, C.M. see C. Exley (364) 182
Haddad, E.-B., M. Salmon, J. Sun, S. Liu, A. Das, I. Adcock, P.J. Barnes and K.F. Chung, Dexamethasone inhibits ozone-induced gene expression of macrophage inflammatory protein-2 in rat lung (363) 285
Häder, D.-P. see T. Schlenkrich (364) 276
Hadi, S.M. see S. Husain (364) 75
Hadorn, H.-B. see C. Randak (363) 189
Hagemann, G.E. see M.H. Tadros (368) 243
Hagen, W.R. see A. Aliverti (368) 220
Hagen, W.R. see M.F.J.M. Ve·hagen (361) 75
Hagen, W.R. see A.F. Arendsen (368) 117
Hager, A. see K. Büch (376) 45
Hägerhäll, C. see I.A. Smirnova (359) 23
Hagiwara, M. see S. Toyokuni (359) 189
Hagiwara, Y. see M. Yoshida (367) 311
Hahn, M., J. Pons, A. Planas, E. Querol and U. Heinemann, Crystal structure of *Bacillus licheniformis* 1,3-1,4-β-D-glucan 4-glucanohydrolase at 1.8 Å resolution (374) 221
Hajela, K. see R. Kayestha (368) 285
Hakamata, H., A. Miyazaki, M. Sakai, Y.-I. Sakamoto, H. Matsuda, K. Kihara and S. Horiuchi, Differential effects of an acyl-coenzyme A:cholesterol acyltransferase inhibitor on HDL-induced cholesterol efflux from rat macrophage foam cells (363) 29
Håkansson, G. and J.F. Allen, Histidine and tyrosine phosphorylation in pea mitochondria: evidence for protein phosphorylation in respiratory redox signalling (372) 238
Hakomori, S.-i. see A. Masamune (367) 205
Hakura, A. see M. Shimakage (371) 245
Haladjian, J. see L. Florens (373) 280
Halbwachs-Mecarelli, L., G. Bessou, P. Lesavre, S. Lopez and V. Witko-Sarsat, Bimodal distribution of proteinase 3 (PR3) surface expression reflects a constitutive heterogeneity in the polymorphonuclear neutrophil pool (374) 29
Halford, N.G. see K.L. Ball (377) 189
Halliwell, B. see V. Darley-Usmar (369) 131
Halliwell, B. see J.P.E. Spencer (374) 233
Halliwell, B. see J.P.E. Spencer (375) 179
Hama, H. see R. Tsuboi (371) 188
Hamada, K. see T. Shimizu (369) 221
Hamadanizadeh, A. see F. Liu (374) 273
Hamaguchi, H.-o. see H. Ohtani (359) 65
Hamaguchi, M. see M. Pu (361) 295
Hamaguchi, T., T. Sudo and H. Osada, RK-682, a potent inhibitor of tyrosine phosphatase, arrested the mammalian cell cycle progression at G_1phase (372) 54
Hamajima, N. see D. Watanabe (368) 509
Hamamoto, H. see Y. Sugiyama (359) 247
Hamaoka, S. see T. Horikoshi (363) 141
Hamelin, J. see S. Benjannet (362) 151

Hamelin, M.-H. see C. Auge-Gouillou (368) 541
Hämmerle, M. see B. Chaudhuri (357) 221
Hamuro, T. see M. Takagi (375) 273
Hanada, K., E. Kinoshita, M. Itoh, M. Hirata, G. Kajiyama and M. Sugiyama, Human pancreatic phospholipase A_2 stimulates the growth of human pancreatic cancer cell line (373) 85
Hanada, N. see T. Horikoshi (363) 141
Hanai, Y. see M. Nagao (373) 225
Hanaki, H. see K. Mizuno (359) 259
Hanauske, A.-R. see H.M. Hanauske-Abel (366) 92
Hanauske-Abel, H.M., B. Slowinska, S. Zagulska, R.C. Wilson, L. Staiano-Coico, A.-R. Hanauske, T. McCaffrey and P. Szabo, Detection of a sub-set of polysomal mRNAs associated with modulation of hypusine formation at the G1-S boundary: Proposal of a role for eIF-5A in onset of DNA replication (366) 92
Hane, M., B. Lowin, M. Peitsch, K. Becker and J. Tschopp, Interaction of peptides derived from the Fas ligand with the Fyn-SH3 domain (373) 265
Hani, J., G. Stumpf and H. Domdey, *PTF1* encodes an essential protein in *Saccharomyces cerevisiae*, which shows strong homology with a new putative family of PPIases (365) 198
Hannah, S., K. Mecklenburgh, I. Rahman, G.J. Bellingan, A. Greening, C. Haslett and E.R. Chilvers, Hypoxia prolongs neutrophil survival in vitro (372) 233
Hannig, J., C. Dawkins, P.-F. Tosi and C. Nicolau, Stability and immunological reactivity of recombinant membrane CD4 electroinserted into the plasma membrane of erythrocytes (359) 9
Hansen, P.A. see A.D. Lee (361) 51
Hansen, P.H. see S. Østergaard (362) 306
Hansen, T.v.O. see J.R. Bundgaard (369) 225
Hansson Mild, K. see I.L. Korzh-Sleptsova (359) 151
Hansson Mild, K. see E. Lindström (370) 118
Haoudi, A., M.H. Kim, S. Champion, M. Best-Belpomme and C. Maisonhaute, The Gag polypeptides of the Drosophila 1731 retrotransposon are associated to virus-like particles and to nuclei (377) 67
Hapala, I. see P. Šmigáň (371) 119
Haque, N. see T.J. Singh (358) 267
Haque, N., R.B. Denman, G. Merz, I. Grundke-Iqbal and K. Iqbal, Phosphorylation and accumulation of tau without any concomitant increase in tubulin levels in Chinese Hamster Ovary cells stably transfected with human tau_{441} (360) 132
Harada, A. see M. Takagi (375) 273
Harada, H. see K. Uegaki (359) 184
Harada, H. see T. Kawakami (358) 225
Haraguchi, M. see K. Takamiya (358) 79
Haraux, F. see C. Sigalat (368) 253
Harder, W. see K.N. Faber (357) 115
Harder, W. see M.E. Evers (368) 293
Hardick, D.J., G. Cooper, T. Scott-Ward, I.S. Blagbrough, B.V.L. Potter and S. Wonnacott, Conversion of the sodium channel activator aconitine into a potent α7-selective nicotinic ligand (365) 79
Hardie, D.G. see K.L. Ball (377) 189
Hardie, D.G. see S. Dale (361) 191
Hardie, D.G. see S.P. Davies (377) 421
Hardwick, S.J. see C.E. Marchant (358) 175
Hare, J.F., Photolabeling acyl CoA binding proteins in microsome preparations (375) 188
Harel-Bellan, A. see D. Trouche (361) 140
Hargrave, P.A. see J. Puig (362) 185
Hargreaves, J., Y. Popineau, M. Le Meste and M.A. Hemminga, Molecular flexibility in wheat gluten proteins submitted to heating (372) 103
Hari, S. see D.L. Rabenstein (376) 216
Haris, P.I. see C.G. Ullman (371) 199
Harju, L. see P.E. Kovanen (361) 233
Harlan, J.M. see J.M. McCarty (372) 194
Harries, H. see S. Perry (360) 277
Harris, G. see J. Jenkins (362) 281
Harris, G.L. see K.A. Krown (376) 24
Harrison, S.C. see C.W. Müller (369) 113
Harteneck, C., A.G. Obukhov, A. Zobel, F. Kalkbrenner and G. Schultz, The *Drosophila* cation channel *trpl* expressed in insect *Sf9* cells is stimulated by agonists of G-protein-coupled receptors (358) 297
Harter, C., COP-coated vesicles in intracellular protein transport (369) 89
Härtlein, M. see M. Kron (374) 122
Hartler, G. see J. Strauss (376) 103
Hartley, R.W. see G.I. Yakovlev (366) 156
Hartley, R.W. see L.V. Znamenskaya (357) 16
Hartmann, J. and M. Lindau, A novel Ca^{2+}-dependent step in exocytosis subsequent to vesicle fusion (363) 217
Hartmann, L.G.C. see M.J.A. Saad (370) 131
Hartog, A.F. see J. Cladera (371) 115
Hartsuck, J.A. see J. Tang (367) 112
Harutyunyan, E.H. see S.M. Avaeva (377) 44
Harvey, N.L. see S. Kumar (375) 169
Harvey, W.R. see M. Azuma (361) 153
Harwig, S.S.L., V.N. Kokryakov, K.M. Swiderek, G.M. Aleshina, C. Zhao and R.I. Lehrer, Prophenin-1, an exceptionally proline-rich antimicrobial peptide from porcine leukocytes (362) 65
Harwood, G., M. Lockyer, H. Giles and N. Fairweather, Cloning and characterisation of the rabbit 5-$HT_{1D\alpha}$ and 5-$HT_{1D\beta}$ receptors (377) 73
Hasan, R., Moinuddin, K. Alam and R. Ali, Polyamine induced Z-conformation of native calf thymus DNA (368) 27
Hasegawa, H., M. Kojima, K. Oguro and N. Nakanishi, Rapid turnover of tryptophan hydroxylase in serotonin producing cells: demonstration of ATP-dependent proteolytic degradation (368) 151
Hasegawa, H. see N. Nakanishi (368) 411
Hasegawa, T. see M. Nakano (372) 140
Haselbeck, A. see L. Lehle, (370) 41
Hashi, K. see K. Suetake (361) 201
Hashimura, E. see M. Nakano (372) 140
Haslett, C. see S. Hannah (372) 233
Hata, J.-i. see H. Kikuchi (360) 26
Hatada, S., M. Kinoshita, M. Noda and M. Asashima, Identification of a *Xenopus* glutamine synthetase gene abundantly expressed in the embryonic nervous system but not in adult brain (371) 287
Hatai, M. see A. Mogi (373) 135
Hatakeyama, K. see E. Sato (374) 184
Hatanaka, M. see S. Kubota (375) 31
Hatanaka, M. see E. Takano (362) 93
Hatanaka, M. see M. Sugimoto (363) 53
Hatanaka, M. see H. Sakai (365) 141
Hattman, S. see V.G. Kossykh (370) 75
Hattori, H. see K. Sugito (358) 161
Hattori, Y., M. Oka, K. Kasai, N. Nakanishi and S.-I. Shimoda, Lipopolysaccharide treatment in vivo induces tissue expression of GTP cyclohydrolase I mRNA (368) 336
Hauert, J. see P.A. Patston (368) 401
Haugwitz, M. see M. Schleicher (369) 38
Haumer, M. see M. Meilinger (360) 70
Hauser, N., M. Paulsson, A.A. Kale and P.E. DiCesare, Tendon extracellular matrix contains pentameric thrombospondin-4 (TSP-4) (368) 307
Hausmann, H., W. Meyerhof, H. Zwiers, K. Lederis and D. Richter, Teleost isotocin receptor: structure, functional expression, mRNA distribution and phylogeny (370) 227
Häussinger, D. see U. Warskulat (377) 47
Hawes, C.R. see J. Henderson (371) 293
Hawley, M. see T.T. Lah (363) 85
Hayakawa, Y., A. Ohnishi, A. Yamanaka, S. Izumi and S. Tomino, Molecular cloning and characterization of cDNA for insect biogenic peptide, growth-blocking peptide (376) 185
Hayano, T. and M. Kikuchi, Molecular cloning of the cDNA encoding a novel protein disulfide isomerase-related protein (PDIR) (372) 210
Hayano, T., M. Hirose and M. Kikuchi, Protein disulfide isomerase mutant lacking its isomerase activity accelerates protein folding in the cell (377) 505
Hayashi, K., N. Noguchi and E. Niki, Action of nitric oxide as an antioxidant against oxidation of soybean phosphatidylcholine liposomal membranes (370) 37
Hayashi, M., K. Hirai and T. Unemoto, Sequencing and the alignment of structural genes in the *nqr* operon encoding the Na^+-translocating NADH-quinone reductase from *Vibrio alginolyticus* (363) 75
Hayashi, Y. see K. Sugito (358) 161
Hayashida, N. see T. Mizoguchi (358) 199
Haydock, S.F., J.F. Aparicio, I. Molnár, T. Schwecke, L.E. Khaw, A. König, A.F.A. Marsden, I.S. Galloway, J. Staunton and P.F. Leadlay, Divergent sequence motifs correlated with the substrate specificity of (methyl)malonyl-CoA:acyl carrier protein transacylase domains in modular polyketide synthases (374) 246

Haydon, P.G. see V. Parpura (360) 266
Haydon, P.G. see V. Parpura (377) 489
Hayek, Y. see A. Zvi (368) 267
Haystead, C.M.M., P. Gailly, A.P. Somlyo, A.V. Somlyo and T.A.J. Haystead, Molecular cloning and functional expression of a recombinant 72.5 kDa fragment of the 110 kDa regulatory subunit of smooth muscle protein phosphatase 1M (377) 123
Haystead, T.A.J. see C.M.M. Haystead (377) 123
Hayward-Lester, A. see M.L. Benka (363) 49
Hazell, B.W., H. Nevalainen and P.V. Attfield, Evidence that the *Saccharomyces cerevisiae CIF1* (*GGS1*/*TPS1*) gene modulates heat shock response positively (377) 457
He, L. see L. Lavoie (366) 109
Hechtberger, P. and G. Daum, Intracellular transport of inositol-containing sphingolipids in the yeast, *Saccharomyces cerevisiae* (367) 201
Hecker, M., H. Nematollahi, C. Hey, R. Busse and K. Racké, Inhibition of arginase by N^G-hydroxy-L-arginine in alveolar macrophages: implications for the utilization of L-arginine for nitric oxide synthesis (359) 251
Hederstedt, L. see I.A. Smirnova (359) 23
Heidrich, C. see M. Fritsch (376) 159
Heilmann, C. see S. Baksh (376) 53
Heilmeyer Jr., L.M.G. see S.V. Polishchuk (362) 271
Heimbrook, D.C. see P.S. Huang (358) 287
Heinemann, S.H., J. Rettig, F. Wunder and O. Pongs, Molecular and functional characterization of a rat brain K,β3 potassium channel subunit (377) 383
Heinemann, U. see M. Hahn (374) 221
Heinisch, J.J. see A.M. Estévez (374) 100
Heinlein, U.A.O. see P. Petry (363) 25
Heinrich, P.C. see U. Horsten (360) 43
Heinrich, P.C. see E. Roeb (357) 33
Heinrich, P.C. see C. Lütticken (360) 137
Heinrikson, R.L. see M.B. Fairbanks (369) 197
Helin, J. see R. Niemelä (367) 67
Hell, R. see N. Bogdanova (358) 43
Helliwell, T.R. see Nguyen thi Man (358) 262
Hellmann, K.P. see C. Jakob (368) 5
Hellmann, T. see C. Jakob (368) 5
Helms, J.B., Role of heterotrimeric GTP binding proteins in vesicular protein transport: indications for both classical and alternative G protein cycles (369) 84
Helps, N.R., H.M. Barker, S.J. Elledge and P.T.W. Cohen, Protein phosphatase 1 interacts with p53BP2, a protein which binds to the tumour suppressor p53 (377) 295
Helps, N.R. see S.P. Davies (377) 421
Hemminga, M.A. see J. Hargreaves (372) 103
Hemmings Jr., H.C. see L.M. Matovcik (364) 67
Henderson, J., A.E. Atkinson, C.M. Lazarus, C.R. Hawes, R.M. Napier, H. Macdonald and L.A. King, Stable expression of maize auxin-binding protein in insect cell lines (371) 293
Henderson, L.E. see E. Priel (362) 59
Hendrickson, R.C. see L. Hjelmqvist (367) 237
Hengstschläger, M. see T. Soucek (373) 164
Hengstschläger-Ottnad, E. see T. Soucek (373) 164
Henklein, P. see H. Weißhoff (372) 203
Henkler, F. see J. Wells (358) 119
Hennecke, H. see M. Ibba (358) 293
Hennecke, H. see M. Ibba (364) 272
Henning, D. see D.A. Weidner (366) 146
Henquin, J.-C. see D.J. Becker (371) 324
Henricks, P.A.J. see P.G.M. Bloemen (357) 140
Henricks, P.A.J. see M.J. van de Velde (369) 301
Henriksson, G. see M. Raices (369) 233
Henrissat, B. see C. Boisset (376) 49
Hensler, P.J. see S.C. Kaul (361) 269
Henzl, M.T., H. Zhao and C.T. Saez, Self-association of CPV3, an avian thymic parvalbumin (375) 137
Herberg, F.W. see N. Wild (374) 356
Hericourt, F. see I. Jupin (362) 116
Hermann, F. see A.J. Dijkstra (366) 115
Hermens, W.T. see E.L.J. Goossens (359) 155
Hermonat, P.L. see R.B. Batchu (367) 267
Hernandez-Marrero, L. see P. Limongi (369) 207
Héron, A., J. Bourguignon, M. Diarra-Mehrpour, B. Dautréaux, J.-P. Martin and R. Sesboüé, Involvement of the three inter-α-trypsin inhibitor (ITI) heavy chains in each member of the serum ITI family (374) 195
Herp, A. see A.M. Wu (360) 211
Herrero, P. see I. Ordiz (367) 219
Herrmann, C. see A. Wittinghofer (369) 52
Herrmann, R.G. see A. Sokolenko (371) 176
Hershey, J.W.B. see T. Naranda (372) 249
Herzog, C. see M. Zamocky (367) 241
Hesketh, J. see P. Mahon (373) 76
Hespeling, U., G.P. Püschel, K. Jungermann, O. Götze and J. Zwirner, Stimulation of glycogen phosphorylase in rat hepatocytes via prostanoid release from Kupffer cells by recombinant rat anaphylatoxin C5a but not by native human C5a in hepatocyte/Kupffer cell co-cultures (372) 108
Hess, R., M. Kuhn, P. Schulz-Knappe, M. Raida, M. Fuchs, J. Klodt, K. Adermann, V. Kaever, Y. Cetin and W.-G. Forssmann, GCAP-II: isolation and characterization of the circulating form of human uroguanylin (374) 34
Hessian, P.A., L. Wilkinson and N. Hogg, The S100 family protein MRP-14 (S100A9) has homology with the contact domain of high molecular weight kininogen (371) 271
Heulin, M.H. see J. Straczek (373) 207
Heung, Y.M.M. and A.D. Postle, The molecular selectivity of phospholipase D in HL60 granulocytes (364) 250
Hey, C. see M. Hecker (359) 251
Heyn, M.P. see U. Alexiev (373) 81
Hiai, H. see S. Toyokuni (358) 1
Hiai, H. see K. Uchida (357) 165
Hiai, H. see S. Toyokuni (359) 189
Hibi, M. see N. Mochizuki (373) 155
Hibino, T. see A. Takeda (359) 78
Hideg, K. see P.G.W. Gettins (367) 137
Higashida, H. see M. Shahidullah (371) 307
Higashi-Fujime, S., R. Ishikawa, H. Iwasawa, O. Kagami, E. Kurimoto, K. Kohama and T. Hozumi, The fastest actin-based motor protein from the green algae, *Chara*, and its distinct mode of interaction with actin (375) 151
Higashihara, M. and M. Ikebe, Inhibition of 20-kDa myosin light chain exchange by monoclonal antibodies against 17-kDa myosin light chain (363) 57
High, S. see J. Oliver (362) 126
Higuchi, T. see S. Takahashi (368) 455
Hiller, R.G., P.M. Wrench and F.P. Sharples, The light-harvesting chlorophyll *a*–*c*-binding protein of dinoflagellates: a putative polyprotein (363) 175
Hilschmann, N. see C. Jakob (368) 5
Hiltunen, A., M. Metsäranta, M. Perälä, A.-M. Säämänen, H.T. Aro and E. Vuorio, Expression of type VI, IX and XI collagen genes and alternative splicing of type II collagen transcripts in fracture callus tissue in mice (364) 171
Himes, R.H. see K. Kounga (364) 215
Himes, R.H. see K. Kerksiek (377) 59
Hindemith, A. see M. Zhang (373) 203
Hino, M., Y. Nishizawa, N. Tatsumi, A. Tojo and H. Morii, Down-modulation of c-*kit* mRNA and protein expression by erythroid differentiation factor/activin A (374) 69
Hinoda, Y. see M. Adachi (372) 113
Hinrichs, M.V., M. Gatica, C.C. Allende and J.E. Allende, Site-directed mutants of the β subunit of protein kinase CK2 demonstrate the important role of Pro-58 (368) 211
Hintermann, E., P. Jenö and U.A. Meyer, Isolation and characterization of an arylalkylamine *N*-acetyltransferase from *Drosophila melanogaster* (375) 148
Hinz, H.-J. see R. Sterner (364) 9
Hipkiss, A.R., J. Michaelis and P. Syrris, Non-enzymatic glycosylation of the dipeptide L-carnosine, a potential anti-protein-cross-linking agent (371) 81
Hipper, A., M. Mall, R. Greger and K. Kunzelmann, Mutations in the putative pore-forming domain of CFTR do not change anion selectivity of the cAMP activated Cl^- conductance (374) 312
Hirabayashi, Y. see L. Ji (358) 211
Hirai, K. see M. Hayashi (363) 75
Hirai, S.-i. see K. Mizuno (359) 259
Hirai, S.-i. see N. Nishioka (377) 393
Hiraishi, K. see M. Nakano (372) 140
Hirano, T. see T. Mogi (370) 259

Hiraoka, M. see T. Furukawa (375) 56
Hirasawa, A., K. Shibata, K. Horie, Y. Takei, K. Obika, T. Tanaka, N. Muramoto, K. Takagaki, J. Yano and G. Tsujimoto, Cloning, functional expression and tissue distribution of human α_{1C}-adrenoceptor splice variants (363) 256
Hirasawa, M., O. Koguchi-Kamioka, X. Li and D.B. Knaff, Ferredoxin-dependent CO_2 fixation in bean sprouts (359) 50
Hirata, M. see K. Hanada (373) 85
Hirayama, B.A. see M.P. Lostao (377) 181
Hirayma, J., N. Kamo, Y. Imamoto, Y. Shichida and T. Yoshizawa, Reason for the lack of light–dark adaptation in *pharaonis* phoborhodopsin: reconstitution with 13-*cis*-retinal (364) 168
Hiroaki, H. see T. Iwamoto (368) 420
Hirose, M. see T. Hayano (377) 505
Hirota, J., T. Michikawa, A. Miyawaki, M. Takahashi, K. Tanzawa, I. Okura, T. Furuichi and K. Mikoshiba, Adenophostin-medicated quantal Ca^{2+} release in the purified and reconstituted inositol 1,4,5-trisphosphate receptor type 1 (368) 248
Hirschberg, J. see T. Lotan (364) 125
Hisamatsu, H. see J.Y. Ahn (366) 37
Hisanaga, S.-i. see T. Saito (376) 238
Hishikawa, K., T. Nakaki, T. Marumo, H. Suzuki, R. Kato and T. Saruta, Up-regulation of nitric oxide synthase by estradiol in human aortic endothelial cells (360) 291
Hjelmqvist, L., J. Shafqat, A.R. Siddiqi and H. Jörnvall, Alcohol dehydrogenase of class III: consistent patterns of structural and functional conservation in relation to class I and other proteins (373) 212
Hjelmqvist, L., M. Hackett, J. Shafqat, O. Danielsson, J. Iida, R.C. Hendrickson, H. Michel, J. Shabanowitz, D.F. Hunt and H. Jörnvall, Multiplicity of N-terminal structures of medium-chain alcohol dehydrogenases: Mass-spectrometric analysis of plant, lower vertebrate and higher vertebrate class I, II, and III forms of the enzyme (367) 237
Hjelmqvist, L., M. Metsis, H. Persson, J.-O. Höög, J. McLennan and H. Jörnvall, Alcohol dehydrogenase of class I: kiwi liver enzyme, parallel evolution in separate vertebrate lines, and correlation with 12S rRNA patterns (367) 306
Hla, T. see P. Ben-Av (372) 83
Hoang-Van, K. see L. Falquet (359) 73
Hoang-Van, K. see L. Falquet (376) 233
Hochberg, A. see M. Elkin (374) 57
Hochkoeppler, A., S. Ciurli, G. Venturoli and D. Zannoni, The high potential iron-sulfur protein (HiPIP) from *Rhodoferax fermentans* is competent in photosynthetic electron transfer (357) 70
Hochkoeppler, A., P. Kofod and D. Zannoni, HiPIP oxido-reductase activity in membranes from aerobically grown cells of the facultative phototroph *Rhodoferax fermentans* (375) 197
Hodgson, R.J. and W.C. Plaxton, Effect of polyethylene glycol on the activity, intrinsic fluorescence, and oligomeric structure of castor seed cytosolic fructose-1,6-bisphosphatase (368) 559
Hoff, A.J. see R. Brudler (370) 88
Hoff, R. see R. Sterner (364) 9
Hoffmann, A., M. Nimtz, R. Getzlaff and H.S. Conradt, 'Brain-type' *N*-glycosylation of asialo-transferrin from human cerebrospinal fluid (359) 164
Hoffmann, B. see H.-J. Schüller (370) 149
Hoffmann, G. see W. Schobersberger (377) 461
Hoflehner, J., U. Eder, A. Laslop, N.G. Seidah, R. Fischer-Colbrie and H. Winkler, Processing of secretogranin II by prohormone convertases: importance of PC1 in generation of secretoneurin (360) 294
Hofmann, A. see M. Schleicher (369) 38
Hofmann, F. see L. Lacinová (373) 103
Hofmann, F. see N. Wild (374) 356
Hofmann, K. and J. Tschopp, The death domain motif found in Fas (Apo-1) and TNF receptor is present in proteins involved in apoptosis and axonal guidance (371) 321
Hofmann, K. and P. Bucher, The rsp5-domain is shared by proteins of diverse functions (358) 153
Hofmann, M.W. see M. Jadot (371) 145
Hofmann, W. see K. Löster (373) 234
Hogg, N. see R.J. Singh (360) 47
Hogg, N. see P.A. Hessian (371) 271
Hogg, N. see A.T. Struck (361) 291
Hojo, S. see H. Yamada (376) 37
Holland, D. see T. Beeor-Tzahar (366) 151
Hollenberg, C.P. see M.A. Freire-Picos (360) 39
Hollomon, D. see T. Joseph-Horne (374) 174
Holloszy, J.O. see A.D. Lee (361) 51
Höllt, V. see A. Zimprich (359) 142
Holm, A. see S. Østergaard (362) 306
Holm, D.E., G. Godette, J. Bonaventura, C. Bonaventura and J. Peterson, The site of the redox-linked proton pump in eukaryotic cytochrome *c* oxidases (370) 53
Holmer, S. see R. Della Bruna (372) 157
Holmgren, A. see J. Lundström-Ljung (357) 305
Holmgren, A. see G. Spyrou (368) 59
Holmström, T.H. see S.C. Chow (364) 134
Holst, J.J. see C.F. Deacon (372) 269
Holtkamp, U. see N. Balke (371) 300
Holzer, H. see S. Nwaka (360) 286
Hom, K., M. Gochin, W.J. Peumans and N. Shine, Ligand-induced perturbations in *Urtica dioica* agglutinin (361) 157
Honda, A. see N. Nishigaki (364) 339
Honda, J. see T. Noguchi (358) 9
Honda, S. see N. Kobayashi (366) 99
Hong, Y. see G.T. Stavri (358) 311
Hongo, K. see Y. Kawata (369) 283
Honma, N. see K. Suzuki (364) 283
Honma, Y. see J. Okabe-Kado (363) 311
Honzatko, R.B. see B. Stoffer (358) 57
Höög, J.-O., Cloning and characterization of a novel rat alcohol dehydrogenase of class II type (368) 445
Höög, J.-O. see M. Kamal (374) 363
Höög, J.-O. see L. Hjelmqvist (367) 306
Hoogewerf, A. see A.E.I. Proudfoot (376) 19
Hook, V.Y.H. see S.-R. Hwang (368) 471
Hoppe, A. and R.R. Theimer, Rapid purification of malate synthase from cotyledons of *Brassica napus* L. (374) 225
Hori, H. see N. Shibayama (372) 126
Hori, H. see H. Yamada (376) 37
Hori, Y. see J. Nishikawa (373) 19
Horie, K. see A. Hirasawa (363) 256
Horikawa, S. see T. Furukawa (375) 56
Horikoshi, T., K. Ezoe, H. Nakagawa, H. Eguchi, N. Hanada and S. Hamaoka, Up-regulation of ICAM-1 expression on human dermal fibroblasts by IFN-β in the presence of TNF-α (363) 141
Horio, F. see K. Uchida (357) 165
Horisberger, J.-D. see R. Antolovic (368) 169
Horiuchi, S. see H. Hakamata (363) 29
Horiuchi, S. see E.V. Rukavishnikova (369) 217
Horiuchi, S. see T. Oka (367) 49
Hörl, W.H. see N. Balke (371) 300
Horn, F. see C. Lütticken (360) 137
Horsley, S. see H. Sakura (367) 193
Horsten, S.F.A.J. see A.J.J. van den Berg (358) 215
Horsten, U., H. Schmitz-Van de Leur, J. Müllberg, P.C. Heinrich and S. Rose-John, The membrane distal half of gp130 is responsible for the formation of a ternary complex with IL-6 and the IL-6 receptor (360) 43
Hoshi, N. see M. Shahidullah (371) 307
Hoshijima, M. see M. Okuda (368) 343
Hoshino, H. see N. Shimizu (358) 48
Hoshino, S.-i. see K. Takahashi (371) 204
Hotze, M., G. Schröder and J. Schröder, Cinnamate 4-hydroxylase from *Catharanthus roseus*, and a strategy for the functional expression of plant cytochrome P_{450} proteins as translational fusions with P_{450} reductase in *Escherichia coli* (374) 345
Houghten, R.A. see I. Mingarro (372) 131
Houthaeve, T., H. Gausepohl, M. Mann and K. Ashman, Automation of micro-preparation and enzymatic cleavage of gel electrophoretically separated proteins (376) 91
Houwing, C.J. see M. de Graaff (371) 219
Howard, F.B. see A.K. Sau (377) 301
Hozumi, M. see J. Okabe-Kado (363) 311
Hozumi, T. see S. Higashi-Fujime (375) 151
Hrastnik, C. see A. Leber (377) 271
Hsu, D.K.W. and W.S.A. Brusilow, Effects of the *unc*I gene on expression of *unc*B, the gene coding for the a subunit of the F_1F_0 ATPase of Escherichia coli (371) 127
Hu, W. and C.-L. Cheng, Expression of *Aequorea* green fluorescent protein in plant cells (369) 331
Hua, X.-J. see A. Savouré (372) 13
Huang, C.-F. see C.-T. Su (366) 131

Huang, P.S., L. Davis, H. Huber, P.J. Goodhart, R.E. Wegrzyn, A. Oliff and D.C. Heimbrook, An SH3 domain is required for the mitogenic activity of microinjected phospholipase C-γ1 (358) 287
Huang, R.-F. see C. Chen (370) 46
Huang, T.-h. see C. Chen (370) 46
Huang, X. see K.-i. Yoshino (362) 319
Huang, Y.-g. see G.-f. Fan (357) 13
Hubbard, M.J. and N.J. McHugh, Calbindin$_{28kDa}$ and calbindin$_{30kDa}$ (calretinin) are substantially localised in the particulate fraction of rat brain (374) 333
Huber, H. see P.S. Huang (358) 287
Huber, L.A., Mapping cells and sub-cellular organelles on 2-D gels: 'new tricks for an old horse' (369) 122
Huber, R. see M.T. Stubbs (375) 103
Huber, R. see T. Soulimane (368) 132
Huesmann, G.R., C.C. Cheung, P.K. Loi, T.D. Lee, K.M. Swiderek and N.J. Tublitz, Amino acid sequence of CAP$_{2b}$, an insect cardioacceleratory peptide from the tobacco hawkmoth *Manduca sexta* (371) 311
Huettinger, M. see M. Meilinger (360) 70
Hughes, G.J. see L. Falquet (359) 73
Hughes, G.J. see L. Falquet (376) 233
Hughes, M.J.G. see A. Vassilakos (359) 206
Hughes, R.C. see B. Mehul (360) 160
Hugueney, P. see M. Albrecht (372) 199
Humphries, M.J. see A.P. Mould (363) 118
Hundal, H.S. see J.C. Aledo (376) 211
Huner, N.P.A. see A.G. Ivanov (371) 61
Hunt, D.F. see L. Hjelmqvist (367) 237
Huppertz, B., Evidence for a cGMP gated cation channel in photoreceptor cell membranes of *Sepia officinalis* (364) 189
Hupperтz, B., Author's Reply to Commentary by Hennig Stieve (373) 188
Hurt, E.C. see G. Simos (369) 107
Husain, S. and S.M. Hadi, Strand scission in DNA induced by L-DOPA in the presence of Cu(II) (364) 75
Hutchison, C.J. see I.R. Kill (377) 26
Huttner, K.M. see M.M. Mahoney (377) 519
Huttner, W.B. see R. Bauerfeind (364) 328
Hwang, J. see A. Slominski (374) 113
Hwang, S.-R., A.B. Kohn and V.Y.H. Hook, Unique reactive site domains of neuroendocrine isoforms of alpha$_1$-antichymotrypsin from bovine adrenal medulla and pituitary revealed by molecular cloning (368) 471
Hyman, S.C. see P.J. Morgan (371) 77
Hynes, G., H. Kubota and K.R. Willison, Antibody characterisation of two distinct conformations of the chaperonin-containing TCP-1 from mouse testis (358) 129

I

Iannitti, P. see G. Wickham (360) 231
Iba, K., N. Sawada, H. Chiba, U.M. Wewer, S. Ishii and M. Mori, Transforming growth factor-β_1 downregulates dexamethasone-induced tetranectin gene expression during the in vitro mineralization of the human osteoblastic cell line SV-HFO (373) 1
Ibayashi, Y. see K. Suetake (361) 201
Ibba, M. and H. Hennecke, Relaxing the substrate specificity of an aminoacyl-tRNA synthetase allows in vitro and in vivo synthesis of proteins containing unnatural amino acids (364) 272
Ibba, M., C.M. Johnson, H. Hennecke and A.R. Fersht, Increased rates of tRNA charging through modification of the enzyme–aminoacyl-adenylate complex of phenylalanyl-tRNA synthetase (358) 293
Ibuki, Y. see S. Karino (362) 147
Ichas, F. see F. Sztark (368) 101
Ichikawa, A. see H. Toh (361) 17
Ichikawa, A. see M. Katsuyama (372) 151
Ichikawa, A. see N. Nishigaki (364) 339
Ichikawa, A. see M. Negishi (372) 279
Ichikawa, Y. see R.-F. Wu (358) 145
Ieda, R. see H. Shindo (360) 125
Igamberdiev, A.U., V.N. Popov and M.I. Falaleeva, Alternative system of succinate oxidation in glyoxysomes of higher plants (367) 287
Igarashi, K. see Y. Kakinuma, (359) 255
Igarashi, Y. see H. Arai (371) 73
Igarashi, Y. see A. Masamune (367) 205
Iglesias, R. see F.M. de Benito (360) 299
Iida, J. see L. Hjelmqvist (367) 237
Iivanainen, A., K. Sainio, H. Sariola and K. Tryggvason, Primary structure and expression of a novel human laminin α4 chain (365) 183
Ikawa, M., K. Kominami, Y. Yoshimura, K. Tanaka, Y. Nishimune and M. Okabe, A rapid and non-invasive selection of transgenic embryos before implantation using green fluorescent protein (GFP) (375) 125
Ikebe, M. see M. Matsu-ura (363) 246
Ikebe, M. see M. Higashihara (363) 57
Ikeda, K. see M. Kishi (364) 293
Ikeda, M., S. Koyama, M. Okazaki, K. Dohi and A. Kikuchi, *rap*1 p21 regulates the interaction of *ras* p21 with RGL, a new effector protein of *ras* p21 (375) 37
Ikeda, M. see K. Shimada (371) 140
Ikeda, S. see K. Uchida (357) 165
Ikeda, T. see K. Takamiya (358) 79
Ikeda, Y. see H. Toyoda (377) 403
Ikeda-Saito, M. see N. Shibayama (372) 126
Ikegami, S. see T. Shimizu (369) 221
Ikezawa, H. see M. Pu (361) 295
Ikonen, E., K. Fiedler, R.G. Parton and K. Simons, Prohibitin, an antiproliferative protein, is localized to mitochondria (358) 273
Ikuta, K. see H. Ishihara (371) 329
Ikuta, K. see M. Kishi (364) 293
Ikuta, T. see K. Mizuno (359) 259
Il'icheva, I.A. see A.K. Shchyolkina (367) 81
Imai, E. see T. Sugiura (370) 141
Imai, E. see T. Itoh (373) 123
Imai, K. see M. Adachi (372) 113
Imai, K., H. Shikata and Y. Okada, Degradation of vitronectin by matrix metalloproteinases-1, -2, -3, -7 and -9 (369) 249
Imai, T. see T. Yoshida (360) 155
Imai, T., A. Urushiyama, H. Saito, Y. Sakamoto, K. Ota and D. Ohmori, A novel 6Fe (2 × [3Fe–4S]) ferredoxin from *Mycobacterium smegmatis* (368) 23
Imamoto, N., T. Shimamoto, S. Kose, T. Takao, T. Tachibana, M. Matsubae, T. Sekimoto, Y. Shimonishi and Y. Yoneda, The nuclear pore-targeting complex binds to nuclear pores after association with a karyophile (368) 415
Imamoto, Y. see J. Hirayma (364) 168
Imamoto, Y., T. Ito, M. Kataoka and F. Tokunaga, Reconstitution photoactive yellow protein from apoprotein and *p*-coumaric acid derivatives (374) 157
Imamura, F. see K. Yoshioka (372) 25
Imanaka, T. see M. Takagi (375) 273
Imbach, J.-L. see C. Boiziau (361) 41
Immervoll, T. see M. Gentzsch (377) 128
Imperiali, B. see R. Pathak (362) 229
Inaba, K. see K. Suetake (361) 201
Inagaki, S., T. Furuyama and Y. Iwahashi, Identification of a member of mouse semaphorin family (370) 269
Inagaki, Y. see T. Kimura (362) 47
Inageda, K. see K. Takahashi (371) 204
Inaka, K. see H. Nishida (361) 97
Inayat-Hussain, S.H. see K. Cain (358) 255
Inchauspé, G. see R. Rijnbrand (365) 115
Ingelman, M., P. Nordlund and H. Eklund, The structure of a reduced mutant T4 glutaredoxin (370) 209
Inoue, H., T. Noumi, T. Tsuchiya and H. Kanazawa, Essential aspartic acid residues, Asp-133, Asp-163 and Asp-164, in the transmembrane helices of a Na^+/H^+ antiporter (NhaA) from *Escherichia coli* (363) 264
Inoue, H. see M. Shimakage (371) 245
Inoue, K. see R. Fujita (376) 41
Inoue, M. see I. Matsuoka (371) 297
Inoue, S. and S. Kawanishi, Oxidative DNA damage induced by simultaneous generation of nitric oxide and superoxide (371) 86
Inoue, S.-i. see K. Takahashi (371) 204
Inoue, Y. see T. Noguchi (370) 241

Inoue, Y. see S. Izawa (368) 73
Inoue, Y. see T. Noguchi (358) 9
Insel, P.A. see N. Mochizuki (373) 155
Inserra, F. see E.M.V. de Cavanagh (361) 22
Inukai, K. see H. Ishihara (371) 329
Inzé, D. see L. Lepiniec (364) 103
Inzé, D. see K. Kampfenkel (374) 351
Ioppolo, S. see G. Barile (372) 291
Iqbal, K. see N. Haque (360) 132
Iqbal, K. see T.J. Singh (358) 4
Iqbal, K. see T. Tanaka (360) 5
Iqbal, K. see T.J. Singh (358) 267
Irie, S. see T. Sato (358) 113
Irimura, T. see K. Suzuki (364) 283
Irvine, R.F. see P.J. Cullen (358) 240
Isaev, N. see B. Khodorov (371) 249
Ischiropoulos, H. see C. Szabó (372) 229
Ischiropoulos, H. see C. Szabó (363) 235
Ischiropoulos, H. see M.M. Tarpey (364) 314
Ischiropoulos, H. and A.B. Al-Mehdi, Peroxynitrite-mediated oxidative protein modifications (364) 279
Iseki, S. see E. Sato (374) 184
Isenberg, G. see W.H. Goldmann (368) 516
Isenberg, G. see R. Götter (359) 220
Ishai-Michaeli, R. see S. Menashi (361) 61
Ishibashi, J. see T. Noguti (376) 251
Ishida, I. see Y. Watanabe (372) 165
Ishida, T. see H. Kawai (370) 193
Ishiguro, K. see T. Saito (376) 238
Ishiguro, M. see M. Sugimoto (363) 53
Ishihara, H. see I. Tanaka (376) 146
Ishihara, H., F. Tashiro, K. Ikuta, T. Asano, H. Katagiri, K. Inukai, M. Kikuchi, Y. Yazaki, Y. Oka and J.-i. Miyazaki, Inhibition of pancreatic β-cell glucokinase by antisense RNA expression in transgenic mice: mouse strain-dependent alteration of glucose tolerance (371) 329
Ishii, K. see Y. Sasaki (372) 20
Ishii, N., H. Taguchi, H. Sasabe and M. Yoshida, Equatorial split of holo-chaperonin from *Thermus thermophilus* by ATP and K^+ (362) 121
Ishii, S. see T. Takahashi (358) 89
Ishii, S. see K. Iba (373) 1
Ishii, T. see R.C.M. Siow (368) 239
Ishikawa, M. see M. Ito (377) 37
Ishikawa, R. see S. Higashi-Fujime (375) 151
Ishikawa, T., K. Sakai, T. Takeda and S. Shigeoka, Cloning and expression of cDNA encoding a new type of ascorbate peroxidase from spinach (367) 28
Ishiura, S. see T. Yoshizawa (358) 101
Ishiura, S. see T. Kinouchi (364) 203
Ishizaki, H. see T. Noguti (376) 251
Ishizaki, T. see P. Madaule (377) 243
Ishizaki, T. see Y. Saito (371) 105
Ishizaki, T. see N. Kumagai (366) 11
Islam, K. see B. Pedrotti (371) 29
Isobe, K.-I. see M. Pu (361) 295
Isomura, H. see T. Shimizu (369) 221
Issinger, O.-G. see O. Marin (363) 111
Itakura, H. see M. Sugimoto (363) 53
Itaroku, K. see N. Shibayama (372) 126
Itaya, M., An estimation of minimal genome size required for life (362) 257
Ito, A., T. Nose, S. Takahashi and Y. Mori, Cyclooxygenase inhibitors augment the production of pro-matrix metalloproteinase 9 (progelatinase B) in rabbit articular chondrocytes (360) 75
Ito, A., T. Satoh, Y. Kaziro and H. Itoh, G protein $\beta\gamma$ subunit activates Ras, Raf, and MAP kinase in HEK 293 cells (368) 183
Ito, K. see S. Kishigami (364) 55
Ito, M., M. Ishikawa, S. Suzuki, N. Takamatsu and T. Shiba, A rainbow trout SRY-type gene expressed in pituitary glands (377) 37
Ito, M. see H. Komori (374) 299
Ito, S. see K. Sode (364) 325
Ito, T. see M. Nakano (372) 140
Ito, T. see Y. Imamoto (374) 157
Itoh, H. see A. Ito (368) 183
Itoh, M. see K. Hanada (373) 85
Itoh, S. see K. Sonoike (362) 235
Itoh, S. see H. Oh-oka (365) 30
Itoh, S. see M. Sato-Watanabe (374) 265
Itoh, T. see T. Sugiura (370) 141
Itoh, T., A. Yamauchi, E. Imai, N. Ueda and T. Kamada, Phosphatase toward MAP kinase is regulated by osmolarity in Madin-Darby canine kidney (MDCK) cells (373) 123
Ivanov, A.G., M. Krol, D. Maxwell and N.P.A. Huner, Abscisic acid induced protection against photoinhibition of PSII correlates with enhanced activity of the xanthophyll cycle (371) 61
Ivanov, I.I. see B.K. Semin (375) 223
Ivanov, V.S. see L.N. Kulik (367) 85
Ivanov, V.T. see L.N. Kulik (367) 85
Iversen, L., P. Kristensen, J.B. Nissen, W.C. Merrick and K. Kragballe, Purification and characterization of leukotriene A_4 hydrolase from human epidermis (358) 316
Iwahashi, Y. see S. Inagaki (370) 269
Iwai, S., S. Kataoka, M. Wakasa, E. Ohtsuka and H. Nakamura, Recognition of 2′-hydroxyl groups by *Escherichia coli* ribonuclease HI (368) 315
Iwaki, M. see K. Sonoike (362) 235
Iwaki, M. see H. Oh-oka (365) 30
Iwaki, T. see H. Shindo (360) 125
Iwami, M. see T. Noguti (376) 251
Iwamoto, T., H. Hiroaki, Y. Furuichi, K. Wada, M. Satoh, M. Satoh, T. Osada and C. Gagnon, Cloning of boar SPMI gene which is expressed specifically in seminal vesicle and codes for a sperm motility inhibitor protein (368) 420
Iwasaki, T., R. Ohki, R. Kiyama and M. Oishi, Analysis of recombination junctions in extrachromosomal circular DNA obtained by in-gel competitive reassociation (363) 239
Iwasawa, H. see S. Higashi-Fujime (375) 151
Iwatsuki, M., E. Niki, D. Stone and V.M. Darley-Usmar, α-Tocopherol mediated peroxidation in the copper (II) and met myoglobin induced oxidation of human low density lipoprotein: the influence of lipid hydroperoxides (360) 271
Iyer, L.K. and S. Vishveshwara, A model for transmembrane helix with a *cis*-Proline in the middle (374) 21
Izaguirre, V. see R. Granja (362) 15
Izawa, S., Y. Inoue and A. Kimura, Oxidative stress response in yeast: effect of glutathione on adaptation to hydrogen peroxide stress in *Saccharomyces cerevisiae* (368) 73
Izumi, S. see Y. Hayakawa (376) 185
Izumi, Y. see M.J. Wolf (377) 358

J

Jabalquinto, A.M. see S. Bazaes (360) 207
Jacobs, D.K. see C.G. Wray (365) 71
Jacobsen, L. see K. Dolmer (372) 93
Jacobson, K. see F. Zhang (376) 77
Jadot, M., M.W. Hofmann, R. Graf, H. Quader and B. Martoglio, Protein insertion into the endoplasmic reticulum of permeabilized cells (371) 145
Jaeken, J. see E. Van Schaftingen (377) 318
Jaenicke, R. see A.A. Komar (376) 195
Jaenicke, R. see T.V. Borchert (367) 315
Jahn, R. see V. Parpura (377) 489
Jakob, C., H. Götz, T. Hellmann, K.P. Hellmann, S. Reymann, H. Flörke, F.P. Thinnes and N. Hilschmann, Studies on human porin: XIII. The Type-1 VDAC 'Porin 31HL' biotinylated at the plasmalemma of Trypan blue excluding human B lymphocytes (368) 5
Jakubík, J., L. Bačáková, E.E. El-Fakahany and S. Tuček, Constitutive activity of the M_1–M_4 subtypes of muscarinic receptors in transfected CHO cells and of muscarinic receptors in the heart cells revealed by negative antagonists (377) 275
James, A.G., R.M. Cook, S.M. West and J.G. Lindsay, The pyruvate dehydrogenase complex of *Saccharomyces cerevisiae* is regulated by phosphorylation (373) 111
James, R. see C.J. Ridout (365) 152
Jami, J. see B. Lamothe (373) 51

Jamshidi, N. see S. Bieri (371) 341
Janeček, Š., Close evolutionary relatedness among functionally distantly related members of the $(\alpha/\beta)_8$-barrel glycosyl hydrolases suggested by the similarity of their fifth conserved sequence region (377) 6
Janes, R.W. see C.E. Peishoff (374) 379
Janknecht, R. see W.H. Ernst (357) 45
Janmot, C. see A. d'Albis (375) 67
Jansen, F.J.H.M. see R.J. Weesie (362) 34
Janssen, D.B. see F. Pries (358) 171
Janvier, B. see Y. Vandenbrouck (376) 99
Jaoua, S. see A. Savouré (372) 13
Jaravine, V.A. see A.P. Golovanov (375) 162
Jarchau, T. see D. Pöhler (374) 419
Jaroszewski, L. see K. Bolewska (377) 172
Jasko, M.V., D.G. Semizarov, L.S. Victorova, D.J. Mozzherin, A.A. Krayevsky and M.K. Kukhanova, New modified substrates for discriminating between human DNA polymerases α and ε (357) 23
Jasmin, B.J., H. Alameddine, J.A. Lunde, F. Stetzkowski-Marden, H. Collin, J.M. Tinsley, K.E. Davies, F.M.S. Tomé, D.J. Parry and J. Cartaud, Expression of utrophin and its mRNA in denervated *mdx* mouse muscle (374) 393
Jaspars, E.M.J. see M. de Graaff (371) 219
Jastorff, B. see M. Zorn (362) 291
Jaton, J.-C. see L. Falquet (359) 73
Jaton, J.-C. see L. Falquet (376) 233
Jaworowski, Å., K.I. Anderson, A. Arner, M. Engström, M. Gimona, P. Strasser and J.V. Small, Calponin reduces shortening velocity in skinned taenia coli smooth muscle fibres (365) 167
Jeftinija, K. see V. Parpura (360) 266
Jeftinija, S. see V. Parpura (360) 266
Jelinek, R. see R. Bauerfeind (364) 328
Jenkins, J., L. Lo Leggio, G. Harris and R. Pickersgill, β-Glucosidase, β-galactosidase, family A cellulases, family F xylanases and two barley glycanases form a superfamily of enzymes with 8-fold β/α architecture and with two conserved glutamates near the carboxy-terminal ends of β-strands four and seven (362) 281
Jenkins, T.C. see V.M. Macaulay (372) 222
Jenner, A. see J.P.E. Spencer (374) 233
Jenner, A. see J.P.E. Spencer (375) 179
Jenner, L.B. see K. Dolmer (372) 93
Jennings, K.H. see A.P. Shivji (371) 25
Jenö, P. see E. Hintermann (375) 148
Jentsch, T.J. see S. Brandt (377) 15
Jeong, S.-Y. see J.-H. Lee (368) 348
Jergil, B. see H. Olsson (361) 282
Jernström, B. see P. Wittung (368) 64
Jessus, C. see V. De Smedt (375) 249
Ježek, P., M. Bauer and W.E. Trommer, EPR spectroscopy of 5-DOXYL-stearic acid bound to the mitochondrial uncoupling protein reveals its competitive displacement by alkylsulfonates in the channel and allosteric displacement by ATP (361) 303
Ji, L., G. Zhang, S. Uematsu, Y. Akahori and Y. Hirabayashi, Induction of apoptotic DNA fragmentation and cell death by natural ceramide (358) 211
Jiang, R. see A. Dumoulin (374) 39
Jie Liu, D. see T. Tanaka (360) 5
Johannes, E. and D. Sanders, The voltage-gated Ca^{2+} release channel in the vacuolar membrane of sugar beet resides in two activity states (365) 1
Johansson, G. see M. Raices (369) 233
Johansson, J. see M. Andersson (362) 328
Johansson, J., T. Szyperski and K. Wüthrich, Pulmonary surfactant-associated polypeptide SP-C in lipid micelles: CD studies of intact SP-C and NMR secondary structure determination of depalmitoyl-SP-C(1–17) (362) 261
Johansson, M.U., M. de Château, L. Björck, S. Forsén, T. Drakenberg and M. Wikström, The GA module, a mobile albumin-binding bacterial domain, adopts a three-helix-bundle structure (374) 257
Johns, R.A. see L.V. Ravichandran (374) 295
Johnsen, A.H. see J.B. Cowland (368) 173
Johnsen, A.H. see C.F. Deacon (372) 269
Johnson, A.K. see L.A. Andersson (370) 97
Johnson, C.M. see M. Ibba (358) 293
Johnson, D.J.D. see A.W. Ashton (374) 141
Johnson, K.R. see P. Petry (363) 25
Johnson, M.E. see Z. Lin (370) 1
Johnson, M.K. see H. Fujii (377) 345
Johnson, M.K. see B.R. Crouse (367) 1
Johnson, M.S., E.H. Rowsell and B.L. Taylor, Investigation of transphosphorylation between chemotaxis proteins and the phosphoenolpyruvate:sugar phosphotransferase system (374) 161
Johnson, S.A. see C.G. Morgan (375) 113
Johnson, W.E.B., N.A. Jones, D.C. Rowlands, A. Williams, S.S. Guest and G. Brown, Down-regulation but not phosphorylation of stathmin is associated with induction of HL60 cell growth arrest and differentiation by physiological agents (364) 309
Jokiranta, T.S., J. Tissari, O. Teleman and S. Meri, Extracellular domain of type I receptor for transforming growth factor-β: molecular modelling using protectin (CD59) as a template (376) 31
Jollès, P. see F. Schoentgen (369) 22
Jones, A.T. see M.J. Clague (367) 272
Jones, D.H., S. Ley and A. Aitken, Isoforms of 14-3-3 protein can form homo- and heterodimers in vivo and in vitro: implications for function as adapter proteins (368) 55
Jones, N.A. see W.E.B. Johnson (364) 309
Jones, S.A., B. Moser and M. Thelen, A comparison of post-receptor signal transduction events in Jurkat cells transfected with either IL-8R1 or IL-8R2: Chemokine mediated activation of p42/p44 MAP-kinase (ERK-2) (364) 211
Jongsma, F.H.M. see E.L.J. Goossens (359) 155
Jonniaux, J.-L. see B. Nelissen (377) 232
Jonsson, B.-H. see N.L. Davydova (369) 229
Jørgensen, E.C.B. and H. Autrup, Effect of a negative regulatory element (NRE) on the human *CYP1A1* gene expression in breast carcinoma MCF-7 and hepatoma HepG2 cells (365) 101
Jørgensen, F.S. see J.S. Kastrup (363) 115
Jørgensen, M. see C.K. Tygesen (363) 184
Jørgensen, T.D. see J. Gromada (360) 303
Jörnvall, H. see M. Kamal (374) 363
Jörnvall, H. see L. Hjelmqvist (367) 237
Jörnvall, H. see T. Pettersson (365) 23
Jörnvall, H. see L. Hjelmqvist (367) 306
Jörnvall, H. see U. Ernström (360) 177
Jörnvall, H. see M. Rosario Fernández (370) 23
Jörnvall, H. see M. Andersson (362) 328
Jörnvall, H. see L. Hjelmqvist (373) 212
Joseph, C. see M.A. Castiglione Morelli (358) 193
Joseph, J. see R.J. Singh (360) 47
Joseph-Horne, T., D. Hollomon, R.S.T. Loeffler and S.L. Kelly, Altered P450 activity associated with direct selection for fungal azole resistance (374) 174
Joshi, R.L. see B. Lamothe (373) 51
Jucker, F.M. see P. Legault (362) 156
Juge, N., K.W. Rodenburg, X.-J. Guo, J.-C. Chaix and B. Svensson, Isozyme hybrids within the protruding third loop domain of the barley α-amylase $(\beta/\alpha)_8$-barrel: Implication for BASI sensitivity and substrate affinity (363) 299
Jung, C. see N. Legrand (364) 152
Jung, H., R. Windhaber, D. Palm and K. Schnackerz, NMR and circular dichroism studies of synthetic peptides derived from the third intracellular loop of the β-adrenoceptor (358) 133
Jungbluth, A., C. Eckerskorn, G. Gerisch, F. Lottspeich, S. Stocker and A. Schweiger, Stress-induced tyrosine phosphorylation of actin in *Dictyostelium* cells and localization of the phosphorylation site to tyrosine-53 adjacent to the DNase I binding loop (375) 87
Junge, W. see G. Groth (358) 142
Jungermann, K. see U. Hespeling (372) 108
Jungnickel, B. see J. Oliver (362) 126
Jupin, I., F. Hericourt, B. Benz and B. Gronenborn, DNA replication specificity of TYLCV geminivirus is mediated by the amino-terminal 116 amino acids of the Rep protein (362) 116
Jupin, I. see J. Laufs (377) 258
Juretic, N., Mitochondrial DNA rearrangements: intracellular information system (362) 337

K

Kaba, H. see S. Takahashi (368) 455
Kabakov, A.E. see V.L. Gabai (375) 21
Kabuyama, Y. see I. Nakamura (361) 79
Kaether, C. and H.-H. Gerdes, Visualization of protein transport along the secretory pathway using green fluorescent protein (369) 267
Kaever, V. see R. Hess (374) 34
Kagami, O. see S. Higashi-Fujime (375) 151
Kagawa, S. see K.-y. Akiyama (363) 151
Kagawa, Y. see H.-J. Schäfer (377) 408
Kahn, A. see R. Chen (365) 223
Kahn, M. see M.S. Lee (359) 113
Kai, K. see S.-i. Kidokoro (367) 73
Kaieda, H. see M. Miyata (377) 493
Kaiser, P., S. Mandl, M. Schweiger and R. Schneider, Characterization of functionally independent domains in the human ubiquitin conjugating enzyme UbcH2 (377) 193
Kaiser, R. see M. Kamal (374) 363
Kajanus, J. see P. Wittung (365) 27
Kajiyama, G. see K. Hanada (373) 85
Kakalis, L.T., M. Kennedy, R. Sikkink, F. Rusnak and I.M. Armitage, Characterization of the calcium-binding sites of calcineurin B (362) 55
Kakegawa, H., K. Tagami, Y. Ohba, K. Sumitani, T. Kawata and N. Katunuma, Secretion and processing mechanisms of procathepsin L in bone resorption (370) 78
Kakinuma, K. see H. Fujii (377) 345
Kakinuma, M. see M. Kishi (364) 293
Kakinuma,, Y. and K. Igarashi, Electrogenic Na^+ transport by *Enterococcus hirae* Na^+-ATPase (359) 255
Kakizaki, I. see H. Nishimura (357) 207
Kakizaki, M. see T. Yoshida (360) 155
Kakkar, V.V. see P. Newman (363) 161
Kalbacher, H. see R. Stricker (370) 236
Káldi, K. see K. Suszták (375) 79
Kale, A.A. see N. Hauser (368) 307
Kaliman, A.V., V.E. Kulshin, M.G. Shlyapnikov, V.N. Ksenzenko and V.M. Kryukov, The nucleotide sequence of the bacteriophage T5 *ltf* gene (366) 46
Kalk, K.H. see M. Blaauw (373) 10
Kalkbrenner, F. see C. Harteneck (358) 297
Kalkman, H.O. see C. Ullmer (370) 215
Kalyanaraman, B. see A.T. Struck (361) 291
Kalyanaraman, B. see R.J. Singh (360) 47
Kamachi, M. see M. Takagi (375) 273
Kamada, H. see K. Fukui (368) 31
Kamada, H. see T. Mizoguchi (358) 199
Kamada, T. see T. Sugiura (370) 141
Kamada, T. see T. Itoh (373) 123
Kamal, M., J.-O. Höög, R. Kaiser, J. Shafqat, T. Razzaki, Z.H. Zaidi and H. Jörnvall, Isolation, characterization and structure of subtilisin from a thermostable *Bacillus subtilis* isolate (374) 363
Kamashev, D.E., N.G. Esipova, K.K. Ebralidse and A.D. Mirzabekov, Mechanism of *Lac* repressor switch-off: orientation of the *Lac* repressor DNA-binding domain is reversed upon inducer binding (375) 27
Kambayashi, J.-i. see K. Okahara (373) 108
Kamei, S. see H. Oh-oka (365) 30
Kaminaka, H. see A. Sakamoto (358) 62
Kamio, Y. see W. Choorit (357) 260
Kamiya, H. see N. Takamatsu (377) 373
Kamiya, M. see Y. Toyoda (359) 81
Kämmer, C. and W. Doerfler, Genomic sequencing reveals absence of DNA methylation in the major late promoter of adenovirus type 2 DNA in the virion and in productively infected cells (362) 301
Kammouni, W. see M.D. Merten (369) 202
Kamo, N. see T. Kikukawa (377) 502
Kamo, N. see J. Hirayma (364) 168
Kampfenkel, K., T. Möhlmann, O. Batz, M. Van Montagu, D. Inzé and H.E. Neuhaus, Molecular characterization of an *Arabidopsis thaliana* cDNA encoding a novel putative adenylate translocator of higher plants (374) 351
Kanaho, Y. see K. Takahashi (371) 204
Kanai, A., K. Tanabe and M. Kohara, Poly(U) binding activity of hepatitis C virus NS3 protein, a putative RNA helicase (376) 221
Kanai, Y. see N. Mochizuki (373) 155
Kanazawa, H. see H. Inoue (363) 264
Kanda, T. see E. Sato (374) 184
Kaneda, K. see M. Tateno (377) 77
Kaneko, H. see T. Shimizu (369) 221
Kaneko, J. see W. Choorit (357) 260
Kanervo, E., E.-M. Aro and N. Murata, Low unsaturation level of thylakoid membrane lipids limits turnover of the D1 protein of photosystem II at high irradiance (364) 239
Kanfer, J.N. see I.N. Singh (365) 125
Kang, M.-S. see J.H. Seol (377) 41
Kangawa, K. see S. Sugo (369) 311
Kanner, B.I. see G.I. Keshet (371) 39
Kanse, S.M. see P. Newman (363) 161
Kantor, C. see P.E. Kovanen (361) 233
Kapas, S. see S. Barker (369) 263
Kaptein, R. see H.-C. Siebert (371) 13
Kapus, A. see K. Suszták (375) 79
Karakesisoglou, J. see M. Schleicher (369) 38
Karas, R.H., W.E. Baur, M. van Eickles and M.E. Mendelsohn, Human vascular smooth muscle cells express an estrogen receptor isoform (377) 103
Karavaiko, N.N. see O.N. Kulaeva (366) 26
Karczewski, P. see L.G. Baltas (373) 71
Karginov, A.V., O.A. Karginova, V.A. Spiridonova and A.M. Kopylov, In vivo assembly of plasmid-expressed ribosomal protein S7 of *Thermus thermophilus* into *Escherichia coli* ribosomes and conditions of its overexpression (369) 158
Karginova, O.A. see A.V. Karginov (369) 158
Karikó, K., H. Rosenbaum, A. Kuo, R.B. Zurier and E.S. Barnathan, Stimulatory effect of unsaturated fatty acids on the level of plasminogen activator inhibitor-1 mRNA in cultured human endothelial cells (361) 118
Karino, S., T. Minegishi, Y. Ohyama, M. Tano, K. Nakamura, K. Miyamoto, S. Tanaka and Y. Ibuki, Regulation and localization of midkine in rat ovary (362) 147
Karki, S. see M.L. Benka (363) 49
Karlsson, R. see A.G. Weeds (360) 227
Karlyshev, A.V. see V.P. Zav'yalov (371) 65
Karpova, O.V., V.A. Mavrodieva, O.L. Tomashevskaya, N.P. Rodionova and J.G. Atabekov, The 3′-untranslated region of brome mosaic virus RNA does not enhance translation of capped mRNAs in vitro (360) 281
Kasai, K. see Y. Hattori (368) 336
Käsermann, F. see C.A. Spyr (375) 134
Kaslik, G., A. Patthy, M. Bálint and L. Gráf, Trypsin complexed with α_1-proteinase inhibitor has an increased structural flexibility (370) 179
Kasperaitis, M.A.M., H.O. Voorma and A.A.M. Thomas, The amino acid sequence of eukaryotic translation initiation factor 1 and its similarity to yeast initiation factor SUI1 (365) 47
Kass, G.E.N. see S.C. Chow (364) 134
Kastrup, J.S., M. Pilgaard, F.S. Jørgensen, P.E. Nielsen and H. Rasmussen, Crystallization and preliminary X-ray analysis of a PNA–DNA complex (363) 115
Kasukabe, T. see J. Okabe-Kado (363) 311
Katada, T. see H. Misawa (361) 106
Katada, T. see K. Takahashi (371) 204
Katagiri, H. see H. Ishihara (371) 329
Katagiri, T. see T. Noguti (376) 251
Katanaev, V.L., O.V. Kurnasov and A.S. Spirin, Viral $Q\beta$ RNA as a high expression vector for mRNA translation in a cell-free system (359) 89
Katao, Y. see M. Minami (364) 23
Katao, Y. see T. Onogi (357) 93
Kataoka, A., M. Kubota, Y. Wakazono, A. Okuda, R. Bessho, Y.W. Lin, I. Usami, Y. Akiyama and K. Furusho, Association of high molecular weight DNA fragmentation with apoptotic or non-apoptotic cell death induced by calcium ionophore (364) 264
Kataoka, H. see T. Moriyama (372) 78
Kataoka, H. see T. Noguti (376) 251
Kataoka, M. see Y. Imamoto (374) 157
Kataoka, S. see S. Iwai (368) 315

Kataoka, T., M. Muroi, S. Ohkuma, T. Waritani, J. Magae, A. Takatsuki, S. Kondo, M. Yamasaki and K. Nagai, Prodigiosin 25-C uncouples vacuolar type H^+-ATPase, inhibits vacuolar acidification and affects glycoprotein processing (359) 53
Katayama, Y. see T. Furukawa (375) 56
Katheder, I. see R.J. Porra (371) 21
Kato, A., T. Shimizu and S. Saga, Conformational changes in mutant lysozymes detected with monoclonal antibody (371) 17
Kato, R. see N. Martin-Moutot (366) 21
Kato, R. see K. Hishikawa (360) 291
Kato, S. see H. Kikuchi (360) 26
Kato, S. see K. Fukuda (373) 177
Kato, S. see M. Kishi (364) 293
Kato, T. see J.-P. Yang (361) 89
Kato, T. see M. Noda (367) 246
Katrukha, G.S. see A.Z. Metlitskaya (357) 235
Katsiou, E. see M.H. Tadros (368) 243
Katsumata, S. see T. Onogi (357) 93
Katsumata, S. see M. Minami (364) 23
Katsuyama, M., N. Nishigaki, Y. Sugimoto, K. Morimoto, M. Negishi, S. Narumiya and A. Ichikawa, The mouse prostaglandin E receptor EP_2 subtype: cloning, expression, and Northern blot analysis (372) 151
Katunuma, N. see H. Kakegawa (370) 78
Kaufmann, S. see W.H. Goldmann (368) 516
Kaul, S.C., R. Wadhwa, Y. Matsuda, P.J. Hensler, O.M. Pereira-Smith, Y. Komatsu and Y. Mitsui, Mouse and human chromosomal assignments of mortalin, a novel member of the murine hsp70 family of proteins (361) 269
Kaulen, A.D. see A.N. Radionov (377) 330
Kaulen, A.D. see D.L. Zaslavsky, (359) 27
Kaup, Y. see U. Weser (375) 280
Kauppi, B. see B.B. Nielsen (373) 310
Kauppinen, L., Regulation of the human spermidine synthase mRNA translation by its 5′-untranslated region (365) 61
Kaushansky, K. see J.M. McCarty (372) 194
Kawahara, Y. see M. Okuda (368) 343
Kawai, H., M. Tarui, M. Doi and T. Ishida, Enhancement of aromatic amino acid–nucleic acid base stacking interaction by metal coordination to base: fluorescence study on a tryptophan–Pt(II)–guanine ternary complex (370) 193
Kawai, H. see M. Sugimoto (363) 53
Kawakami, A. see T. Noguti (376) 251
Kawakami, T., M. Matsumoto, M. Sato, H. Harada, T. Taniguchi and M. Kitagawa, Possible involvement of the transcription factor ISGF3γ in virus-induced expression of the IFN-β gene (358) 225
Kawakishi, S. see S. Toyokuni (359) 189
Kawakishi, S. see K. Uchida (357) 165
Kawamura, M. see H. Sakai (365) 141
Kawamura, T. see M. Shahidullah (371) 307
Kawanishi, S. see S. Inoue (371) 86
Kawano, K. see K. Abeyama (364) 298
Kawasaki, T. see K. Okahara (373) 108
Kawata, T. see H. Kakegawa (370) 78
Kawata, Y., K. Hongo, K. Nosaka, Y. Furutsu, T. Mizobata and J. Nagai, The role of ATP hydrolysis in the function of the chaperonin GroEL: dynamic complex formation with GroES (369) 283
Kay, J. see S.D. Fowler (366) 72
Kayestha, R., Sumati and K. Hajela, ESR studies on the effect of ionic radii on displacement of Mn^{2+} bound to a soluble β-galactoside binding hepatic lectin (368) 285
Kazachenko, V.N. see V.I. Geletyuk (359) 85
Kazachenko, V.N. see E.E. Fesenko (366) 49
Kazim, A.L. see R.H. Sarma (357) 317
Kaziro, Y. see A. Ito (368) 183
Kearney, L. see H. Sakura (367) 193
Keck, W. see A.J. Dijkstra (366) 115
Keen, J.N. see A. Carne (372) 243
Keith, F.J. see K. Kubota (365) 83
Keizer-Gunnink, I. see K.N. Faber (357) 115
Keizer-Gunnink, I. see J.A.K.W. Kiel (377) 434
Keller, K. see M. Wellner (370) 19
Keller, P., G. Semenza and S. Shaltiel, Disposition of the carboxy-terminus tail of rabbit lactase-phlorizin hydrolase elucidated by phosphorylation with protein kinase A in vitro and in tissue culture (368) 563
Keller, R.C.A., M.M.E. Snel, B. de Kruijff and D. Marsh, SecA restricts, in a nucleotide-dependent manner, acyl chain mobility up to the center of a phospholipid bilayer (358) 251
Kelly, D.E. see S.L. Kelly (377) 217
Kelly, M. see L.P. Wennogle (371) 315
Kelly, P.A. see A. Sotiropoulos (369) 169
Kelly, S.L. see T. Joseph-Horne (374) 174
Kelly,, S.L. see D.C. Lamb (368) 326
Kelly, S.L., D.C. Lamb, A.J. Corran, B.C. Baldwin, L.W. Parks and D.E. Kelly, Purification and reconstitution of activity of *Saccharomyces cerevisiae* P450 61, a sterol Δ^{22}-desaturase (377) 217
Kemball-Cook, G. see A.W. Ashton (374) 141
Kemp, P.R., J.C. Metcalfe and D.J. Grainger, ID – A dominant negative regulator of skeletal muscle differentiation – is not involved in maturation or differentiation of vascular smooth muscle cells (368) 81
Kempf, C. see C.A. Spyr (375) 134
Kénani, A. see C. Bailly (372) 144
Kendrick-Jones, J. see Nguyen thi Man (358) 262
Kendrick-Jones, J. see S.J. Winder (357) 125
Kendrick-Jones, J. see S.J. Winder (369) 27
Kennedy, A.R. see H.M. Ekrami (371) 283
Kennedy, M. see L.T. Kakalis (362) 55
Keown, M.B. see A. Bufe (363) 6
Kerksiek, K., M.R. Mejillano, R.E. Schwartz, G.I. Georg and R.H. Himes, Interaction of cryptophycin 1 with tubulin and microtubules (377) 59
Kermabon, A.-Y. see C. Bignon (358) 84
Kern, D. see V. Cura (374) 110
Keshet, G.I., A. Bendahan, H. Su, S. Mager, H.A. Lester and B.I. Kanner, Glutamate-101 is critical for the function of the sodium and chloride-coupled GABA transporter GAT-1 (371) 39
Kessler, P. see D. Servent (360) 261
Keszthelyi, L. see A. Dér (377) 419
Kettenes-van den Bosch, J.J. see A.J.J. van den Berg (358) 215
Khailova, L.S. see L.G. Korotchkina (364) 185
Khan, A. see H. Kindmark (369) 315
Khan, M. see K. Pahan (377) 213
Khan, M.A., N. Okumura, M. Okada, S. Kobayashi and H. Nakagawa, Nerve growth factor stimulates tyrosine phosphorylation of paxillin in PC12h cells (362) 201
Khan, R.N. see C.T. Bond (367) 61
Khanna, A. see Y. Prashar (358) 109
Khaspekov, L. see B. Khodorov (371) 249
Khaw, L.E. see S.F. Haydock (374) 246
Khmel, I.A. see A.Z. Metlitskaya (357) 235
Khodorov, B., V. Pinelis, O. Vergun, T. Storozhevykh, D. Fajuk, N. Vinskaya, E. Arsenjeva, L. Khaspekov, A. Lyzin, N. Isaev, N. Andreeva and I. Victorov, Dramatic effects of external alkalinity on neuronal calcium recovery following a short-duration glutamate challenge: the role of the plasma membrane Ca^{2+}/H^+ pump (371) 249
Khodorov, B.I. see O.N. Valkina (361) 145
Kholodenko, B.N., S. Schuster, J.M. Rohwer, M. Cascante and H.V. Westerhoff, Composite control of cell function: metabolic pathways behaving as single control units (368) 1
Khomyakova, E.B. see A.K. Shchyolkina (367) 81
Khorana, H.G. see U. Alexiev (373) 81
Khvatova, E.M., N.A. Rubanova, I.A. Prudchenko and I.I. Mikhaleva, Effects of delta-sleep inducing peptide (DSIP) and some analogues on the activity of monoamine oxidase type A in rat brain under hypoxia stress (368) 367
Kido, H. see N. Shimizu (358) 48
Kido, T. see J.-B. Denault (362) 276
Kidokoro, S.-i., Y. Miki, K. Endo, A. Wada, H. Nagao, T. Miyake, A. Aoyama, T. Yoneya, K. Kai and S. Ooe, Remarkable activity enhancement of thermolysin mutants (367) 73
Kieffer, B. see C. Gavériaux (369) 272
Kiel, J.A.K.W., I. Keizer-Gunnink, T. Krause, M. Komori and M. Veenhuis, Heterologous complementation of peroxisome function in yeast: the *Saccharomyces cerevisiae PAS3* gene restores peroxisome biogenesis in a *Hansenula polymorpha per9* disruption mutant (377) 434
Kieser, A., J. Goodnight, W. Kölch, H. Mischak and J.F. Mushinski, Identification of the primary growth response gene, ST2/T1, as a gene whose expression is differentially regulated by different protein kinase C isozymes (372) 189
Kiger, L. see A. Dumoulin (374) 39
Kihara, K. see H. Hakamata (363) 29

Kihira, H. see M. Nishikawa (375) 299
Kikkawa, U. see H. Takanaga (368) 276
Kikuchi, A. see S. Koyama (368) 321
Kikuchi, A. see M. Ikeda (375) 37
Kikuchi, H., Y. Akasaka, Y. Kurosawa, H. Yoneyama, S. Kato and J.-i. Hata, A critical mutation in both *WT1* alleles is not sufficient to cause Wilms' tumor (360) 26
Kikuchi, M. see T. Yamada (374) 262
Kikuchi, M. see H. Ishihara (371) 329
Kikuchi, M. see T. Hayano (372) 210
Kikuchi, M. see T. Hayano (377) 505
Kikuchi, T. see K. Sode (364) 325
Kikukawa, T., T. Araiso, K. Mukasa, T. Shimozawa and N. Kamo, The molecular motion of bacteriorhodopsin mutant D96N in the purple membrane (377) 502
Kikuyama, M. see M. Nakano (372) 140
Kilby, P.M., L.J. Van Eldik and G.C.K. Roberts, Nuclear magnetic resonance assignments and secondary structure of bovine S100β protein (363) 90
Kilk, A., M. Laan and A. Torp, Human CuZn superoxide dismutase enzymatic activity in cells is regulated by the length of the mRNA (362) 323
Kill, I.R. and C.J. Hutchison, S-Phase phosphorylation of lamin B2 (377) 26
Killian, J.A. see H.H.J. de Jongh (360) 255
Kim, D.S., H. Chin and W.A. Klee, Agonist regulation of the expression of the delta opioid receptor in NG108-15 cells (376) 11
Kim, H.-S. see J.-H. Lee (368) 348
Kim, I.-K. see J.-H. Lee (368) 348
Kim, K.-H. see S. Zhang (377) 237
Kim, M.H. see A. Haoudi (377) 67
Kim, W.H. see M. Nomizu (365) 227
Kim, Y.-M., H. Bergonia and J.R. Lancaster Jr., Nitrogen oxide-induced autoprotection in isolated rat hepatocytes (374) 228
Kim, Y.S. see Y.H. Lee (358) 105
Kimura, A. see S. Izawa (368) 73
Kimura, K. see I. Nakamura (361) 79
Kimura, N. see J. Okabe-Kado (363) 311
Kimura, T., Y. Inagaki, T. Sawai and A. Yamaguchi, Substrate-induced acceleration of *N*-ethylmaleimide reaction with the Cys-65 mutant of the transposon Tn10-encoded metal-tetracycline/H^+ antiporter depends on the interaction of Asp-66 with the substrate (362) 47
Kinder, B.K. see L.M. Matovcik (364) 67
Kindmark, H., M. Köhler, O. Larsson, A. Khan and P.-O. Berggren, Dissociation between exocytosis and Ca^{2+}-channel activity in mouse pancreatic β-cells stimulated with calmidazolium (compound R24571) (369) 315
Kinet, J.-P. see A. Vallé (357) 41
King, L. see S. Perry (360) 277
King, L.A. see J. Henderson (371) 293
Kingma, J. see F. Pries (358) 171
Kini, R.M. and H.J. Evans, A novel approach to the design of potent bioactive peptides by incorporation of proline brackets: antiplatelet effects of Arg-Gly-Asp peptides (375) 15
Kinoshita, E. see K. Hanada (373) 85
Kinoshita, M. see S. Hatada (371) 287
Kinouchi, T., H. Sorimachi, K. Maruyama, K. Mizuno, S. Ohno, S. Ishiura and K. Suzuki, Conventional protein kinase C (PKC)-α and novel PKCε, but not -δ, increase the secretion of an N-terminal fragment of Alzheimer's disease amyloid precursor protein from PKC cDNA transfected 3Y1 fibroblasts (364) 203
Kirkitadze, M.D. see V.N. Uversky (364) 165
Kirpichnikov, M.P. see G.I. Yakovlev (366) 156
Kishi, K. see T. Yasuda (359) 211
Kishi, M., T. Nakaya, Y. Nakamura, Q. Zhong, K. Ikeda, M. Senjo, M. Kakinuma, S. Kato and K. Ikuta, Demonstration of human Borna disease virus RNA in human peripheral blood mononuclear cells (364) 293
Kishigami, S., Y. Akiyama and K. Ito, Redox states of DsbA in the periplasm of *Escherichia coli* (364) 55
Kishimoto, T. see T. Saito (376) 238
Kishore, U. see J.-Y. Wang (376) 6
Kiss, Z. and K.S. Crilly, Tamoxifen inhibits uptake and metabolism of ethanolamine and choline in multidrug-resistant, but not in drug-sensitive, MCF-7 human breast carcinoma cells (360) 165
Kiss, Z. and E. Deli, Preferential inhibition of phorbol ester-induced hydrolysis of phosphatidylethanolamine by *N*-acetylsphingosine in NIH 3T3 fibroblasts (365) 146
Kiss, Z. and K.S. Crilly, Ha-Ras stimulates uptake and phosphorylation of ethanolamine: inhibition by wortmannin (357) 279
Kiss, Z. and M. Tomono, Wortmannin has opposite effects on phorbol ester-induced DNA synthesis and phosphatidylcholine hydrolysis (371) 185
Kiss, Z. and M. Tomono, Wortmannin inhibits carcinogen-stimulated phosphorylation of ethanolamine and choline (358) 243
Kistner, U., C.C. Garner and M. Linial, Nucleotide binding by the synapse associated protein SAP90 (359) 159
Kitade, Y. see J.-P. Yang (361) 89
Kitagawa, M. see T. Kawakami (358) 225
Kitajima, I. see K. Abeyama (364) 298
Kitamura, N. see W. Tang (362) 220
Kito, M., Y. Takenaka and R. Urade, The 1,10-phenanthroline micelles–copper(I) complex catalyzes protein degradation (362) 39
Kito, Y. see T. Suzuki (377) 333
Kiyama, R. see T. Iwasaki (363) 239
Kiyomoto, H. see P. Biswas (373) 146
Kjellström, G. see H. Olsson (365) 51
Klaasse Bos, H. see F.D. de Hon (369) 187
Klabunde, T., N. Sträter, B. Krebs and H. Witzel, Structural relationship between the mammalian Fe(III)–Fe(II) and the Fe(III)–Zn(II) plant purple acid phosphatases (367) 56
Klee, C.B. see J. Anglister (375) 108
Klee, C.B. see P.M. Stemmer (374) 237
Klee, W.A. see D.S. Kim (376) 11
Klein, A. see M. Albrecht (372) 199
Klein, A.R., V.M. Fernández and R.K. Thauer, H_2-forming N^5,N^{10}-methylenetetrahydromethanopterin dehydrogenase: mechanism of H_2 formation analyzed using hydrogen isotopes (368) 203
Klein, B. see Z.-Y. Lu (377) 515
Klein, M. see K.-L. Schimz (362) 29
Kleinkauf, H. see R. Dieckmann (357) 212
Kleinman, H.K. see M. Nomizu (365) 227
Kliche, W. see L. Wiesmüller (363) 22
Klier, H., R. Csonga, A. Steinkasserer, T. Wöhl, F. Lottspeich and J. Eder, Purification and characterization of human deoxyhypusine synthase from HeLa cells (364) 207
Klimov, V.V., S.I. Allakhverdiev, Ya.M. Feyziev and S.V. Baranov, Bicarbonate requirement for the donor side of photosystem II (363) 251
Klimov, V.V. see V.D. Samuilov (357) 55
Klinman, J.P. see J. Plastino (371) 276
Klip, A. see L. Lavoie (366) 109
Klip, A. see C.M. Wilson (368) 19
Klis, F.M. see A.F.J. Ram (358) 165
Klocker, H. see J. Zhang (377) 530
Klodt, J. see R. Hess (374) 34
Klos, A. see M. Burg (377) 426
Kluge, M. see H. Gehrig (377) 399
Klumpp, M. see T. Waldmann (376) 67
Klußman, S. see A. Nolte (374) 292
Klyachko, N.L. see R.V. Rariy (364) 98
Knaff, D.B. see M. Hirasawa (359) 50
Knappitt, J. see D.P. Naughton (361) 167
Knauer, N.S. see R.W. Skadsen (361) 220
Knaus, E.E. see J. Balzarini (373) 41
Knirel, Yu.A. see L.M. Likhosherstov (368) 113
Knorre, D.G. see O.S. Fedorova (369) 287
Knott, T.G. see K.J. van Wijk (368) 263
Knudsen, I. see P. Bross (377) 249
Kobayashi, H. see A. Suzuki (373) 275
Kobayashi, K., M. Nakata, H. Terazono, T. Shinsato and T. Saheki, Pancreatic secretory trypsin inhibitor gene is highly expressed in the liver of adult-onset type II citrullinemia (372) 69
Kobayashi, K. see M. Ohkuro (373) 189
Kobayashi, K. see M. Nagao (373) 225
Kobayashi, M. see N. Shimizu (358) 48
Kobayashi, N., S. Honda, H. Yoshii, H. Uedaira and E. Munekata, Complement assembly of two fragments of the streptococcal protein G B1 domain in aqueous solution (366) 99
Kobayashi, S. see M.A. Khan (362) 201
Kobayashi, T. see M. Nishikawa (375) 299
Kobayashi, Y. see N. Watanabe (371) 149

Koch, K.-W. see M. Zoche (357) 178
Koch, M.H.J. see B. Schmidt (372) 169
Koch, T.J. see K. Dolmer (372) 93
Kochanek, S., D. Renz and W. Doerfler, Transcriptional silencing of human Alu sequences and inhibition of protein binding in the box B regulatory elements by 5′-CG-3′ methylation (360) 115
Kochetkov, S.N. see D.A. Kostyuk (369) 165
Kochetov, G.A. see L.E. Meshalkina (375) 220
Kodama, T. see H. Arai (371) 73
Koellner, G. see A. Bzowska (367) 214
Koeppe II, R.E. see K.W. Chan (363) 33
Koerts, J., I.M.C.M. Rietjens, M.G. Boersma and J. Vervoort, ^{1}H NMR T_1 relaxation rate study on substrate orientation of fluoromethylanilines in the active sites of microsomal and purified cytochromes P_{450} 1A1 and 2B1 (368) 279
Kofod, P. see A. Hochkoeppler (375) 197
Koguchi-Kamioka, O. see M. Hirasawa (359) 50
Kohama, K. see S. Higashi-Fujime (375) 151
Kohara, M. see A. Kanai (376) 221
Kohda, K. see M. Takagi (375) 273
Köhl, J. see M. Burg (377) 426
Kohleisen, B. see K. Gaedigk-Nitschko (357) 275
Köhler, C. see P. Malherbe (367) 141
Köhler, M. see H. Kindmark (369) 315
Kohn, A.B. see S.-R. Hwang (368) 471
Koizumi, T. see H. Takanaga (368) 276
Koizumi, T. see M. Negishi (372) 279
Kojima, M. see H. Hasegawa (368) 151
Kojima, N., Y. Yoshida, N. Kurosawa, Y.-C. Lee and S. Tsuji, Enzymatic activity of a developmentally regulated member of the sialyltransferase family (STX): evidence for α2,8-sialyltransferase activity toward N-linked oligosaccharides (360) 1
Kojima, N., Y. Yoshida and S. Tsuji, A developmentally regulated member of the sialyltransferase family (ST8Sia II, STX) is a polysialic acid synthase (373) 119
Kokileva, L. see K. Cain (358) 255
Kokryakov, V.N. see S.S.L. Harwig (362) 65
Kolattukudy, P.E. see X. Wang (370) 15
Kolb, H. see V. Burkart (364) 259
Kölch, W. see A. Kieser (372) 189
Koller, F. see M. Zamocky (367) 241
Komagome, R. see K. Yoshioka (372) 25
Komar, A.A. and R. Jaenicke, Kinetics of translation of γB crystallin and its circularly permutated variant in an in vitro cell-free system: possible relations to codon distribution and protein folding (376) 195
Komatsu, Y. see S.C. Kaul (361) 269
Kominami, K. see M. Ikawa (375) 125
Komissarov, A.A. see E.Yu. Morgunova (367) 183
Komori, H. and M. Ito, Conversion of short-chain ceramides to short-chain ceramide GM3 in B16 melanoma cells (374) 299
Komori, M. see J.A.K.W. Kiel (377) 434
Komurasaki, T. see H. Toyoda (377) 403
Kondo, S. see T. Kataoka (359) 53
König, A. see S.F. Haydock (374) 246
König, S. see B. Schmidt (372) 169
Konishi, H. see H. Takanaga (368) 276
Konopásek, I., P. Kvasnička, E. Amler, A. Kotyk and G. Curatola, The transmembrane gradient of the dielectric constant influences the DPH lifetime distribution (374) 338
Konstantinov, A.A. see I.A. Smirnova (359) 23
Konstantinov, A.A. see D.L. Zaslavsky, (359) 27
Kontani, K. see K. Takahashi (371) 204
Kontinen, V.P. and H. Tokuda, Overexpression of phosphatidylglycerophosphate synthase restores protein translocation in a *secG* deletion mutant of *Escherichia coli* at low temperature (364) 157
Kooijman, M., H. van Amerongen, P. Traub, R. van Grondelle and M. Bloemendal, The assembly state of the intermediate filament proteins desmin and glial fibrillary acidic protein at low ionic strength (358) 185
Koono, M. see T. Moriyama (372) 78
Koops, M.D. see B.P. Duncker (377) 185
Kopantseva, M.R. see P.V. Sergeev (360) 194
Kopetzki, E. see L. Lehle, (370) 41
Kopf, E. see M. Elkin (374) 57
Kopnin, B.P. see T.P. Stromskaya (368) 373
Kopperschläger, G., T. Kriegel and G. Birkenmeier, Interaction of murine monoclonal subunit-specific antibodies with phosphofructokinase-1 from *Saccharomyces cerevisiae* (363) 17
Kopriva, S. see M. Teige (377) 349
Kopylov, A.M. see A.V. Karginov (369) 158
Korang, K., A.M. Christiano, J. Uitto and A. Mauviel, Differerential cytokine modulation of the genes LAMA3, LAMB3, and LAMC2, encoding the constitutive polypeptides, α3, β3, and γ2, of human laminin 5 in epidermal keratinocytes (368) 556
Korochkin, L.I. see P.V. Sergeev (360) 194
Korolenko, T.A. see E.V. Rukavishnikova (369) 217
Korotchkina, L.G., L.S. Khailova and S.E. Severin, The effect of phosphorylation on pyruvate dehydrogenase (364) 185
Korzh-Sleptsova, I.L., E. Lindström, K. Hansson Mild, A. Berglund and E. Lundgren, Low frequency MFs increased inositol 1,4,5-trisphosphate levels in the Jurkat cell line (359) 151
Kosaka, K. see N. Nishioka (377) 393
Kose, S. see N. Imamoto (368) 415
Koseki, T., K. Yamato, S. Krajewski, J.C. Reed, Y. Tsujimoto and T. Nishihara, Activin A-induced apoptosis is suppressed by BCL-2 (376) 247
Koshiba, T. see K. Tazaki (377) 54
Koshy, R. see J. Wells (358) 119
Kosk-Kosicka, D., M.M. Lopez, I. Fomitcheva and V.L. Lew, Self-association of plasma membrane Ca^{2+}-ATPase by volume exclusion (371) 57
Kossykh, V.G., S.L. Schlagman and S. Hattman, Function of Pro-185 in the ProCys of conserved motif IV in the *Eco*RII [cytosine-C5]-DNA methyltransferase (370) 75
Kostriken, R. see C.G. Wray (365) 71
Kostyuk, D.A., S.M. Dragan, D.L. Lyakhov, V.O. Rechinsky, V.L. Tunitskaya, B.K. Chernov and S.N. Kochetkov, Mutants of T7 RNA polymerase that are able to synthesize both RNA and DNA (369) 165
Kostyukovski, V. see T. Sklyarova (363) 273
Kotler, M. see G. Arad (364) 1
Kotyk, A. see I. Konopásek (374) 338
Kounga, K., D.G. Vander Velde and R.H. Himes, ^{18}Oxygen incorporation into inorganic phosphate in the reaction catalyzed by $N^{5,10}$-methenyltetrahydrofolate synthetase (364) 215
Kovanen, P.E., K. Virtaneva, L. Harju, C. Kantor, C.G. Gahmberg and T. Timonen, Expression and characterization of a B cell growth promoting polypeptide derived from the 12 kDa B cell growth factor gene (*BCGF 1*) (361) 233
Kovařík, A. see J. Fajkus (364) 33
Koyama, S. see M. Ikeda (375) 37
Koyama, S., L.T. Williams and A. Kikuchi, Characterization of the interaction of Raf-1 with *ras* p21 or 14-3-3 protein in intact cells (368) 321
Koyama, Y. see G.E. Bialek-Bylka (363) 137
Kozlov, Yu.N. see V.D. Samuilov (357) 55
Kraayenhof, R. see E.L.J. Goossens (359) 155
Krab, I.M. see G. Scarano (365) 214
Kragballe, K. see L. Iversen (358) 316
Krajewski, S. see T. Koseki (376) 247
Krajewski, W.A., Alterations in the internucleosomal DNA helical twist in chromatin of human erythroleukemia cells in vivo influences the chromatin higher-order folding (361) 149
Krajewski, W.A., Alternating purine–pyrimidine tract activates transcription from the Rouse sarcoma virus LTR lacking promoter and enhancer elements (358) 13
Královics, R. see J. Fajkus (364) 33
Kramer, H. see A. Dér (377) 419
Kranenburg, O., A.J. van der Eb and A. Zantema, Cyclin-dependent kinases and pRb: regulators of the proliferation-differentiation switch (367) 103
Krause, E. see B. Thiede (357) 65
Krause, E.-G. see L.G. Baltas (373) 71
Krause, T. see J.A.K.W. Kiel (377) 434
Kravchuk, Z.I. see S.P. Martsev (361) 173
Krayevsky, A.A. see M.V. Jasko (357) 23
Krebber, C., S. Spada, D. Desplancq and A. Plückthun, Co-selection of cognate antibody–antigen pairs by selectively-infective phages (377) 227
Krebs, B. see T. Klabunde (367) 56
Krebsbach, R.J. see P.C. Schmid (375) 117
Krekel, F. see Y. Li (377) 208
Krell, T. see J. Nairn (359) 192

Krell, T., A.R. Pitt and J.R. Coggins, The use of electrospray mass spectrometry to identify an essential arginine residue in type II dehydroquinases (360) 93
Kreutzer, R. see M.R. Ahmadian (377) 253
Kriegel, T. see G. Kopperschläger (363) 17
Krieger, A., Effect of the Ca^{2+} channel activator CGP 28392 on reactivation of oxygen evolution of Ca^{2+}-depleted photosystem II (367) 173
Krinks, M.H. see P.M. Stemmer (374) 237
Krishtalik, L.I. and W.A. Cramer, On the physical basis for the *cis*-positive rule describing protein orientation in biological membranes (369) 140
Kristensen, P. see L. Iversen (358) 316
Kroes, B.H. see A.J.J. van den Berg (358) 215
Krokan, H.E. see H. Nilsen (362) 205
Krol, M. see A.G. Ivanov (371) 61
Krolewski, J. see P. Domanski (374) 317
Kroll, F. see O. Zelder (369) 252
Kron, M., K. Marquard, M. Härtlein, S. Price and R. Leberman, An immunodominant antigen of *Brugia malayi* is an asparaginyl-tRNA synthetase (374) 122
Kroon, P.A. see S. Bieri (371) 341
Kropp, B., L. Leoni, B. Sampaolese and M. Savino, Influence of DNA superstructural features and histone amino-terminal domains on nucleosome positioning (364) 17
Krowarsch, D. see K. Bolewska (377) 172
Krown, K.A., K. Yasui, M.J. Brooker, A.E. Dubin, C. Nguyen, G.L. Harris, P.M. McDonough, C.C. Glembotski, P.T. Palade and R.A. Sabbadini, TNFα receptor expression in rat cardiac myocytes: TNFα inhibition of L-type Ca^{2+} current and Ca^{2+} transients (376) 24
Kruijer, W. see C. Lütticken (360) 137
Krumm, T., K. Bandemer and W. Boland, Induction of volatile biosynthesis in the Lima bean (*Phaseolus lunatus*) by leucine- and isoleucine conjugates of 1-oxo- and 1-hydroxyindan-4-carboxylic acid: evidence for amino acid conjugates of jasmonic acid as intermediates in the octadecanoid signalling pathway (377) 523
Krummrei, U., R. Bang, R. Schmidtchen, K. Brune and H. Bang, Cyclophilin-A is a zinc-dependent DNA binding protein in macrophages (371) 47
Kruse, T.A. see P. Bross (377) 249
Krutzsch, H.C. see M.R. Emmert-Buck (364) 28
Krystek Jr., S.R. see P.M. Rose (361) 243
Kryukov, V.M. see A.V. Kaliman (366) 46
Krzyżosiak, W.J. see J. Wrzesinski (374) 62
Ksenzenko, V.N. see A.V. Kaliman (366) 46
Kubicek, C.P. see J. Strauss (376) 103
Kubohara, Y., Y. Saito and K. Tatemoto, Differentiation-inducing factor of *D. discoideum* raises intracellular calcium concentration and suppresses cell growth in rat pancreatic AR42J cells (359) 119
Kuboniwa, H. see H. Shindo (360) 125
Kubota, H. see G. Hynes (358) 129
Kubota, K., F.J. Keith and N.J. Gay, Wild type and constitutively activated forms of the *Drosophila* Toll receptor have different patterns of N-linked glycosylation (365) 83
Kubota, M. see A. Kataoka (364) 264
Kubota, S., R.A. Furuta, H. Siomi, M. Maki and M. Hatanaka, Analysis of a novel defective HTLV-I provirus and detection of a new HTLV-I-induced cellular transcript (375) 31
Kubrina, L.N. see I.Y. Malyshev (370) 159
Kühn, H. see I. Feussner (367) 12
Kuhn, M. see R. Hess (374) 34
Kuikman, I. see A. van der Flier (369) 340
Kukhanova, M.K. see M.V. Jasko (357) 23
Kukimoto, I. see K. Takahashi (371) 204
Kukovetz, W.R. see F. Brunner (376) 262
Kulaev, I.S. see L.M. Likhosherstov (368) 113
Kulaeva, O.N., N.N. Karavaiko, S.Y. Selivankina, Y. Zemlyachenko and S.V. Shipilova, Receptor of *trans*-zeatin involved in transcription activation by cytokinin (366) 26
Kulathila, R. see D.J. Merkler (366) 165
Kulik, L.N., V.S. Ivanov, L.D. Tchikin, A.G. Ostrovsky and V.T. Ivanov, Localization of a sequential B-epitope in the VP2 protein of hepatitis A virus (367) 85
Kulshin, V.E. see A.V. Kaliman (366) 46
Kumada, M. see N. Takuwa (360) 173
Kumagai, N., N. Morii, T. Ishizaki, N. Watanabe, K. Fujisawa, Y. Saito and S. Narumiya, Lysophosphatidic acid-induced activation of protein Ser/Thr kinases in cultured rat 3Y1 fibroblasts: Possible involvement in *rho p21*-mediated signalling (366) 11
Kumagai, T. see M. Sugiyama (362) 80
Kumar, R. see J. Balzarini (373) 41
Kumar, S., Inhibition of apoptosis by the expression of antisense *Nedd2* (368) 69
Kumar, S. see G. Spyrou (368) 59
Kumar, S. and N.L. Harvey, Role of multiple cellular proteases in the execution of programmed cell death (375) 169
Kume, T. see D. Chida (358) 233
Kumon, H. see R. Fujita (376) 41
Kumosinski, T.F. see K. Singh (372) 283
Kung, C. see X.-L. Zhou (373) 170
Kunimoto, M., Possible involvement of the 440 kDa isoform of ankyrin$_B$ in neuritogenesis in human neuroblastoma NB-1 cells (357) 217
Kunkel, L.M. see T.J. Byers (368) 500
Kuntz, M. see M. Albrecht (372) 199
Kunugi, S., M. Yokoyama and A. Sakamoto, Observation of the pre-steady state process in thermolysin catalysis with a fluorescent displacement probe at low pH (362) 189
Kunz, D. see G. Walker (364) 218
Kunzelmann, K. see A. Hipper (374) 312
Kuo, A. see K. Karikó (361) 118
Kuo, P.C. and K.Y. Abe, Cytokine-mediated production of nitric oxide in isolated rat hepatocytes is dependent on cytochrome P-450III activity (360) 10
Kurapkat, G. see F.D. de Hon (369) 187
Kuras, L. and D. Thomas, Identification of the yeast methionine biosynthetic genes that require the centromere binding factor 1 for their transcriptional activation (367) 15
Kurata, A. see M. Shimakage (371) 245
Kurata, S. see S.-R. Lee (368) 485
Kurihara, K. see H. Nagao (362) 75
Kurihara, K. see N. Nakanishi (368) 411
Kurilova, S.A. see S.M. Avaeva (377) 44
Kurimoto, E. see S. Higashi-Fujime (375) 151
Kurnasov, O.V. see V.L. Katanaev (359) 89
Kurokawa, K. see M. Noda (367) 246
Kurokawa, T. see I. Nakamura (361) 79
Kuroki, T. see K. Mizuno (359) 259
Kurosaki, T. see M. Takata (374) 407
Kurosawa, N. see N. Kojima (360) 1
Kurosawa, Y. see H. Kikuchi (360) 26
Kurtz, A. see R. Della Bruna (372) 157
Kurumizaka, H. see H. Shindo (360) 125
Kushch, A. see A. Danilkovich (369) 161
Kushnir, S. see L. Lepiniec (364) 103
Kustanovich, I. see A. Zvi (368) 267
Kusters, R., G. Lentzen, E. Eppens, A. van Geel, C.C. van der Weijden, W. Wintermeyer and J. Luirink, The functioning of the SRP receptor FtsY in protein-targeting in *E. coli* is correlated with its ability to bind and hydrolyse GTP (372) 253
Kuwabara, T., The 60-kDa precursor to the dithiothreitol-sensitive tetrameric protease of spinach thylakoids: structural similarities between the protease and polyphenol oxidase (371) 195
Kuwahata, M. see T. Oka (367) 49
Kvasnička, P. see I. Konopásek (374) 338
Kweon, J. see K.-B. Lee (367) 77
Kwon, K.-S. see H.K. Song (377) 150
Kwon-Chung, J. see D.C. Lamb (368) 326
Kyogoku, Y. see K. Uegaki (359) 184

L

Laan, M. see A. Kilk (362) 323
Labadie, R.P. see A.J.J. van den Berg (358) 215
Labarca, P. see R. Delgado (370) 113
Labarca, P. see B. Morales (359) 41

Labbé, J.-P., M. Boyer and Y. Benyamin, Two identical hydrophobic clusters are present on the same actin monomer: interaction between one myosin subfragment-1 and two actin monomers (373) 221
Labriola, C. see V. Stoka (370) 101
Lacerda, A.E. see L. Parent (360) 144
Lach, D.A. see P.M. Rose (361) 243
Lacinová, L., A. Ludwig, E. Bosse, V. Flockerzi and F. Hofmann, The block of the expressed L-type calcium channel is modulated by the β_3 subunit (373) 103
Lacombe, G. see T. Fulop Jr. (375) 69
Lacoste, J. and F. Fourcade-Peronnet, The NssBF element, a sequence of the *Drosophila melanogaster* retrotransposon 1731 potentially implicated in transcriptional repression and replication (357) 283
Lacour, F. see J. Espinal (368) 36
Lacroix, M. see Y. Petillot (358) 323
Laffi, G. see F. Marra (376) 141
Laforet, J. see C. Gavériaux (369) 272
Lagos, R. see O. Monasterio (374) 165
Lagzdins, E.J. see M.D. Alonso (359) 110
Lah, T.T., M. Hawley, K.L. Rock and A.L. Goldberg, Gamma-interferon causes a selective induction of the lysosomal proteases, cathepsins B and L, in macrophages (363) 85
Lahti, R. see I.V. Velichko (359) 20
Lai, H.W.L., M. Minami, M. Satoh and Y.H. Wong, G_z coupling to the rat κ-opioid receptor (360) 97
Laizé, V., G. Rousselet, J.-M. Verbavatz, V. Berthonaud, R. Gobin, N. Roudier, L. Abrami, P. Ripoche and F. Tacnet, Functional expression of the human CHIP28 water channel in a yeast secretory mutant (373) 269
Laloi, M. see D. Rentsch (370) 264
Lama, J. and L. Carrasco, Mutations in the hydrophobic domain of poliovirus protein 3AB abrogate its permeabilizing activity (367) 5
Lamacz, M. see C. Patte (362) 106
Lamas, E. see I. Petropoulos (372) 273
Lamb, D.C. see S.L. Kelly (377) 217
Lamb, D.C., A. Corran, B.C. Baldwin, J. Kwon-Chung and S.L. Kelly,, Resistant P45051A1 activity in azole antifungal tolerant *Cryptococcus neoformans* from AIDS patients (368) 326
Lamb, D.J., M.J. Mitchinson and D.S. Leake, Transition metal ions within human atherosclerotic lesions can catalyse the oxidation of low density lipoprotein by macrophages (374) 12
Lamb, H.K. see S. Lynn (372) 6
Lambert, G. see Y. Vandenbrouck (376) 99
Lamed, R. see S. Yaron (360) 121
Lamothe, B., D. Bucchini, J. Jami and R.L. Joshi, Interaction of p85 subunit of PI 3-kinase with insulin and IGF-1 receptors analysed by using the two-hybrid system (373) 51
Lampreave, F. see N. González-Ramón (371) 227
Lancaster Jr., J.R. see Y.-M. Kim (374) 228
Landh, T., From entangled membranes to eclectic morphologies: cubic membranes as subcellular space organizers (369) 13
Laneelle, G. see I. Vergne (375) 254
Lang, F. see T. Doi (375) 193
Lang, M.E. see J.M. Windisch (374) 125
Langelier, Y. see S. Pötsch (374) 95
Langemeijer, H. see L. Aarts (357) 83
Langgut, W. and A. Ogilvie, Silencing of the epidermal growth factor receptor in the absence of the ligand requires phospholipase C activity (372) 173
Langmack, K. see C. Venien-Bryan (359) 45
Langosch, D. see J. Morr (368) 495
Laniado, M.E. see J.A. Grimes (369) 290
Lankat-Buttgereit, B. see A. Volz (373) 23
Lapidot, A., E. Ben-Asher and M. Eisenstein, Tetrahydropyrimidine derivatives inhibit binding of a Tat-like, arginine-containing peptide, to HIV TAR RNA in vitro (367) 33
LaPushin, R. see B.B. Aggarwal (364) 5
Larionova, N.I. see T.V. Tikhonova (362) 225
Larraín, J. see U. Urzúa (371) 132
Larrick, J.W. see C. Chen (370) 46
Larrondo, L.F. see U. Urzúa (371) 132
Larsen, I.K. see B.B. Nielsen (373) 310
Larson, T.J. see S. Podkovyrov (368) 429
Larsson, O. see H. Kindmark (369) 315
Lasa, M. see A. Chiloeches (361) 46
Laslop, A. see J. Hoflehner (360) 294
Lassmann, G. see S. Pötsch (374) 95
László, L. see P. Löw (368) 125
Latimer, D.A., J.-M. Gallo, S. Lovestone, C.C.J. Miller, C.H. Reynolds, B. Marquardt, S. Stabel, J.R. Woodgett and B.H. Anderton, Stimulation of MAP kinase by v-*raf* transformation of fibroblasts fails to induce hyperphosphorylation of transfected tau (365) 42
Latorre, R. see R. Delgado (370) 113
Latour, I., J.B. Demoulin and P. Buc-Calderon, Oxidative DNA damage by *t*-butyl hydroperoxide causes DNA single strand breaks which is not linked to cell lysis. A mechanistic study in freshly isolated rat hepatocytes (373) 299
Latruffe, N. see O. Bardot (360) 183
Laue, E.D. see L.J. Ball (358) 278
Laufs, J., S. Schumacher, N. Geisler, I. Jupin and B. Gronenborn, Identification of the nicking tyrosine of geminivirus Rep protein (377) 258
Launay, J.-M. see V. Dubernard (364) 109
Laviada, I.D., C. Baudet, I. Galve-Roperh, P. Naveilhan and P. Brachet, Phosphatidylcholine-phospholipase C mediates the induction of nerve growth factor in cultured glial cells (364) 301
Lavoie, L., L. He, T. Ramlal, C. Ackerley, A. Marette and A. Klip, The GLUT4 glucose transporter and the α_2 subunit of the Na^+,K^+-ATPase do not localize to the same intracellular vesicles in rat skeletal muscle (366) 109
Law, N.S. see C.E. Marchant (358) 175
Law, S.K.A. see X.-D. Ren (368) 87
Lawrence, J. see G. Woldegiorgis (364) 143
Lawry, J. see S. Mian (370) 27
Lax, A.J. see M.G. Smyth (360) 62
Lazar, M. see O. Geyer (374) 399
Lazarus, C.M. see J. Henderson (371) 293
Lazarus, R.A. see J.S. Ulmer (365) 159
Lazure, C. see Å. Lundwall (374) 53
Le Cam, G. see L. Gannoun-Zaki (375) 268
Le Fur, G. see J.-M. Derocq (369) 177
Le Fur, G. see C. Serradeil-Le Gal (362) 192
Le Meste, M. see J. Hargreaves (372) 103
Le Nguyen, D. see J. Straczek (373) 207
Le Ray, B. see B. Lucas-Heron (374) 309
Le Roux, I., S. Duharcourt, M. Volovitch, A. Prochiantz and E. Ronchi, Promoter-specific regulation of gene expression by an exogenously added homeodomain that promotes neurite growth (368) 311
Leach, R. see K. Brickley (364) 129
Leader, D.P., B. Peter and B. Ehmer, Analysis of CpG dinucleotide frequency in relationship to translational reading frame suggests a class of genes in which mutation of this dinucleotide is asymmetric with respect to DNA strand (376) 125
Leadlay, P.F. see S.F. Haydock (374) 246
Leake, D.S. see D.J. Lamb (374) 12
Leake, D.S. see R.C.M. Siow (368) 239
Leaver, C.J. see M.R. Rawlins (376) 81
Leber, A., C. Hrastnik and G. Daum, Phospholipid-synthesizing enzymes in Golgi membranes of the yeast, *Saccharomyces cerevisiae* (377) 271
Leberman, R., Stoichiometry of the EF-Tu·GTP complex with aminoacyl-tRNA: ternary of quinternary? (358) 71
Leberman, R. see M. Kron (374) 122
Leblanc, C. see T. Fulop Jr. (375) 69
Leci, E., A. Brancaccio, F. Cutruzzolà, C. Travaglini Allocatelli, C. Tarricone, M. Bolognesi, A. Desideri and P. Ascenzi, Formate binding to ferric wild type and mutant myoglobins: Thermodynamic and X-ray crystallographic study (357) 227
Lederis, K. see H. Hausmann (370) 227
Leduc, R. see J.-B. Denault (362) 276
Lee, A.D., P.A. Hansen and J.O. Holloszy, Wortmannin inhibits insulin-stimulated but not contraction-stimulated glucose transport activity in skeletal muscle (361) 51
Lee, A.Y. see M.M. Mahoney (377) 519
Lee, E.Y.C. see D. Parra-Diaz (376) 58
Lee, F.J.S. see F. Liu (374) 273
Lee, G. see B.E. Cohen (377) 444
Lee, H.-J. see N. Anthony (368) 461
Lee, H.J. see Y.H. Lee (358) 105
Lee, J.-H., H.-S. Kim, S.-Y. Jeong and I.-K. Kim, Induction of p53 and apoptosis by Δ^{12}-PGJ_2 in human hepatocarcinoma SK-HEP-1 cells (368) 348
Lee, J.C. see A. Cuenda (364) 229

Lee, K. see C.T. Bond (367) 61
Lee, K.-B., J. Kweon and H. Park, Assignment of hyperfine-shifted heme carbon resonances in ferricytochrome b_5 (367) 77
Lee, K.N. see H.K. Song (377) 150
Lee, M. see M.L. Benka (363) 49
Lee, M.S., B. Gardner, M. Kahn and H. Nakanishi, The three-dimensional solution structure of a constrained peptidomimetic in water and in chloroform: Observation of solvent induced hydrophobic cluster (359) 113
Lee, R.W. see E.M. Denovan-Wright (370) 222
Lee, S.-J. see Y.H. Lee (358) 105
Lee, S.-R., S. Kurata and S. Natori, Molecular cloning of cDNA for sapecin B, an antibacterial protein of *Sarcophaga*, and its detection in larval brain (368) 485
Lee, T.D. see G.R. Huesmann (371) 311
Lee, Y.-C. see N. Kojima (360) 1
Lee, Y.-O. see R. Dieckmann (357) 212
Lee, Y.H., H.J. Lee, S.-J. Lee, D.S. Min, S.H. Baek, Y.S. Kim, S.H. Ryu and P.-G. Suh, Down-regulation of phospholipase C-γ1 during the differentiation of U937 cells (358) 105
Leeflang, B.R. see A.J.J. van den Berg (358) 215
Leegood, R.C. see R.P. Walker (362) 70
Lee-Huang, S. see A.S. Bourinbaiar (360) 85
Leenhouts, J.M., P.W.J. van den Wijngaard, A.I.P.M. de Kroon and B. de Kruijff, Anionic phospholipids can mediate membrane insertion of the anionic part of a bound peptide (370) 189
Leenhouts, J.M. see V. Chupin (373) 239
Leflon, P. see C. Mazière (363) 277
Lefort, S., N. Vita, R. Reeb, D. Caput and P. Ferrara, IL-13 and IL-4 share signal transduction elements as well as receptor components in TF-1 cells (366) 122
Legault, P., F.M. Jucker and A. Pardi, Improved measurement of ^{13}C, ^{31}P J coupling constants in isotopically labeled RNA (362) 156
Léger, J.J. see L. Gannoun-Zaki (375) 268
Legname, G., G. Fossati, G. Gromo, N. Monzini, F. Marcucci and D. Modena, Expression in *Escherichia coli*, purification and functional activity of recombinant human chaperonin 10 (361) 211
Legrand, A. see J. Raimond (363) 165
Legrand, C. see V. Dubernard (364) 109
Legrand, D., V. Salmon, B. Coddeville, M. Benaissa, Y. Plancke and G. Spik, Structural determination of two N-linked glycans isolated from recombinant human lactoferrin expressed in BHK cells (365) 57
Legrand, N., A. Bondon, G. Simonneaux, C. Jung and E. Gill, Substrate interactions in cytochrome P-450: correlation between carbon-13 nuclear magnetic resonance chemical shifts and C–O vibrational frequencies (364) 152
Legrand, Y. see S. Menashi (361) 61
Leh, H. see M. El yaagoubi (369) 183
Lehle, L., A. Eiden, K. Lehnert, A. Haselbeck and E. Kopetzki, Glycoprotein biosynthesis in *Saccharomyces cerevisiae*: *ngd29*, an *N*-glycosylation mutant allelic to *och1* having a defect in the initiation of outer chain formation (370) 41
Lehnert, K. see L. Lehle, (370) 41
Lehrer, R.I. see S.S.L. Harwig (362) 65
Lehrer, R.I. see C. Zhao (368) 197
Lehrer, R.I. see C. Zhao (376) 130
Leibiger, B. see I.B. Leibiger (362) 210
Leibiger, I.B., T. Schwarz, B. Leibiger and R. Walther, Functional analysis of a newly identified TAAT-box of the rat insulin-II gene promoter (362) 210
Leighton, I.A., K.N. Dalby, F.B. Caudwell, P.T.W. Cohen and P. Cohen, Comparison of the specificities of p70 S6 kinase and MAPKAP kinase-1 identifies a relatively specific substrate for p70 S6 kinase: the N-terminal kinase domain of MAPKAP kinase-1 is essential for peptide phosphorylation (375) 289
Leist, C. see C. Gandor (377) 290
Lemaire, L. see P. Petry (363) 25
Lemieux, L.J. see M.W. Calhoun (368) 523
Lemon, S. see R. Rijnbrand (365) 115
Lenarčič, B. see V. Stoka (370) 101
Lenaz, G., R. Fato, M.L. Genova, G. Formiggini, G. Parenti Castelli and C. Bovina, Underevaluation of Complex I activity by the direct assay of NADH-coenzyme Q reductase in rat liver mitochondria (366) 119
Lendeckel, U. see T. Wex (374) 341
Lener, D., R. Benarous and R.A. Calogero, Use of a constrain phage displayed-peptide library for the isolation of peptides binding to HIV-1 nucleocapsid protein (NCp7) (361) 85
Lenoir, C. see M. Daadi (358) 137
Lenormand, J.-L. see D. Trouche (361) 140
Lentzen, G. see R. Kusters (372) 253
Leoni, L. see B. Kropp (364) 17
LePage, R.N., A.J. Fosang, S.J. Fuller, G. Murphy, G. Evin, K. Beyreuther, C.L. Masters and D.H. Small, Gelatinase A possesses a β-secretase-like activity in cleaving the amyloid protein precursor of Alzheimer's disease (377) 267
Lepiniec, L., E. Babiychuk, S. Kushnir, M. Van Montagu and D. Inzé, Characterization of an *Arabidopsis thaliana* cDNA homologue to animal poly(ADP-ribose) polymerase (364) 103
Leppänen, A. see R. Niemelä (367) 67
Leppla, S.H. see M.-L. Gu (365) 95
Lerant, I. see J. Mandl (376) 65
Leroy, A., G. Lippens, J.-M. Wieruszeski, H.-J. Parra and J.-C. Fruchart, Native like structure and stability of apo AI in a *n*-propanol/water solution as determined by ^{13}C NMR (361) 29
Lesavre, P. see L. Halbwachs-Mecarelli (374) 29
Leshchinskaya, I.B. see L.V. Znamenskaya (357) 16
Lespy, L. see C. Serradeil-Le Gal (362) 192
Lester, H.A. see G.I. Keshet (371) 39
Letellier, L. see M. Bonhivers (374) 169
Letesson, J.-J. see P.A. Denoel (361) 238
Leu, S. see H.R. Fiedler (377) 163
Levashov, A.V. see R.V. Rariy (364) 98
Levavasseur, F., P.D. Burbelo, S. Cariou, J. Liétard, Y. Yamada and B. Clément, Nuclear recruitment of A1p145 subunit of replication factor C in the early G1 phase of the cell cycle in Faza 567 hepatoma cell line and hepatocyte primary cultures (363) 132
Leveque, C. see N. Martin-Moutot (366) 21
Leveque, C. see O. El Far (361) 101
Leversha, M. see J. Wells (358) 119
Levine, B.A. see P.G. Quirk (370) 175
Levitsky, D.I. see M.A. Ponomarev (371) 261
Levy, E.J., J. McCarty, B. Bukau and W.J. Chirico, Conserved ATPase and luciferase refolding activities between bacteria and yeast Hsp70 chaperones and modulators (368) 435
Levy, R. see T. Avidor-Reiss (361) 70
Levy, R. see M. Bayewitch (375) 143
Lew, V.L. see D. Kosk-Kosicka (371) 57
Ley, S. see D.H. Jones (368) 55
Li, Q., J. Ling and W.-y. Liu, Partial restoration of inactivated ribosomes with sodium borohydride or amino acids (370) 123
Li, X. see M. Hirasawa (359) 50
Li, Y., F. Krekel, C.A. Ramilo, N. Amrhein and J.N.S. Evans, Time-resolved solid-state REDOR NMR studies of UDP *N*-acetylglucosamine enolpyruvyl transferase (377) 208
Liang, H. see L.P. Wennogle (371) 315
Liburdy, R. see S. Roy (376) 164
Lichtfouse, B. see P.A. Denoel (361) 238
Liebenhoff, U. and W. Rosenthal, Identification of Rab3-, Rab5a- and synaptobrevin II-like proteins in a preparation of rat kidney vesicles containing the vasopressin-regulated water channel (365) 209
Liétard, J. see F. Levavasseur (363) 132
Liévano, A. see A. Lorence (360) 217
Ligeti, E. see K. Suszták (375) 79
Lightowlers, R.N. see T. Preiss (367) 291
Liguri, G. see M.M.G.M. Thunnissen (364) 243
Likhosherstov, L.M., S.N. Senchenkova, Yu.A. Knirel, A.S. Shashkov, V.N. Shibaev, O.A. Stepnaya and I.S. Kulaev, Structure of an acidic polysaccharide present in the bacteriolytic complex lysoamidase (368) 113
Lilie, H. and J. Buchner, Domain interactions stabilize the *alternatively folded state* of an antibody Fab fragment (362) 43
Liljas, A. see N.L. Davydova (369) 229
Lill, H. see D. Steinemann (362) 171
Limet, J.N. see P.A. Denoel (361) 238
Limiroli, R. see R. Consonni (372) 135
Limongi, P., M. Resnati, L. Hernandez-Marrero, O. Cremona, F. Blasi and F. Fazioli, Biosynthesis and apical localization of the urokinase receptor in polarized MDCK epithelial cells (369) 207
Lin, C.-T. see F. Zhang (376) 77
Lin, J.-Y. see A.M. Wu (371) 32

Lin, Y.W. see A. Kataoka (364) 264
Lin, Z. and M.E. Johnson, Proposed cation-π mediated binding by factor Xa: a novel enzymatic mechanism for molecular recognition (370) 1
Lindau, M. see J. Hartmann (363) 217
Lindberg, U. see G. Pinaev (369) 144
Lindeberg, G. see M. Linder (372) 96
Linder, M., G. Lindeberg, T. Reinikainen, T.T. Teeri and G. Pettersson, The difference in affinity between two fungal cellulose-binding domains is dominated by a single amino acid substitution (372) 96
Lindgren, J.Å. see M. Sjölinder (377) 87
Lindquist, R.N. see J.S. Ulmer (365) 159
Lindros, K.O. see S.R. Aggarwal (377) 439
Lindsay, J.G. see A.G. James (373) 111
Lindström, E. see I.L. Korzh-Sleptsova (359) 151
Lindström, E., A. Berglund, K. Hansson Mild, P. Lindström and E. Lundgren, CD45 phosphatase in Jurkat cells is necessary for response to applied ELF magnetic fields (370) 118
Lindström, P. see E. Lindström (370) 118
Ling, J. see Q. Li (370) 123
Ling, V. see Y. Yin (366) 1
Linial, M. see U. Kistner (359) 159
Link, T.A. see M.F.J.M. Verhagen (361) 75
Linkova, E.V. see E.Yu. Morgunova (367) 183
Lionne, C., M. Brune, M.R. Webb, F. Travers and T. Barman, Time resolved measurements show that phosphate release is the rate limiting step on myofibrillar ATPases (364) 59
Lipkin, V.M. see I.I. Senin (376) 87
Lipp, P., B. Schwaller and E. Niggli, Specific inhibition of Na–Ca exchange function by antisense oligodeoxynucleotides (364) 198
Lippe, G., F. Di Pancrazio, F. Dabbeni-Sala, E. Bertoli and F. Tanfani, Influence of ADP, AMP-PNP and of depletion of nucleotides on the structural properties of F_1ATPase: a Fourier transform infrared spectroscopic study (373) 141
Lippens, G. see A. Leroy (361) 29
Lissin, N.M., In vitro dissociation and self-assembly of three chaperonin 60s: the role of ATP (361) 55
Littlechild, J. see C. Rush (359) 244
Litvak, S. see O.D. Zakharova (361) 287
Litvak, S. see V. Blanc (373) 56
Litvak, S. see O.D. Zakharova (373) 255
Liu, E.C.K. see P.M. Rose (361) 243
Liu, F., H. Yuan, K.S. Sugamori, A. Hamadanizadeh, F.J.S. Lee, S.F. Pang, G.M. Brown, Z.B. Pristupa and H.B. Niznik, Molecular and functional characterization of a partial cDNA encoding a novel chicken brain melatonin receptor (374) 273
Liu, F. see V. Parpura (360) 266
Liu, H. see J.-Y. Chatton (368) 165
Liu, H.-Y. see N. Shimizu (358) 48
Liu, S. see E.-B. Haddad (363) 285
Liu, W.-y. see Q. Li (370) 123
Lizard, G. see S. Fournel (367) 188
Lo Leggio, L. see J. Jenkins (362) 281
Lobos, S. see U. Urzúa (371) 132
Lock, T. see S. Perry (360) 277
Lockhart, A., R.A. Cross and D.F.A. McKillop, ADP release is the rate-limiting step of the MT activated ATPase of non-claret disjunctional and kinesin (368) 531
Lockyer, M. see G. Harwood (377) 73
Lodish, H.F. see A.M. Martelli (368) 271
Loeffelhardt, S. see V. Bunik (371) 167
Loeffler, R.S.T. see T. Joseph-Horne (374) 174
Löffler, B.-M. see F. Brunner (373) 97
Loh, T.T. see C.N. Lok (365) 137
Lohmann, S.M. see D. Pöhler (374) 419
Lohse, M. see D. Pöhler (374) 419
Loi, P.K. see G.R. Huesmann (371) 311
Lois, A.F. see I.B. Zhulin (367) 180
Lok, C.N., K.-F.J. Chan and T.T. Loh, Effects of protein kinase modulators on transferrin receptor expression in human leukaemic HL-60 cells (365) 137
Lomako, J. see D.G. Singh (376) 61
Lomako, J. see M.D. Alonso (359) 110
Lomako, W.M. see D.G. Singh (376) 61
Lomako, W.M. see M.D. Alonso (359) 110
Longo, D.L. see C.M. Bacon (370) 63
Longo, M.A. and D. Combes, A novel chemoenzymatic glycosylation strategy: application to lysozyme modification (375) 63
Lopes-Cardozo, M. see J.P. Vos (368) 393
Lopez, M.M. see D. Kosk-Kosicka (371) 57
Lopez, S. see L. Halbwachs-Mecarelli (374) 29
López-Boado, Y.S. see J.H. Morais Cabral (366) 53
López-Brauet, A. see O. Monasterio (374) 165
López-Moratalla, N. see L.A. Pérez-Mediavilla (357) 121
López-Otin, C. see J.H. Morais Cabral (366) 53
Lopez-Otín, C. see G. García-Casado (364) 36
López-Zabalza, M.J. see L.A. Pérez-Mediavilla (357) 121
Lorence, A., A. Darszon, C. Díaz, A. Liévano, R. Quintero and A. Bravo, δ-Endotoxins induce cation channels in *Spodoptera frugiperda* brush border membranes in suspension and in planar lipid bilayers (360) 217
Lorenz, S. see A. Nolte (374) 292
Lorenzo, M. see T. Teruel (364) 193
Lorimer, G.H. see A.S. Girshovich (366) 17
Lorimer, G.H. see M.J. Todd (359) 123
Lory, P. see G. Varadi (368) 405
Lostao, M.P., B.A. Hirayama, M. Panayotova-Heiermann, S.L. Sampogna, D. Bok and E.M. Wright, Arginine-427 in the Na^+/glucose cotransporter (SGLT1) is involved in trafficking to the plasma membrane (377) 181
Löster, K., O. Baum, W. Hofmann and W. Reutter, Chemical cross-linking leads to two high molecular mass aggregates of rat $\alpha_1\beta_1$ integrin differing in their conformation but not in their composition (373) 234
Lotan, T. and J. Hirschberg, Cloning and expression in *Escherichia coli* of the gene encoding β-C-4-oxygenase, that converts β-carotene to the ketocarotenoid canthaxanthin in *Haematococcus pluvialis* (364) 125
Lottspeich, F. see R. Stricker (370) 236
Lottspeich, F. see A. Jungbluth (375) 87
Lottspeich, F. see H. Klier (364) 207
Louisot, P. see F. Tardy (359) 169
Loukin, S.H. see X.-L. Zhou (373) 170
Lovestone, S. see D.A. Latimer (365) 42
Löw, P., F.J. Doherty, E. Fellinger, M. Sass, R.J. Mayer and L. László, Related organelles of the endosome–lysosome system contain a different repertoire of ubiquitinated proteins in Sf9 insect cells (368) 125
Lowe, D.G. see A.M. Engel (360) 169
Lowin, B. see M. Hane (373) 265
Lu, P., S.Q. Zhang, W.H. Outlaw Jr. and K.A. Riddle, Sucrose: a solute that accumulates in the guard-cell apoplast and guard-cell symplast of open stomata (362) 180
Lu, Z.-Y., Z.-J. Gu, X.-G. Zhang, J. Wijdenes, P. Neddermann, J.-F. Rossi and B. Klein, Interleukin-10 induces interleukin-11 responsiveness in human myeloma cell lines (377) 515
Lübbert, H. see C. Ullmer (370) 215
Lübbert, H. see P. Engels (358) 305
Lubitz, W. see R. Fiege (377) 325
Lucas-Heron, B., B. Le Ray and N. Schmitt, Does calmitine, a protein specific for the mitochondrial matrix of skeletal muscle, play a key role in mitochondrial function? (374) 309
Luchinat, C. see S.L. Davy (363) 199
Lücken, U. see B. Böttcher (373) 262
Luconi, M. see L. Bonaccorsi (364) 83
Ludwig, A. see L. Lacinová (373) 103
Ludwig, T. see R. Metzger (357) 27
Lugtenburg, J. see R.J. Weesie (362) 34
Lugtenburg, J. see R. Brudler (370) 88
Luh, F. see C. Chen (370) 46
Lühring, H. and V. Witzemann, Internodal cells of the giant green alga *Chara* as an expression system for ion channels (361) 65
Luić, M. see A. Bzowska (367) 214
Luirink, J. see R. Kusters (372) 253
Lukács, N. see M. de Graaff (371) 219
Lukas, T.J. see D.M. Watterson (373) 217
Lukas, T.J. see M.V. Medvedeva (360) 89
Lukins, H.B. see P.M. Finnegan (368) 505
Lund, J. see M. Nord (374) 403
Lundberg, U., A.B. West and S. Altman, Characterization of RNA with unusual electrophoretic mobility from tissues of patients with Crohn's disease (371) 345
Lunde, J.A. see B.J. Jasmin (374) 393
Lundgren, E. see I.L. Korzh-Sleptsova (359) 151

Lundgren, E. see E. Lindström (370) 118
Lundström-Ljung, J., U. Birnbach, K. Rupp, H.-D. Söling and A. Holmgren, Two resident ER-proteins, CaBP1 and CaBP2, with thioredoxin domains, are substrates for thioredoxin reductase: comparison with protein disulfide isomerase (357) 305
Lundwall, Å. and C. Lazure, A novel gene family encoding proteins with highly differing structure because of a rapidly evolving exon (374) 53
Lupas, A. see E. Seemüller (359) 173
Lupu-Meiri, M. see O. Geyer (374) 399
Lusson, J. see S. Benjannet (362) 151
Lütcke, A. see C. Bucci (366) 65
Luthria, D.L. see S.P. Baykousheva (367) 198
Lütticken, C., P. Coffer, J. Yuan, C. Schwartz, E. Caldenhoven, C. Schindler, W. Kruijer, P.C. Heinrich and F. Horn, Interleukin-6-induced serine phosphorylation of transcription factor APRF: evidence for a role in interleukin-6 target gene induction (360) 137
Luvisetto, S. see I. Schmehl (375) 206
Luzzati, V. see J.L. Nieva (368) 143
Luzzatto, L. see J.M. Bautista (366) 61
Lyakhnovich, G.V. see S.P. Martsev (361) 173
Lyakhov, D.L. see D.A. Kostyuk (369) 165
Lycksell, P.-O. and M. Sahlin, Demonstration of segmental mobility in the functionally essential carboxyl terminal part of ribonucleotide reductase protein R2 from *Escherichia coli* (368) 441
Lynch, J.S. see P.M. Rose (361) 243
Lynn, S., J.M. Morgan, H.K. Lamb, G. Meissner and J.I. Gillespie, Isolation and partial cloning of ryanodine-sensitive Ca^{2+} release channel protein isoforms from human myometrial smooth muscle (372) 6
Lynn, S. and J.I. Gillespie, Basic properties of a novel ryanodine-sensitive, caffeine-insensitive calcium-induced calcium release mechanism in permeabilised human vascular smooth muscle cells (367) 23
Lyzin, A. see B. Khodorov (371) 249

M

Ma, H. see E. Takano (362) 93
Ma, L. see M. Pu (361) 295
Maachi, F. see J. Straczek (373) 207
Maaheimo, H. see R. Niemelä (367) 67
Maasson, J.L. see P.C. Schmid (375) 117
Macaulay, V.M., P.J. Bates, M.J. McLean, M.G. Rowlands, T.C. Jenkins, A. Ashworth and S. Neidle, Inhibition of aromatase expression by a psoralen-linked triplex-forming oligonucleotide targeted to a coding sequence (372) 222
Maccarrone, M., G.A. Veldink, A.F. Agrò and J.F.G. Vliegenthart, Modulation of soybean lipoxygenase expression and membrane oxidation by water deficit (371) 223
Macdonald, H. see J. Henderson (371) 293
Mach, R.L. see J. Strauss (376) 103
Machado, A. see C. Santa Maria (374) 85
Macherel, D. see M.-H. Avelange-Macherel (361) 111
Machleidt, W. see E.A. Auerswald (361) 179
Machleidt, W. see C. Randak (363) 189
Machleidt, W., D.K. Nägler, I. Assfalg-Machleidt, M.T. Stubbs, H. Fritz and E.A. Auerswald, Temporary inhibition of papain by hairpin loop mutants of chicken cystatin: Distorted binding of the loops results in cleavage of the Gly^9-Ala^{10} bond (361) 185
Machovich, R. see J. Mandl (376) 65
Macieira-Coelho, A., Chaos in DNA partition during the last mitoses of the proliferative life-span of human fibroblasts (358) 126
MacIntyre, Sh. see V.P. Zav'yalov (371) 65
Maciver, S.K. see I. Murgia (360) 235
Mack, M. and W. Buckel, Identification of glutamate β54 as the covalent-catalytic residue in the active site of glutaconate CoA-transferase from *Acidaminococcus fermentans* (357) 145
MacKenzie, C.R. see N.M. Young (377) 135
MacKenzie, R.E. see G.B. Tremblay (368) 177
MacKintosh, C. see R.W. MacKintosh (371) 236
MacKintosh, C. see P. Douglas (377) 113
MacKintosh, C. see G. Moorhead (362) 101
MacKintosh, C. see H.R. Matthews (364) 51
MacKintosh, R.W., K.N. Dalby, D.G. Campbell, P.T.W. Cohen, P. Cohen and C. MacKintosh, The cyanobacterial toxin microcystin binds covalently to cysteine-273 on protein phosphatase 1 (371) 236
Macrì, F. see A. Vianello (365) 7
Macri, F. see A. Vianello (371) 258
Madaule, P., T. Furuyashiki, T. Reid, T. Ishizaki, G. Watanabe, N. Morii and S. Narumiya, A novel partner for the GTP-bound forms of *rho* and *rac* (377) 243
Madej, T., M.S. Boguski and S.H. Bryant, Threading analysis suggests that the obese gene product may be a helical cytokine (373) 13
Madsen, P. see P.S. Gromov (377) 221
Maeba, R., A. Maruyama, O. Tarutani, N. Ueta and H. Shimasaki, Oxidized low-density lipoprotein induces the production of superoxide by neutrophils (377) 309
Maes, D. see P. Verheyden (370) 245
Maes, E., J.-M. Wieruszeski, Y. Plancke and G. Strecker, Structure of three Kdn-containing oligosaccharide-alditols released from oviducal secretions of *Ambystoma tigrinum*: characterization of the carbohydrate sequence Fuc (α1–5) [Fuc (α1–4)] Kdn (α2–3/6) (358) 205
Maffrand, J.-P. see C. Serradeil-Le Gal (362) 192
Magae, J. see T. Kataoka (359) 53
Mager, S. see G.I. Keshet (371) 39
Mägert, H.-J. see K.W. Bensch (368) 331
Mägert, H.-J. see H.-D. Zucht (372) 185
Magherini, F. see N. Taddei (362) 175
Magherini, F. see A. Modesti (375) 235
Magnani, A. see C. Signorini (362) 165
Magni, P. see J.P. Vos (368) 393
Magretova, N.N. see I.V. Velichko (359) 20
Mahaffey, D.T., Y. Yoo and M. Rechsteiner, Ubiquitination of full-length cyclin (370) 109
Maher, F. see C.M. Wilson (368) 19
Mahon, P., J. Beattie, L.A. Glover and J. Hesketh, Localisation of metallothionein isoform mRNAs in rat hepatoma (H4) cells (373) 76
Mahoney, M.M., A.Y. Lee, D.J. Brezinski-Caliguri and K.M. Huttner, Molecular analysis of the sheep cathelin family reveals a novel antimicrobial peptide (377) 519
Maignan, S. see P. Chardin (369) 47
Maillet, F. see R. Poupot (368) 536
Maisonhaute, C. see A. Haoudi (377) 67
Majernik, A. see P. Šmigáň (371) 119
Majumder, K., M. De Biasi, Z. Wang and B.A. Wible, Molecular cloning and functional expression of a novel potassium channel β-subunit from human atrium (361) 13
Majumder, K. see A. Selvapandiyan (374) 253
Makarov, A. see L. Florens (373) 280
Makarov, A.A., I.I. Protasevich, N.P. Bazhulina and N.G. Esipova, Heat denaturation of pepsinogen in a water–ethanol mixture (357) 58
Makarov, A.A. see G.I. Yakovlev (366) 156
Makarov, E. see A. Danilkovich (369) 161
Makarova, N. see A. Danilkovich (369) 161
Makarova, Y.M. see V.L. Gabai (375) 21
Makeev, V.J., V.G. Tumanyan and N.G. Esipova, The third nucleotide of the Gly coding triplet remembers the periodicity of the collagen chain (366) 33
Maki, M. see E. Takano (362) 93
Maki, M. see S. Kubota (375) 31
Malaguti, C. see G.P. Rossini (376) 151
Malecha, J. see M. Salzet (357) 187
Malherbe, P., D. Alberati-Giani, C. Köhler and A.M. Cesura, Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain (367) 141
Mall, M. see A. Hipper (374) 312
Mallet, A.I. see N.K. Gopaul (368) 225
Malmström, B.G. see D.M. Mitchell (374) 371
Malmström, B.G. see P. Wittung (365) 27
Malutina, Y.V. see V.L. Gabai (375) 21
Malyshev, I.Y., E.B. Manukhina, V.D. Mikoyan, L.N. Kubrina and A.F. Vanin, Nitric oxide is involved in heat-induced HSP70 accumulation (370) 159

Manao, G. see A. Modesti (375) 235
Manao, G. see A. Caselli (374) 249
Manavalan, P., D.G. Dearborn, J.M. McPherson and A.E. Smith, Sequence homologies between nucleotide binding regions of CFTR and G-proteins suggest structural and functional similarities (366) 87
Mandieau, V., I. Martin and J.-M. Ruysschaert, Interaction between cardiolipin and the mitochondrial presequence of cytochrome *c* oxidase subunit IV favours lipid mixing without destabilizing the bilayer structure (368) 15
Mandl, J., C. Wall, I. Lerant, A. Falus, R. Machovich and R.G. Thurman, Endotoxin and fibrinogen degradation product-D have different actions on carbohydrate metabolism: role of Kupffer cells (376) 65
Mandl, S. see P. Kaiser (377) 193
Manganiello, V.C. see M. Omatsu-Kanbe (374) 187
Mangeat, P. see V. Niggli (376) 172
Mangeney-Andreani, M. see Y. Vandenbrouck (376) 99
Mann, G.E. see R.C.M. Siow (368) 239
Mann, K. see J.J. Calvete (365) 179
Mann, M. see T. Houthaeve (376) 91
Mann, S. see M.L. Benka (363) 49
Manna, S.K. and A.K. Samanta, Upregulation of interleukin-8 receptor in human polymorphonuclear neutrophils by formyl peptide and lipopolysaccharide (367) 117
Manon, S. see X. Roucou (364) 161
Mansuelle, P. see D. Rainteau (360) 80
Manukhina, E.B. see I.Y. Malyshev (370) 159
Manyosa, J. see P. Garriga (358) 27
Mao, C. see E.Y. Morgunova (367) 183
Marakhova, I.I., A.A. Vereninov, F.V. Toropova and T.A. Vinogradova, Long-term enhancement of Na,K-ATPase pump during blasttransformation of human lymphocytes is controlled first by translational, then by transcriptional mechanisms (368) 110
Marchand, J. see J.-M. Derocq (369) 177
Marchant, C.E., N.S. Law, C. van der Veen, S.J. Hardwick, K.L.H. Carpenter and M.J. Mitchinson, Oxidized low-density lipoprotein is cytotoxic to human monocyte-macrophages: protection with lipophilic antioxidants (358) 175
Marchesini, S. see J.P. Vos (368) 393
Marchini, C. see S. Ferroni (367) 319
Marcu, O. see M.L. Benka (363) 49
Marcucci, F. see G. Legname (361) 211
Marcus, C.B. see J.A. McKay (374) 270
Marden, M.C. see A. Dumoulin (374) 39
Mareel, M. see J. Willems (363) 289
Maresca, V. see L. Ghibelli (377) 9
Marette, A. see L. Dombrowski (374) 43
Marette, A. see L. Lavoie (366) 109
Margalit, I. see B. Spungin (357) 98
Margolis, L.B. see S.I. Galkina (374) 17
Marin, O. see A.M. Brunati (367) 149
Marin, O., F. Meggio, B. Boldyreff, O.-G. Issinger and L.A. Pinna, Dissection of the dual function of the β-subunit of protein kinase CK2 ('casein kinase-2'): a synthetic peptide reproducing the carboxyl-terminal domain mimicks the positive but not the negative effects of the whole protein (363) 111
Marinelli, M. see S. Bettuzzi (377) 321
Marino, G. see S. Maurelli (377) 82
Marino, M.H. see K. Giffin (357) 269
Marion, D. see M. Caffrey (368) 519
Marion, D. see N. Morelle (365) 172
Marksteiner, R. see J.M. Windisch (374) 125
Marquard, K. see M. Kron (374) 122
Marquardt, B. see D.A. Latimer (365) 42
Marra, E. see F. Abruzzese (366) 170
Marra, F., M. Pinzani, R. DeFranco, G. Laffi and P. Gentilini, Involvement of phosphatidylinositol 3-kinase in the activation of extracellular signal-regulated kinase by PDGF in hepatic stellate cells (376) 141
Marsden, A.F.A. see S.F. Haydock (374) 246
Marsh, D. see C. Venien-Bryan (359) 45
Marsh, D. see R.C.A. Keller (358) 251
Marshall, P. see L.P. Wennogle (371) 315
Martelli, A.M., R. Bareggi, G. Baldini, P.E. Scherer, H.F. Lodish and G. Baldini, Diffuse vesicular distribution of Rab3D in the polarized neuroendocrine cell line AtT-20 (368) 271
Martens, G.J.M. see J.A.M. Braks (371) 154
Marti, T. see U. Alexiev (373) 81
Martial, J.A. see S. Wera (358) 158
Martin, A. see F. Tardy (359) 169
Martin, D.M.A. see A.W. Ashton (374) 141
Martin, I. see V. Mandieau (368) 15
Martin, J.-P. see A. Héron (374) 195
Martin, J.F. see G.T. Stavri (358) 311
Martin, N.C. see K. Ylinenjärvi (357) 309
Martínez-Arias, W. see H. Olsson (361) 282
Martínez-Mas, J.V., J. Peinado-Onsurbe, B. Ruiz-Montasell, A. Felipe, F.J. Casado and M. Pastor-Anglada, Na^+,K^+-ATPase expression during the early phase of liver growth after partial hepatectomy (362) 85
Martinez-Romero, E. see R. Poupot (368) 536
Martin-Moutot, N. see O. El Far (361) 101
Martin-Moutot, N., C. Leveque, K. Sato, R. Kato, M. Takahashi and M. Seagar, Properties of ω conotoxin MVIIC receptors associated with α1A calcium channel subunits in rat brain (366) 21
Martins, J.C. see P. Verheyden (370) 245
Martín-Sanz, P. see F. Terenzi (368) 193
Martoglio, B. see M. Jadot (371) 145
Martsev, S.P., Z.I. Kravchuk, A.P. Vlasov and G.V. Lyakhnovich, Thermodynamic and functional characterization of a stable IgG conformer obtained by renaturation from a partially structured low pH-induced state (361) 173
Marty, E. see C. Serradeil-Le Gal (362) 192
Marumo, T. see K. Hishikawa (360) 291
Maruyama, A. see R. Maeba (377) 309
Maruyama, I. see K. Abeyama (364) 298
Maruyama, K. see T. Kinouchi (364) 203
Marwah, S. see S.C. Bondy (375) 53
Marwan, W. see C. Starostzik (370) 146
Marzo, I. see S. Gamen (376) 15
Marzocchini, R. see T. Fiaschi (367) 145
Masaki, T. see J.-B. Denault (362) 276
Masamune, A., S.-i. Hakomori and Y. Igarashi, *N,N,N*-Trimethylsphingosine inhibits interleukin-1β-induced NF-κB activation and consequent E-selectin expression in human umbilical vein endothelial cells (367) 205
Mashchenko, O.V. see N.L. Davydova (369) 229
Masiero, L. see A. Negro (360) 52
Mason, P.J. see J.M. Bautista (366) 61
Masserini, M. see A.M. Fra (375) 11
Masson, P. see C. Cléry (370) 212
Masters, C.L. see R.N. LePage (377) 267
Mastronicola, M.R. see V. Cafaro (359) 31
Masuda, K. see N. Shimba (360) 247
Masutani, H. see D. Trouche (361) 140
Matern, S. see E. Roeb (357) 33
Mathieu, M. see S. Fillinger (368) 547
Matovcik, L.M., H.C. Hemmings Jr. and B.K. Kinder, DARPP-32 (dopamine and cAMP-regulated phosphoprotein, M_r 32,000) is a membrane protein in the bovine parathyroid (364) 67
Matrosovich, M.N. see A.S. Gambaryan (366) 57
Matsubae, M. see N. Imamoto (368) 415
Matsubara, H. see H. Oh-oka (365) 30
Matsuda, H. see H. Hakamata (363) 29
Matsuda, Y. see S.C. Kaul (361) 269
Matsuda, Z. see S. Takahashi (368) 455
Matsumoto, K. see A. Tanaka (363) 226
Matsumoto, M. see T. Kawakami (358) 225
Matsumoto, R. see N. Nakanishi (368) 411
Matsumura, K. see K. Sode (364) 325
Matsumura, K. see H. Yamada (376) 37
Matsuo, H. see M. Sugiyama (362) 80
Matsuo, H. see S. Sugo (369) 311
Matsuo, H. see A. Tanaka (363) 226
Matsuo, K. see J. Silke (370) 170
Matsuoka, I., Y. Fujino, S. Ogita and M. Inoue, Impact of erythrocytes on mouse embryonal development in vitro (371) 297
Matsuoka, I. see H. Nagao (362) 75
Matsushita, S. see A. Zvi (368) 267
Matsuura, K. see M. Sato-Watanabe (374) 265
Matsu-ura, M. and M. Ikebe, Requirement of the two-headed structure for the phosphorylation dependent regulation of smooth muscle myosin (363) 246
Mattei, E. see G. Barile (372) 291
Mattei, M.-G. see S.S. Apte (363) 304

Matthews, H.R. and C. MacKintosh, Protein histidine phosphatase activity in rat liver and spinach leaves (364) 51
Matus-Leibovitch, N. see T. Avidor-Reiss (361) 70
Maundrell, K. see S. Arkinstall (364) 45
Maundrell, K. see S. Arkinstall (375) 183
Maurelli, S., T. Bisogno, L. De Petrocellis, A. Di Luccia, G. Marino and V. Di Marzo, Two novel classes of neuroactive fatty acid amides are substrates for mouse neuroblastoma 'anandamide amidohydrolase' (377) 82
Mauviel, A. see K. Korang (368) 556
Mavrodieva, V.A. see O.V. Karpova (360) 281
Maxwell, D. see A.G. Ivanov (371) 61
May, M.J. see M.R. Rawlins (376) 81
Mayer, B. see G.A. Peschek (371) 89
Mayer, R.J. see P. Löw (368) 125
Mayer, T. see A.C. Schiedel (376) 113
Mayer, U., E. Pöschl, D.R. Gerecke, D.W. Wagman, R.E. Burgeson and P. Timpl, Low nidogen affinity of laminin-5 can be attributed to two serine residues in EGF-like motif γ2III4 (365) 129
Mayo, K.H. see S. Barker (357) 301
Mazars, P., N. Barboule, V. Baldin, S. Vidal, B. Ducommun and A. Valette, Effects of TGF-β1 (transforming growth factor-β1) on the cell cycle regulation of human breast adenocarcinoma (MCF-7) cells (362) 295
Mazat, J.-P. see F. Sztark (368) 101
Mazière, C., M. Auclair, F. Rose-Robert, P. Leflon and J.C. Mazière, Glucose-enriched medium enhances cell-mediated low density lipoprotein peroxidation (363) 277
Mazière, J.C. see C. Mazière (363) 277
Mazurkiewicz, J.E. see A. Slominski (374) 113
McCaffrey, T. see H.M. Hanauske-Abel (366) 92
McCartney, D.G. see I.N. Singh (365) 125
McCarty, J. see E.J. Levy (368) 435
McCarty, J.M., E.K. Yee, T.A. Deisher, J.M. Harlan and K. Kaushansky, Interleukin-4 induces endothelial vascular cell adhesion molecule-1 (VCAM-1) by an NF-κb-independent mechanism (372) 194
McConkey, F. see K.S. Sugamori (362) 131
McCormack, K., T. McCormack, M. Tanouye, B. Rudy and W. Stühmer, Alternative splicing of the human *Shaker* K^+ channel β1 gene and functional expression of the β2 gene product (370) 32
McCormack, T. see K. McCormack (370) 32
McCullough, W. see E. Donnelly (377) 118
McDevitt, C.A. see R.R. Miller (363) 214
McDonough, P.M. see K.A. Krown (376) 24
McDowell, J.H. see J. Puig (362) 185
McGregor, R.A. see A. Carne (372) 243
McGuigan, C., Y. Wang and P.A. Riley, Synthesis and biological evaluation of substituted phosphate triester alkyl lyso phospholipids (ALPs) as novel potential anti-neoplastic agents (372) 259
McHugh, N.J. see M.J. Hubbard (374) 333
McIlhinney, R.A.J. see E. Molnár (371) 253
McIlhinney, R.A.J. see S. Alaluf (367) 301
McKay, J.A., W.T. Melvin, A.K. Ah-See, S.W.B. Ewen, W.F. Greenlee, C.B. Marcus, M.D. Burke and G.I. Murray, Expression of cytochrome P450 CYP1B1 in breast cancer (374) 270
McKillop, D.F.A. see A. Lockhart (368) 531
McLaughlin, P. see A.G. Weeds (360) 227
McLean, M.J. see V.M. Macaulay (372) 222
McLennan, J. see L. Hjelmqvist (367) 306
McNally, E.M. see T.J. Byers (368) 500
McPherson, J.M. see P. Manavalan (366) 87
Méchin, M.-C., Y. Bertin and J.-P. Girardeau, Hydrophobic cluster analysis and secondary structure predictions revealed that major and minor structural subunits of K88-related adhesins of *Escherichia coli* share a common overall fold and differ structurally from other fimbrial subunits (364) 319
Mechler, B. see S. Nwaka (360) 286
Mechoulam, R. see M. Bayewitch (375) 143
Mecklenburgh, K. see S. Hannah (372) 233
Medina, M. see F.J. Moreno (372) 65
Medvedeva, M.V., T.L. Bushueva, V.P. Shirinsky, T.J. Lukas, D.M. Watterson and N.B. Gusev, Interaction of smooth muscle caldesmon with calmodulin mutants (360) 89
Meens, J. see K.-L. Schimz (362) 29
Mège, R.-M. see J. Willems (363) 289
Megges, R. see K.R.H. Repke (359) 107
Meggio, F. see O. Marin (363) 111
Mehul, B., S. Bawumia and R.C. Hughes, Cross-linking of galectin 3, a galactose-binding protein of mammalian cells, by tissue-type transglutaminase (360) 160
Meier, R. see A. Cuenda (364) 229
Meilinger, M., M. Haumer, K.A. Szakmary, F. Steinböck, B. Scheiber, H. Goldenberg and M. Huettinger, Removal of lactoferrin from plasma is mediated by binding to low density lipoprotein receptor-related protein/α_2-macroglobulin receptor and transport to endosomes (360) 70
Meinke, A. see F. Barahmand-pour (360) 29
Meissner, G. see S. Lynn (372) 6
Meißner, J. see D. Pöhler (374) 419
Mejillano, M.R. see K. Kerksiek (377) 59
Melandri, B.A. see M. Crimi (367) 167
Melikian, N. see C. Castelluccio (368) 188
Melloni, E., B. Sparatore, M. Patrone, A. Pessino, M. Passalacqua and S. Pontremoli, Extracellular release of the 'differentiation enhancing factor', a HMG1 protein type, is an early step in murine erythroleukemia cell differentiation (368) 466
Melvin, J.E. see G.H. Zhang (371) 52
Melvin, W.T. see G.I. Murray (364) 79
Melvin, W.T. see J.A. McKay (374) 270
Menashi, S., I. Vlodavsky, R. Ishai-Michaeli, Y. Legrand and R. Fridman, The extracellular matrix produced by bovine corneal endothelial cells contains progelatinase A (361) 61
Mendelsohn, M.E. see M.L. Benka (363) 49
Mendelsohn, M.E. see R.H. Karas (377) 103
Méndez, E. see F.M. de Benito (360) 299
Ménez, A. see D. Servent (360) 261
Ménez, R. see I. Ségalas (371) 171
Mercken, M., F. Grynspan and R.A. Nixon, Differential sensitivity to proteolysis by brain calpain of adult human tau, fetal human tau and PHF-tau (368) 10
Meri, S. see T.S. Jokiranta (376) 31
Merin, J.P. see J.-P. Yang (361) 89
Merkler, D.J., R. Kulathila, W.A. Francisco, D.E. Ash and J. Bell, The irreversible inactivation of two copper-dependent monooxygenases by sulfite: peptidylglycine α-amidating enzyme and dopamine β-monooxygenase (366) 165
Merrick, W.C. see L. Iversen (358) 316
Merten, M.D., W. Kammouni and C. Figarella, Evidence for, and characterization of, a lipopolysaccharide-inducible adenosine A2 receptor in human tracheal gland serous cells (369) 202
Merz, G. see N. Haque (360) 132
Meshalkina, L.E., H. Neef, M.V. Tjaglo, A. Schellenberger and G.A. Kochetov, The presence of a hydroxyl group at the C-1 atom of the transketolase substrate molecule is necessary for the enzyme to perform the transferase reaction (375) 220
Mesuraca, M. see R. Ammendola (371) 209
Metcalfe, J.C. see P.R. Kemp (368) 81
Metlitskaya, A.Z., G.S. Katrukha, A.S. Shashkov, D.A. Zaitsev, Ts.A. Egorov and I.A. Khmel, Structure of microcin C51, a new antibiotic with a broad spectrum of activity (357) 235
Metsäranta, M. see A. Hiltunen (364) 171
Metsis, M. see L. Hjelmqvist (367) 306
Mett, I.L. see M.P. Boldin (367) 39
Metzger, J.W. see D.G. Singh (376) 61
Metzger, R., M. Bader, T. Ludwig, C. Berberich, B. Bunnemann and D. Ganten, Expression of the mouse and rat *mas* proto-oncogene in the brain and peripheral tissues (357) 27
Metzger, T.G. and D.M. Ferguson, On the role of extracellular loops of opioid receptors in conferring ligand selectivity (375) 1
Meunier, B. see P.R. Rich (375) 5
Meunier-Rotival, M. see C. Auge-Gouillou (368) 541
Meyer, C., M. Gonneau, M. Caboche and P. Rouzé, Identification by mutational analysis of four critical residues in the molybdenum cofactor domain of eukaryotic nitrate reductase (370) 197
Meyer, D. see T. Prangé (357) 247
Meyer, H.E. see D.G. Singh (376) 61
Meyer, H.E. see S.V. Polishchuk (362) 271
Meyer, J.-M. see S. Moreau (361) 225
Meyer, T. see N. Morelle (365) 172
Meyer, U.A. see E. Hintermann (375) 148
Meyer, W.K.-H. see H. Vissing (369) 153
Meyer zum Büschenfelde, K.-H. see M. Peters (372) 177
Meyerhof, W. see H. Hausmann (370) 227
Meyerhof, W. see T. Falk (367) 127

Meyers, M.B., C. Zamparelli, D. Verzili, A.P. Dicker, T.J.J. Blanck and E. Chiancone, Calcium-dependent translocation of sorcin to membranes: functional relevance in contractile tissue (357) 230
Meyersson, G. see L. Nilsson (372) 88
Mian, S., S. El Alaoui, J. Lawry, V. Gentile, P.J.A. Davies and M. Griffin, The importance of the GTP-binding protein tissue transglutaminase in the regulation of cell cycle progression (370) 27
Michaelis, J. see A.R. Hipkiss (371) 81
Michalak, M. see S. Baksh (376) 53
Michałowski, D. see J. Wrzesinski (374) 62
Michaud, M. see P.A. Patston (368) 401
Michel, A. see L. Capobianco (357) 297
Michel, H. see H.M. Weiß (377) 451
Michel, H. see L. Hjelmqvist (367) 237
Michel, L. see F. Beauvais (361) 229
Michikawa, T. see J. Hirota (368) 248
Mieskes, G. see K. Abel (370) 184
Mieyal, J.J. see C.A. Chrestensen (374) 25
Mignotte, B. see I. Guénal (374) 384
Mihm, M. see A. Slominski (374) 113
Mikala, G. see G. Varadi (368) 405
Mikhailov, A.M. see E.Yu. Morgunova (367) 183
Mikhaleva, I.I. see E.M. Khvatova (368) 367
Miki, K. see H. Nishida (361) 97
Miki, T. see H. Fujii (377) 345
Miki, Y. see S.-i. Kidokoro (367) 73
Mikoshiba, K. see J. Hirota (368) 248
Mikoyan, V.D. see I.Y. Malyshev (370) 159
Miles, H.T. see A.K. Sau (377) 301
Miljanich, G.P. see V.J. Basus (370) 163
Milla, P. see P. Sartori (358) 53
Millar, D.G. see I.S. Goping (373) 45
Millasseau, P. see L. Gannoun-Zaki (375) 268
Miller, C. see A. Vahdat (365) 149
Miller, C.C.J. see D.A. Latimer (365) 42
Miller, D.B. see L.P. Wennogle (371) 315
Miller, N.J., G. Paganga, S. Wiseman, W. Van Nielen, L. Tijburg, P. Chowienczyk and C.A. Rice-Evans, Total antioxidant activity of low density lipoproteins and the relationship with α-tocopherol status (365) 164
Miller, R. see J. Puig (362) 185
Miller, R.R. and C.A. McDevitt, Thrombospondin 1 binds to the surface of bovine articular chondrocytes by a linear RGD-dependent mechanism (363) 214
Millett, F. see D.L. Zaslavsky, (359) 27
Min, D.S. see Y.H. Lee (358) 105
Minami, M., T. Onogi, T. Nakagawa, Y. Katao, Y. Aoki, S. Katsumata and M. Satoh, DAMGO, a μ-opioid receptor selective ligand, distinguishes between μ-and κ-opioid receptors at a different region from that for the distinction between μ- and δ-opioid receptors (364) 23
Minami, M. see H.W.L. Lai (360) 97
Minami, M. see T. Onogi (357) 93
Minami, N. see N. Nakanishi (368) 411
Minami, Y. see M. Adachi (372) 113
Minamino, N. see S. Sugo (369) 311
Minard, P. see K. Gast (358) 247
Minegishi, T. see S. Karino (362) 147
Mingarro, I., E. Pérez-Payá, C. Pinilla, J.R. Appel, R.A. Houghten and S.E. Blondelle, Activation of bee venom phospholipase A_2 through a peptide–enzyme complex (372) 131
Minke, W. see T.V. Borchert (367) 315
Minyat, E.E. see A.K. Shchyolkina (367) 81
Mira, J.-C. see A. d'Albis (375) 67
Mirny, L. see R.N. Alon (371) 231
Mironov, A.S. see E.Yu. Morgunova (367) 183
Mirzabekov, A.D. see D.E. Kamashev (375) 27
Mirzoeva, O.K., G.F. Sud'ina, M.A. Pushkareva and S.D. Varfolomeev, Competitive inhibition of the 5-lipoxygenase-catalysed linoleate oxidation by arachidonic and 5-hydroperoxy-eicosatetraenoic acids (377) 306
Misawa, H., H. Ueda, T. Katada, M. Ui and M. Satoh, A subtype of opioid κ-receptor is coupled to inhibition of Gi1-mediated phospholipase C activity in the guinea pig cerebellum (361) 106
Mischak, H. see A. Kieser (372) 189
Mishina, M. see T. Yamakura (374) 412
Misquith, S. and A. Surolia, In vivo treatment of Heymann's Nephritis using a cytotoxic protein–toxin conjugate (373) 151
Misra, S. see D.J. Brick (377) 475
Misu, Y. see H. Ueda (375) 201
Mitchell, A.C. see C.G. Morgan (375) 113
Mitchell, D.M. and R.B. Gennis, Rapid purification of wildtype and mutant cytochrome *c* oxidase from *Rhodobacter sphaeroides* by Ni^{2+}-NTA affinity chromatography (368) 148
Mitchell, D.M., R. Aasa, P. Ädelroth, P. Brzezinski, R.B. Gennis and B.G. Malmström, EPR studies of wild-type and several mutants of cytochrome *c* oxidase from *Rhodobacter sphaeroides*: Glu^{286} is not a bridging ligand in the cytochrome a_3–Cu_B center (374) 371
Mitchell, T.J. see P.J. Morgan (371) 77
Mitchinson, M.J. see C.E. Marchant (358) 175
Mitchinson, M.J. see D.J. Lamb (374) 12
Mitschler, A. see V. Cura (374) 110
Mitsiou, D.J. and M.N. Alexis, Temporary loss of glucocorticoid receptor-mediated regulation of gene expression in heat-shocked cells (362) 309
Mitsui, S. see T. Endo (359) 93
Mitsui, Y. see S.C. Kaul (361) 269
Mitsumoto, Y. see C.M. Wilson (368) 19
Mitterer, A. see B.E. Fischer (375) 259
Miura, K.-i. see M. Wakiyama (360) 191
Miura, T. see H. Tachikawa (369) 212
Miwa, I. see Y. Toyoda (359) 81
Miyake, N. see S. Toyokuni (359) 189
Miyake, T. see S.-i. Kidokoro (367) 73
Miyamae, T. see H. Ueda (375) 201
Miyamoto, E. see T. Saito (376) 238
Miyamoto, K. see A. Tanaka (363) 226
Miyamoto, K. see S. Karino (362) 147
Miyamoto, K.-i. see T. Oka (367) 49
Miyashita, H., K.-i. Nakagawara, M. Mori, Y. Narushima, N. Noguchi, S. Moriizumi, S. Takasawa, H. Yonekura, T. Takeuchi and H. Okamoto, Human *REG* family genes are tandemly ordered in a 95-kilobase region of chromosome 2p12 (377) 429
Miyata, M., S. Biro, H. Kaieda and H. Tanaka, Lipoprotein(a) stimulates the proliferation of cultured human arterial smooth muscle cells through two pathways (377) 493
Miyata, T. see S. Takahashi (368) 455
Miyawaki, A. see J. Hirota (368) 248
Miyazaki, A. see H. Hakamata (363) 29
Miyazaki, J.-i. see H. Ishihara (371) 329
Miyazawa, K. see W. Tang (362) 220
Miyoshi, H. see M. Sato-Watanabe (374) 265
Miyoshi, J. see K. Yoshioka (372) 25
Mizobata, T. see Y. Kawata (369) 283
Mizoguchi, T., N. Hayashida, K. Yamaguchi-Shinozaki, H. Kamada and K. Shinozaki, Two genes that encode ribosomal-protein S6 kinase homologs are induced by cold or salinity stress in *Arabidopsis thaliana* (358) 199
Mizunaga, T. see H. Tachikawa (369) 212
Mizuno, K. see T. Kinouchi (364) 203
Mizuno, K., K. Noda, Y. Ueda, H. Hanaki, T.C. Saido, T. Ikuta, T. Kuroki, T. Tamaoki, S.-i. Hirai, S.-i. Osada and S. Ohno, UCN-01, an anti-tumor drug, is a selective inhibitor of the conventional PKC subfamily (359) 259
Mizuno, K. see N. Nishioka (377) 393
Mizuno, T. see H. Aiba (376) 199
Mizuno, T. see H. Shindo (360) 125
Mizuno, Y. see M. Yoshida (367) 311
Mizuochi, T. see M. Sugimoto (363) 53
Mlekusch, W. see W. Estelberger (357) 37
Mocelin, G. see N. Anthony (368) 461
Mochizuki, H. see M. Sugiyama (362) 80
Mochizuki, N., M. Hibi, Y. Kanai and P.A. Insel, Interaction of the protein nucleobindin with $G_{\alpha i2}$, as revealed by the yeast two-hybrid system (373) 155
Möckel, B. see G. Nagel (377) 263
Moczko, M. see N. Seki (375) 307
Modena, D. see G. Legname (361) 211
Modesti, A. see N. Taddei (362) 175
Modesti, A., P. Cirri, G. Raugei, L. Carraresi, F. Magherini, G. Manao, G. Camici and G. Ramponi, Expression, purification and kinetic behaviour of fission yeast low M_r protein-tyrosine phosphatase (375) 235

Mogi, A., M. Hatai, H. Soga, S. Takenoshita, Y. Nagamachi, J. Fujimoto, T. Yamamoto, J. Yokota and Y. Yaoi, Possible role of protein kinase C in the regulation of intracellular stability of focal adhesion kinase in mouse 3T3 cells (373) 135
Mogi, T. see M. Sato-Watanabe (374) 265
Mogi, T., T. Hirano, H. Nakamura, Y. Anraku and Y. Orii, Cu_B promotes both binding and reduction of dioxygen at the heme-copper binuclear center in the *Escherichia coli bo*-type ubiquinol oxidase (370) 259
Mohan, P.S. see C.M. Cressman (367) 223
Möhlmann, T. see K. Kampfenkel (374) 351
Mohr, E. see P.C. Svane (373) 35
Moinat, M., C. Deng, P. Muzzin, F. Assimacopoulos-Jeannet, J. Seydoux, A.G. Dulloo and J.-P. Giacobino, Modulation of *obese* gene expression in rat brown and white adipose tissues (373) 131
Moinuddin, see R. Hasan (368) 27
Moir, A.M.B. and V.A. Zammit, Acute meal-induced changes in hepatic glycerolipid metabolism are unimpaired in severely diabetic rats: implications for the role of insulin (370) 255
Moiseyev, G.P. see G.I. Yakovlev (366) 156
Mojsov, S. see Y. Wei (358) 219
Mokhova, E.N. see A. Vianello (371) 258
Mokhova, E.N. see A. Vianello (365) 7
Molinari, H. see R. Consonni (372) 135
Møller, I.M. see T.H. Roberts (373) 307
Mollner, S., K. Beck and T. Pfeuffer, Acylation of adenylyl cyclase catalyst is important for enzymic activity (371) 241
Molloy, D.P., D. Owen and R.J.A. Grand, Ras binding to a C-terminal region of GAP (368) 297
Molnár, E., A. Váradi, R.A.J. McIlhinney and S.J.H. Ashcroft, Identification of functional ionotropic glutamate receptor proteins in pancreatic β-cells and in islets of Langerhans (371) 253
Molnár, I. see S.F. Haydock (374) 246
Mommsen, T.P. see S.J. Duguay (371) 69
Momose, K. see K. Yoshikawa (373) 250
Monasterio, O., E. Nova, A. López-Brauet and R. Lagos, Tubulin-tyrosine ligase catalyzes covalent binding of 3-fluoro-tyrosine to tubulin: kinetic and [^{19}F]NMR studies (374) 165
Monden, I. see M. Wellner (370) 19
Monden, M. see K. Okahara (373) 108
Moniakis, J. see B. Coukell (362) 342
Monsigny, M. see J. Raimond (363) 165
Montal, M. see L.M. Gutiérrez (372) 39
Montanaro, L. see M. Brigotti (373) 115
Monteil, H. see G. Prevost (376) 135
Montejo de Garcini, E. see F.J. Moreno (372) 65
Montenarh, M. see P. Wagner (377) 155
Montero, F. see G. Colmenarejo (374) 426
Montes, A. see A. Chiloeches (361) 46
Montesino, R. see M. Raices (369) 233
Monti, D. see M. Sandri (373) 291
Montjovent, M.-O. see A.E.I. Proudfoot (376) 19
Montoya, J. see S. Gamen (376) 15
Montuenga, L. see L.A. Pérez-Mediavilla (357) 121
Monzini, N. see G. Legname (361) 211
Moog-Lutz, C. see C. Tomasetto (373) 245
Moore, A.L. see J.N. Siedow (362) 10
Moore, G.R. see S.L. Davy (363) 199
Moorhead, G. see M.J. Doherty (375) 294
Moorhead, G., C. MacKintosh, N. Morrice and P. Cohen, Purification of the hepatic glycogen-associated form of protein phosphatase-1 by microcystin-Sepharose affinity chromatography (362) 101
Morag, E. see S. Yaron (360) 121
Morais Cabral, J.H., G.L. Atkins, L.M. Sánchez, Y.S. López-Boado, C. López-Otín and L. Sawyer, Arachidonic acid binds to apolipoprotein D: implications for the protein's function (366) 53
Morales, B., P. Labarca and J. Bacigalupo, A ciliary K^+ conductance sensitive to charibdotoxin underlies inhibitory responses in toad olfactory receptor neurons (359) 41
Morandini, P. see I. Murgia (360) 235
Moras, D. see V. Cura (374) 110
Mordant, P. see B. Nelissen (377) 232
Moreau, S., J.-M. Meyer and A. Puppo, Uptake of iron by symbiosomes and bacteroids from soybean nodules (361) 225
Morell, S., H. Follmann and I. Häberlein, Identification and localization of the first glutaredoxin in leaves of a higher plant (369) 149
Morelle, N., J.-P. Simorre, M. Caffrey, T. Meyer, M. Cusanovich and D. Marion, ^{1}H and ^{13}C NMR assignment and secondary structure of *Chlorobium limicola* f. *thiosulfatophilum* ferrocytochrome c_{555} (365) 172
Moreno, F. see I. Ordiz (367) 219
Moreno, F.J., M. Medina, M. Pérez, E. Montejo de Garcini and J. Avila, Glycogen synthase kinase 3 phosphorylates recombinant human tau protein at serine-262 in the presence of heparin (or tubulin) (372) 65
Moreton, K., R. Turner, N. Blake, A. Paton, N. Groome and M. Rumsby, Protein expression of the α, γ, δ and ε subspecies of protein kinase C changes as C6 glioma cells become contact inhibited and quiescent in the presence of serum (372) 33
Morgan, C.G., R.H. Bisby, S.A. Johnson and A.C. Mitchell, Fast solute release from photosensitive liposomes: an alternative to 'caged' reagents for use in biological systems (375) 113
Morgan, J.M. see S. Lynn (372) 6
Morgan, J.M. and J.I. Gillespie, The modulation and characterisation of the Ca^{2+}-induced Ca^{2+} release mechanism in cultured human myometrial smooth muscle cells (369) 295
Morgan, P.J., S.C. Hyman, A.J. Rowe, T.J. Mitchell, P.W. Andrew and H.R. Saibil, Subunit organisation and symmetry of pore-forming, oligomeric pneumolysin (371) 77
Morgunova, E.Yu., A.M. Mikhailov, A.N. Popov, E.V. Blagova, E.A. Smirnova, B.K. Vainshtein, Ch. Mao, Sh.R. Armstrong, S.E. Ealick, A.A. Komissarov, E.V. Linkova, A.A. Burlakova, A.S. Mironov and V.G. Debabov, Atomic structure at 2.5 Å resolution of uridine phosphorylase from *E. coli* as refined in the monoclinic crystal lattice (367) 183
Mori, A. see S. Roy (376) 164
Mori, K. see K. Fukuda (373) 177
Mori, M. see K. Iba (373) 1
Mori, M. see H. Miyashita (377) 429
Mori, Y. see A. Ito (360) 75
Morii, H. see M. Hino (374) 69
Morii, N. see N. Kumagai (366) 11
Morii, N. see Y. Saito (371) 105
Morii, N. see P. Madaule (377) 243
Moriishi, K. see M. Noda (367) 246
Moriizumi, S. see H. Miyashita (377) 429
Morikawa, S. see H. Shindo (360) 125
Morimoto, H. see N. Shibayama (372) 126
Morimoto, K. see M. Katsuyama (372) 151
Morimoto, S. see H. Toyoda (377) 403
Morishita, E. see M. Nagao (373) 225
Morita, T. see D. Watanabe (368) 509
Moriyama, T., H. Kataoka, H. Tsubouchi and M. Koono, Concomitant expression of hepatocyte growth factor (HGF), HGF activator and c-met genes in human glioma cells in vitro (372) 78
Moriyama, Y. see Y. Someya (374) 72
Moriyama, Y., V. Patel and M. Futai, Quinacrine mustard and lipophilic cations inhibitory to both vacuolar H^+-ATPase and F_0F_1-ATP synthase (359) 69
Moriyama, Y. and A. Yamamoto, Microvesicles isolated from bovine pineal gland specifically accumulate L-glutamate (367) 233
Mornon, J.-P. see I. Callebaut (374) 211
Moroz, I.A. see A.D. Vinogradov (370) 83
Morozov, A., J. Subjeck and P. Raychaudhuri, HPV16 E7 oncoprotein induces expression of a 110 kDa heat shock protein (371) 214
Morozova, L. see U. Röhrig (374) 284
Morr, J., N. Rundström, H. Betz, D. Langosch and B. Schmitt, Baculovirus-driven expression and purification of glycine receptor α1 homo-oligomers (368) 495
Morrice, N. see M.J. Doherty (375) 294
Morrice, N. see P. Douglas (377) 113
Morrice, N. see G. Moorhead (362) 101
Morris, G.E. see Nguyen thi Man (358) 262
Moser, B. see S.A. Jones (364) 211
Mosin, A.F. see V.L. Gabai (375) 21
Mosina, V.A. see V.L. Gabai (375) 21
Mostov, K. see M. Cardone (376) 74
Mott, J.D. see J.Y. Ahn (366) 37
Mou, J., D.M. Czajkowsky, Y. Zhang and Z. Shao, High-resolution atomic-force microscopy of DNA: the pitch of the double helix (371) 279

Mould, A.P., A.N. Garratt, J.A. Askari, S.K. Akiyama and M.J. Humphries, Identification of a novel anti-integrin monoclonal antibody that recognises a ligand-induced binding site epitope on the β1 subunit (363) 118
Moutoussamy, S. see A. Sotiropoulos (369) 169
Mozhaev, V.V. see R.V. Rariy (364) 98
Mozzherin, D.J. see M.V. Jasko (357) 23
Mueller, S.O. and R.K. Slany, Structural analysis of the interaction of the tRNA modifying enzymes Tgt and QueA with a substrate tRNA (361) 259
Muga, A. see S.G. Taneva (367) 297
Mügge, C. see H. Weißhoff (372) 203
Muhlrad, A. see A. Vahdat (365) 149
Mukai, H. see H. Takanaga (368) 276
Mukai, M. see K. Yoshioka (372) 25
Mukasa, K. see T. Kikukawa (377) 502
Mukhopadhyay, A., B. Mukhopadhyay and S.K. Basu, Circumvention of multidrug resistance in neoplastic cells through scavenger receptor mediated drug delivery (376) 95
Mukhopadhyay, B. see A. Mukhopadhyay (376) 95
Mukhtarova, L.S. see A.N. Grechkin (371) 159
Mukouyama, Y. see D. Chida (358) 233
Müllberg, J. see U. Horsten (360) 43
Müller, C.W. and S.C. Harrison, The structure of the NF-κB p50:DNA-complex: a starting point for analyzing the Rel family (369) 113
Müller, M. see K.-L. Schimz (362) 29
Müller, S. see D. Pöhler (374) 419
Müller, T. see P. Engels (358) 305
Müller-Frohne, M. see K. Gast (358) 247
Mulvihill, E.R. see S. Alaluf (367) 301
Mundt, W. see B.E. Fischer (375) 259
Munekata, E. see N. Kobayashi (366) 99
Murakami, H. see I. Nakamura (361) 79
Murakami, H. see T. Sugahara (368) 92
Muramoto, K. see N. Takamatsu (377) 373
Muramoto, K. see W. Choorit (357) 260
Muramoto, N. see A. Hirasawa (363) 256
Murase, T. and E.R.S. Roldan, Epidermal growth factor stimulates hydrolysis of phosphatidylinositol 4,5-bisphosphate, generation of diacylglycerol and exocytosis in mouse spermatozoa (360) 242
Murata, H. see K.-i. Yoshino (362) 319
Murata, M. see D. Zacchetti (377) 465
Murata, N. see E. Kanervo (364) 239
Murata, N. see M.-H. Avelange-Macherel (361) 111
Murgia, I., S.K. Maciver and P. Morandini, An actin-related protein from *Dictyostelium discoideum* is developmentally regulated and associated with mitochondria (360) 235
Muroi, M. see T. Kataoka (359) 53
Muronetz, V.I. see E.V. Schmalhausen (375) 18
Murphy, G. see R.N. LePage (377) 267
Murphy, G. see F. Willenbrock (358) 189
Murr, C. see G. Baier-Bitterlich (364) 234
Murray, G.I. see J.A. McKay (374) 270
Murray, G.I., S. Pritchard, W.T. Melvin and M.D. Burke, Cytochrome P450 CYP3A5 in the human anterior pituitary gland (364) 79
Murray, S. see C. Exley (364) 182
Musco, G. see M.A. Castiglione Morelli (358) 193
Mushinski, J.F. see A. Kieser (372) 189
Musolyamov, A.X. see M.A. Belozersky (371) 264
Muta, T. see H. Nishimura (357) 207
Muzafarov, E.N. see O.P. Serdyuk (365) 10
Muzzin, P. see M. Moinat (373) 131
Myotoishi, Y. see T. Shimizu (369) 221

N

Nabet, P. see J. Straczek (373) 207
Nadano, D. see T. Yasuda (359) 211
Nadasdi, L. see V.J. Basus (370) 163
Nagai, J. see Y. Kawata (369) 283
Nagai, K. see T. Kataoka (359) 53
Nagai, K. see T. Suzuki (377) 333
Nagamachi, Y. see A. Mogi (373) 135
Nagamune, T. see T. Noguchi (358) 9
Nagao, H. see S.-i. Kidokoro (367) 73
Nagao, H., I. Matsuoka and K. Kurihara, Effects of adenylyl cyclase-linked neuropeptides on the expression of ciliary neurotrophic factor-mRNA in cultured astrocytes (362) 75
Nagao, M., E. Morishita, Y. Hanai, K. Kobayashi and R. Sasaki, *N*-Glycosylation-defective receptor for erythropoietin can transduce the ligand-induced cell proliferation signal (373) 225
Nagasawa, S. see M. Ohkuro (373) 189
Nagasawa, S. see H. Nishimura (357) 207
Nagase, T. see N. Seki (375) 307
Nagata, Y. and K. Todokoro, Thrombopoietin induces activation of at least two distinct signaling pathways (377) 497
Nagel, G., B. Möckel, G. Büldt and E. Bamberg, Functional expression of bacteriorhodopsin in oocytes allows direct measurement of voltage dependence of light induced H^+ pumping (377) 263
Nägler, D.K. see W. Machleidt (361) 185
Nägler, D.K. see E.A. Auerswald (361) 179
Nagley, P. see P.M. Finnegan (368) 505
Nagradova, N.K. see E.V. Schmalhausen (375) 18
Nairn, J., T. Krell, J.R. Coggins, A.R. Pitt, L.A. Fothergill-Gilmore, R. Walter and N.C. Price, The use of mass spectrometry to examine the formation and hydrolysis of the phosphorylated form of phosphoglycerate mutase (359) 192
Nakabayashi, K. see M. Fujii (375) 263
Nakagawa, H. see M.A. Khan (362) 201
Nakagawa, H. see T. Horikoshi (363) 141
Nakagawa, T. see M. Minami (364) 23
Nakagawa, T. see T. Onogi (357) 93
Nakagawara, K.-i. see H. Miyashita (377) 429
Nakagoshi, H. see T. Takahashi (358) 89
Nakai, K. see M. Nishikawa (375) 299
Nakai, M. and T. Endo, Identification of yeast *MAS17* encoding the functional counterpart of the mitochondrial receptor complex protein MOM22 of *Neurospora crassa* (357) 202
Nakai, M. see T. Nohara (364) 305
Nakai, M. see K. Fukui (368) 31
Nakaie, C.R. see T.A. Pertinhez (375) 239
Nakajima, H. see R. Fujita (376) 41
Nakajima, N. and K. Abe, Genomic structure of the mouse A-type lamin gene locus encoding somatic and germ cell-specific lamins (365) 108
Nakajima, T. see K. Abeyama (364) 298
Nakaki, T. see K. Hishikawa (360) 291
Nakamura, H. see S. Iwai (368) 315
Nakamura, H. see T. Mogi (370) 259
Nakamura, H. see H. Shindo (360) 125
Nakamura, I., N. Takahashi, T. Sasaki, S. Tanaka, N. Udagawa, H. Murakami, K. Kimura, Y. Kabuyama, T. Kurokawa, T. Suda and Y. Fukui, Wortmannin, a specific inhibitor of phosphatidylinositol-3 kinase, blocks osteoclastic bone resorption (361) 79
Nakamura, K. see S. Karino (362) 147
Nakamura, M. see T. Arakawa (363) 105
Nakamura, N. see M. Sugiyama (362) 80
Nakamura, Y. see A. Takeda (359) 78
Nakamura, Y. see M. Kishi (364) 293
Nakanishi, H. see M.S. Lee (359) 113
Nakanishi, N. see Y. Hattori (368) 336
Nakanishi, N. see H. Hasegawa (368) 151
Nakanishi, N., S. Onozawa, R. Matsumoto, K. Kurihara, T. Ueha, H. Hasegawa and N. Minami, Effects of protein kinase inhibitors and protein phosphatase inhibitors on cyclic AMP-dependent down-regulation of vesicular monoamine transport in pheochromocytoma PC12 Cells (368) 411
Nakano, M., M. Kikuyama, T. Hasegawa, T. Ito, K. Sakurai, K. Hiraishi, E. Hashimura and M. Adachi, The first observation of O_2^- generation at real time in vivo from non-Kupffer sinusoidal cells in perfused rat liver during acute ethanol intoxication (372) 140
Nakano, T. see J.-P. Yang (361) 89
Nakano, T., M. Sato and M. Takeuchi, Unique molecular properties of superoxide dismutase from teleost fish skin (360) 197
Nakao, H. see K.-i. Yoshino (362) 319

Nakashima, I. see M. Pu (361) 295
Nakata, M. see K. Kobayashi (372) 69
Nakata, M. see M. Sugimoto (363) 53
Nakaya, T. see M. Kishi (364) 293
Nakayama, I. see M. Okuda (368) 343
Namba, T. see N. Nishigaki (364) 339
Nametkin, S.N. see R.V. Rariy (364) 98
Naoui, M. see H.A. Tajmir-Riahi (370) 105
Napier, R.M. see J. Henderson (371) 293
Naranda, T., I. Sirangelo, B.J. Fabbri and J.W.B. Hershey, Mutations in the NKXD consensus element indicate that GTP binds to the γ-subunit of translation initiation factor eIF2 (372) 249
Narang, S.A. see N.M. Young (377) 135
Narita, K. see T. Suzuki (377) 333
Narizhneva, N.V. see V.N. Uversky (364) 165
Narumiya, S. see N. Nishigaki (364) 339
Narumiya, S. see H. Toh (361) 17
Narumiya, S. see Y. Saito (371) 105
Narumiya, S. see P. Madaule (377) 243
Narumiya, S. see M. Katsuyama (372) 151
Narumiya, S. see N. Kumagai (366) 11
Narushima, Y. see H. Miyashita (377) 429
Nassar, M. see X. Bo (375) 129
Nastainczyk, W. see P. Wagner (377) 155
Natori, S. see S.-R. Lee (368) 485
Natori, Y. see T. Oka (367) 49
Natori,, Y. see E.V. Rukavishnikova (369) 217
Naughton, D.P., J. Knappitt, K. Fairburn, K. Gaffney, D.R. Blake and M. Grootveld, Detection and investigation of the molecular nature of low-molecular-mass copper ions in isolated rheumatoid knee-joint synovial fluid (361) 167
Naumann, D. see J. Backmann (364) 175
Naumova, I.B. see A.S. Shashkov (371) 163
Naval, J. see S. Gamen (376) 15
Naveilhan, P. see I.D. Laviada (364) 301
Navolotskaya, E.V. see V.P. Zav'yalov (371) 65
Nazarova, T.I. see S.M. Avaeva (377) 44
Neault, J.F. see H.A. Tajmir-Riahi (370) 105
Nebreda, A.R. see Y.N. Doza (364) 223
Neddermann, P. see Z.-Y. Lu (377) 515
Neef, H. see L.E. Meshalkina (375) 220
Negishi, M. see N. Nishigaki (364) 339
Negishi, M. see M. Katsuyama (372) 151
Negishi, M., N. Odani, T. Koizumi, S. Takahashi and A. Ichikawa, Involvement of protein kinase in Δ^{12}-prostaglandin J_2-induced expression of rat heme oxygenase-1 gene (372) 279
Negri, A. see P. Fusi (360) 187
Negri, A. see S. Pagani (357) 79
Negro, A., M. Onisto, L. Masiero and S. Garbisa, Synthesis and refolding of human TIMP-2 from *E. coli*, with specific activity for MMP-2 (360) 52
Neidle, S. see V.M. Macaulay (372) 222
Nekrasov, A.N., A.V. Stepanov and V.P. Timofeev, The features of the spatial structure of the gramicidine A–cesium complex (371) 35
Neliat, G. see C. Serradeil-Le Gal (362) 192
Nelissen, B., P. Mordant, J.-L. Jonniaux, R. De Wachter and A. Goffeau, Phylogenetic classification of the major superfamily of membrane transport facilitators, as deduced from yeast genome sequencing (377) 232
Nemansky, M., W.E.C.M. Schiphorst and D.H. Van den Eijnden, Branching and elongation with lactosaminoglycan chains of N-linked oligosaccharides result in a shift toward termination with $\alpha2\rightarrow3$-linked rather than with $\alpha2\rightarrow6$-linked sialic acid residues (363) 280
Nematollahi, H. see M. Hecker (359) 251
Nemenoff, R.A. see P.A. Wojtaszek (367) 228
Nemoto, Y. see Y. Saito (371) 105
Neuhaus, H.E. see K. Kampfenkel (374) 351
Neuman, A. see T. Prangé (357) 247
Neuman, K., H.O. Nornes and T. Neuman, Helix-loop-helix transcription factors regulate Id2 gene promoter activity (374) 279
Neuman, T. see K. Neuman (374) 279
Nevalainen, H. see B.W. Hazell (377) 457
Nevinsky, G.A. see O.D. Zakharova (373) 255
Nevinsky, G.A., D.V. Bugreev, V.N. Buneva, Y. Yasui, M. Nishizawa and T. Andoh, High affinity interaction of mammalian DNA topoisomerase I with short single- and double-stranded oligonucleotides (368) 97
Nevinsky, G.A. see O.D. Zakharova (361) 287
Newman, P., V.V. Kakkar and S.M. Kanse, Modulation of endothelin receptor expression in human vascular smooth muscle cells by interleukin-1β (363) 161
Nguyen, C. see K.A. Krown (376) 24
Nguyen, C.C. and M.H. Saier Jr., Phylogenetic, structural and functional analyses of the LacI-GalR family of bacterial transcription factors (377) 98
Nguyen thi Man, , T.R. Helliwell, C. Simmons, S.J. Winder, J. Kendrick-Jones, K.E. Davies and G.E. Morris, Full-length and short forms of utrophin, the dystrophin-related protein (358) 262
Nicolau, C. see J. Hannig (359) 9
Niedziela, S.M. see H.K. Roy (366) 143
Nielsen, B.B., B. Kauppi, M. Thelander, L. Thelander, I.K. Larsen and H. Eklund, Crystallization and crystallographic investigations of the small subunit of mouse ribonucleotide reductase (373) 310
Nielsen, F.C. see J.R. Bundgaard (369) 225
Nielsen, K.L., L. Sottrup-Jensen, G.H. Fey and H.C. Thøgersen, Expression and refolding of a high-affinity receptor binding domain from rat α_1-macroglobulin (373) 296
Nielsen, P. see P. Wittung (365) 27
Nielsen, P.E. see J.S. Kastrup (363) 115
Niemelä, R., L. Penttilä, A. Seppo, J. Helin, A. Leppänen, J. Räbinä, L. Uusitalo, H. Maaheimo, J. Taskinen, C.E. Costello and O. Renkonen, Enzyme-assisted synthesis of a bivalent high-affinity dodecasaccharide inhibitor of mouse gamete adhesion. The length of the chains carrying distal α1,3-bonded galactose residues is critical (367) 67
Nieto, A. see K. Díaz González (361) 255
Nieva, J.L. see F.B. Pereira (362) 243
Nieva, J.L., A. Alonso, G. Basáñez, F.M. Goñi, A. Gulik, R. Vargas and V. Luzzati, Topological properties of two cubic phases of a phospholipid:cholesterol:diacylglycerol aqueous system and their possible implications in the phospholipase C-induced liposome fusion (368) 143
Nifant'ev, N.E. see A.S. Gambaryan (366) 57
Niggli, E. see P. Lipp (364) 198
Niggli, V., C. Andréoli, C. Roy and P. Mangeat, Identification of a phosphatidylinositol-4,5-bisphosphate-binding domain in the N-terminal region of ezrin (376) 172
Nijkamp, F.P. see M.J. van de Velde (369) 301
Nijkamp, F.P. see P.G.M. Bloemen (357) 140
Niki, E. see M. Iwatsuki (360) 271
Niki, E. see K. Hayashi (370) 37
Nikitin, A.M. see A.S. Zasedatelev (375) 304
Nilsen, H., S.P. Yazdankhah, I. Eftedal and H.E. Krokan, Sequence specificity for removal of uracil from U·A pairs and U·G mismatches by uracil-DNA glycosylase from *Escherichia coli*, and correlation with mutational hotspots (362) 205
Nilsson, L., L. Bergström, G. Meyersson, S. Påhlman, B. Winblad and R. Folkesson, Somatostatinergic phenotype markers in the human neuroblastoma cell-line LA-N-2 (372) 88
Nilsson, T. see C. Rabouille (369) 97
Nimtz, M. see A. Hoffmann (359) 164
Nimtz, M., V. Wray, A. Rüdiger and H.S. Conradt, Identification and structural characterization of a mannose-6-phosphate containing oligomannosidic *N*-glycan from human erythropoietin secreted by recombinant BHK-21 cells (365) 203
Nishida, H., K. Inaka and K. Miki, Specific arrangement of three amino acid residues for flavin-binding barrel structures in NADH-cytochrome b_5 reductase and the other flavin-dependent reductases (361) 97
Nishigaki, N., M. Negishi, A. Honda, Y. Sugimoto, T. Namba, S. Narumiya and A. Ichikawa, Identification of prostaglandin E receptor 'EP2' cloned from mastocytoma cells as EP4 subtype (364) 339
Nishigaki, N. see M. Katsuyama (372) 151
Nishihara, T. see T. Koseki (376) 247
Nishihata, J. see K. Suzuki (364) 283
Nishikawa, J., Y. Takeyama, T. Ueda, Y. Hori, N. Ueno, M. Yamamoto and Y. Saitoh, Induction of apoptotic cell death by pancreatitis-associated ascitic fluid in Madin–Darby canine kidney cells (373) 19
Nishikawa, M., S.B. Omay, K. Nakai, H. Kihira, T. Kobayashi, S. Tamura and H. Shiku, Up-regulation of protein serine/threonine phosphatase type 2C during 1α,25-dihydroxyvitamin D_3-induced monocytic differentiation of leukemic HL-60 cells (375) 299
Nishikawa, S. see T. Shimayama (368) 304

Nishimune, Y. see M. Ikawa (375) 125
Nishimune, Y. see D. Watanabe (368) 509
Nishimura, H., I. Kakizaki, T. Muta, N. Sasaki, P.X. Pu, T. Yamashita and S. Nagasawa, cDNA and deduced amino acid sequence of human PK-120, a plasma kallikrein-sensitive glycoprotein (357) 207
Nishimura, M. see T. Yoshida (360) 155
Nishina, H. see K. Takahashi (371) 204
Nishina, Y. see D. Watanabe (368) 509
Nishioka, N., S.-i. Hirai, K. Mizuno, S.-i. Osada, A. Suzuki, K. Kosaka and S. Ohno, Wortmannin inhibits the activation of MAP kinase following vasopressin V1 receptor stimulation (377) 393
Nishiya, T., T. Uehara and Y. Nomura, Herbimycin A suppresses NF-κB activation and tyrosine phosphorylation of JAK2 and the subsequent induction of nitric oxide synthase in C6 glioma cells (371) 333
Nishiyama, C., T. Yasuhara, T. Yuuki and Y. Okumura, Cloning and expression in *Escherichia coli* of cDNA encoding house dust mite allergen Der f 3, serine protease from *Dermatophagoides farinae* (377) 62
Nishizawa, M. see G.A. Nevinsky (368) 97
Nishizawa, Y. see M. Hino (374) 69
Nisimoto, Y. see H. Otsuka-Murakami (361) 206
Nissen, J.B. see L. Iversen (358) 316
Nitsch, M. see T. Waldmann (376) 67
Nixon, R.A. see M. Mercken (368) 10
Nixon, R.A. see C.M. Cressman (367) 223
Niznik, H.B. see F. Liu (374) 273
Niznik, H.B. see K.S. Sugamori (362) 131
Noda, C. see K.-y. Akiyama (363) 151
Noda, C. see J.Y. Ahn (366) 37
Noda, K. see K. Mizuno (359) 259
Noda, M., C. Yasuda-Fukazawa, K. Moriishi, T. Kato, T. Okuda, K. Kurokawa and Y. Takuwa, Involvement of *rho* in GTPγS-induced enhancement of phosphorylation of 20 kDa myosin light chain in vascular smooth muscle cells: inhibition of phosphatase activity (367) 246
Noda, M. see S. Hatada (371) 287
Noda, T. see F. Amano (368) 425
Noda, Y. see S. Roy (376) 164
Noë, V. see J. Willems (363) 289
Noegel, A.A. see M. Schleicher (369) 38
Noguchi, K. see M. Seo (370) 231
Noguchi, N. see K. Hayashi (370) 37
Noguchi, N. see H. Miyashita (377) 429
Noguchi, N. see A. Yamaguchi (365) 193
Noguchi, S. see M. Yoshida (367) 311
Noguchi, T. and Y. Inoue, Molecular interactions of the redox-active accessory chlorophyll on the electron-donor side of photosystem II as studied by Fourier transform infrared spectroscopy (370) 241
Noguchi, T., J. Honda, T. Nagamune, H. Sasabe, Y. Inoue and I. Endo, Photosensitive nitrile hydratase intrinsically possesses nitric oxide bound to the non-heme iron center: evidence by Fourier transform infrared spectroscopy (358) 9
Noguti, T., T. Adachi-Yamada, T. Katagiri, A. Kawakami, M. Iwami, J. Ishibashi, H. Kataoka, A. Suzuki, M. Go and H. Ishizaki, Insect prothoracicotropic hormone: a new member of the vertebrate growth factor superfamily (376) 251
Nohara, T., M. Nakai, A. Goto and T. Endo, Isolation and characterization of the cDNA for pea chloroplast SecA: Evolutionary conservation of the bacterial-type SecA-dependent protein transport within chloroplasts (364) 305
Noiman, S. and Y. Shaul, Detection of histidine-phospho-proteins in animal tissues (364) 63
Nojima, S. see K. Yokoyama (368) 477
Nojiri, H. see K. Yokoyama (368) 477
Nolte, A., S. Klußman, S. Lorenz, R. Bald, C. Betzel, Z. Dauter, K. Wilson, J.P. Fürste and V.A. Erdmann, Crystallization and preliminary diffraction studies of the structural domain E of *Thermus flavus* 5S rRNA (374) 292
Nomizu, M., B.S. Weeks, C.A. Weston, W.H. Kim, H.K. Kleinman and Y. Yamada, Structure-activity study of a laminin α1 chain active peptide segment Ile-Lys-Val-Ala-Val (IKVAV) (365) 227
Nomura, N. see N. Seki (375) 307
Nomura, N. see D. Chida (358) 233
Nomura, N. see T. Takahashi (358) 89
Nomura, Y. see T. Nishiya (371) 333
Nonogaki, T. see Y. Toyoda (359) 81
Nord, M., J.-Å. Gustafsson and J. Lund, Calcium-dependent binding of uteroglobin (PCB-BP/CCSP) to negatively charged phospholipid liposomes (374) 403
Nordén, B. see P. Wittung (365) 27
Nordén, B. see P. Wittung (368) 64
Nordheim, A. see W.H. Ernst (357) 45
Nordlund, P. see M.M.G.M. Thunnissen (364) 243
Nordlund, P. see M. Ingelman (370) 209
Norin, A. see M. Rosario Fernández (370) 23
Norman, H.A., P. Pillai and M.E. Baker, Licorice-derived compounds inhibit linoleic acid (C:18:2ω6) desaturation in soybean chloroplasts (368) 135
Norman, R.I. see K. Brickley (364) 129
Nornes, H.O. see K. Neuman (374) 279
Nosaka, K. see Y. Kawata (369) 283
Nose, K. see K. Egawa (372) 74
Nose, T. see A. Ito (360) 75
Noumi, T. see H. Inoue (363) 264
Nourooz-Zadeh, J. see N.K. Gopaul (368) 225
Nova, E. see O. Monasterio (374) 165
Novo, C., R. Tata, A. Clemente and P.R. Brown, *Pseudomonas aeruginosa* aliphatic amidase is related to the nitrilase/cyanide hydratase enzyme family and Cys^{166} is predicted to be the active site nucleophile of the catalytic mechanism (367) 275
Novoa, I. see R. Aldabe (377) 1
Novoderezhkin, V.I. and A.P. Razjivin, Excitation delocalization over the whole core antenna of photosynthetic purple bacteria evidenced by non-linear pump-probe spectroscopy (368) 370
Nunoki, K. see Y. Sasaki (372) 20
Nureki, O. see M. Tateno (377) 77
Nussenzweig, A. see M.L. Benka (363) 49
Nuti, S. see M.M. Di Somma (363) 101
Nwaka, S., B. Mechler, M. Destruelle and H. Holzer, Phenotypic features of trehalase mutants in *Saccharomyces cerevisiae* (360) 286
Nyborg, J. see S. Bøgestrand (368) 49
Nyborg, J. see K. Dolmer (372) 93
Nycander, M. see V. Stoka (370) 101
Nykyri, L.M. see M. Zamocky (367) 241

O

O'Brien, D.P. see A.W. Ashton (374) 141
O'Connor-McCourt, M.D. see M.-C. Pepin (377) 368
O'Kane, D.J. see T. Ehrig (367) 163
O'Shea, J.J. see C.M. Bacon (370) 63
Obika, K. see A. Hirasawa (363) 256
Öbrink, B. see H. Olsson (365) 51
Obukhov, A.G. see C. Harteneck (358) 297
Ochoa, A. see I. Petropoulos (372) 273
Ochoa de Aspuru, E. see A.M.L. Zatón (374) 192
Odani, N. see M. Negishi (372) 279
Odin, J.A. see F. Zhang (376) 77
Oehlen, L.J.W.M. see A.F.J. Ram (358) 165
Oganessyan, V.Yu. see S.M. Avaeva (377) 44
Ogata, T. see M. Fujii (375) 263
Ogawa, H. see K. Yoshioka (372) 25
Ogawa, H. see R. Tsuboi (371) 188
Ogawa, M. see S. Takahashi (368) 455
Ogawa, T. see Y. Watanabe (372) 165
Ogilvie, A. see W. Langgut (372) 173
Ogiso, S. see Y. Toyoda (359) 81
Ogita, S. see I. Matsuoka (371) 297
Øgreid, D. see M. Zorn (362) 291
Oguma, K. see R. Fujita (376) 41
Ogura, T. see T. Furukawa (375) 56
Ogura-Masaki, M. see M. Ohkuro (373) 189
Oguro, K. see H. Hasegawa (368) 151
Ohad, I. see A. Sokolenko (371) 176
Ohanessian, J. see T. Prangé (357) 247
Ohba, Y. see H. Kakegawa (370) 78

Ohguro, H. and K. Palczewski, Separation of phospho- and non-phosphopeptides using reverse phase column chromatography (368) 452
Ohishi, K. see M. Sugimoto (363) 53
Ohizumi, Y. see K. Yoshikawa (373) 250
Ohki, R. see T. Iwasaki (363) 239
Ohkuma, S. see T. Kataoka (359) 53
Ohkuro, M., M. Ogura-Masaki, K. Kobayashi, M. Sakai, K. Takahashi and S. Nagasawa, Effect of iC3b binding to immune complexes upon the phagocytic response of human neutrophils: synergistic functions between FcγR and CR3 (373) 189
Ohkusu, K. see M. Pu (361) 295
Ohlmann, M. see G. Sutter (371) 9
Ohmiya, R. see H. Aiba (376) 199
Ohmori, D. see T. Imai (368) 23
Ohnishi, A. see Y. Hayakawa (376) 185
Ohnishi, T. see K. Okahara (373) 108
Ohnishi, T. see A.D. Vinogradov (370) 83
Ohno, S. see K. Mizuno (359) 259
Ohno, S. see T. Kinouchi (364) 203
Ohno, S. see N. Nishioka (377) 393
Oh-oka, H., S. Kamei, H. Matsubara, M. Iwaki and S. Itoh, Two molecules of cytochrome *c* function as the electron donors to P840 in the reaction center complex isolated from a green sulfur bacterium, *Chlorobium tepidum* (365) 30
Ohshima, H. see V. Yermilov (376) 207
Ohtake, A. see M. Takahashi (372) 59
Ohtani, H., Y. Tsukamoto, Y. Sakoda and H.-o. Hamaguchi, Fluorescence spectra of bacteriorhodopsin and the intermediates O and Q at room temperature (359) 65
Ohtsuka, E. see S. Iwai (368) 315
Ohtsuka, K. see K. Sugito (358) 161
Ohyama, Y. see S. Karino (362) 147
Ohya-Nishiguchi, H. see K. Fukui (368) 31
Oishi, M. see D. Chida (358) 233
Oishi, M. see T. Iwasaki (363) 239
Oishi, M. see M. Fujii (375) 263
Oka, M. see Y. Hattori (368) 336
Oka, T. see E.V. Rukavishnikova (369) 217
Oka, T., T. Sasakawa, K.-i. Miyamoto, M. Kuwahata, T. Sassa, S. Horiuchi and Y. Natori, Production of functional chick liver HMG 2a protein in *Escherichia coli* (367) 49
Oka, Y. see H. Ishihara (371) 329
Okabe, M. see M. Ikawa (375) 125
Okabe, M. see D. Watanabe (368) 509
Okabe-Kado, J., T. Kasukabe, M. Hozumi, Y. Honma, N. Kimura, H. Baba, T. Urano and H. Shiku, A new function of Nm23/NDP kinase as a differentiation inhibitory factor, which does not require it's kinase activity (363) 311
Okada, M. see M.A. Khan (362) 201
Okada, M. see K. Takamiya (358) 79
Okada, Y. see Y. Sugiyama (359) 247
Okada, Y. see Y. Watanabe (372) 165
Okada, Y. see K. Imai (369) 249
Okahara, K., J.-i. Kambayashi, T. Ohnishi, Y. Fujiwara, T. Kawasaki and M. Monden, Shear stress induces expression of CNP gene in human endothelial cells (373) 108
Okamoto, H. see H. Miyashita (377) 429
Okamoto, K. see H. Wachi (368) 215
Okamoto, K. see S. Toyokuni (358) 1
Okamoto, M. see T. Sugiura (370) 141
Okamoto, T. see J.-P. Yang (361) 89
Okamoto, Y. see M. Shimakage (371) 245
Okawa, Y. see A. Suzuki (373) 275
Okazaki, M. see M. Ikeda (375) 37
Okuda, A. see A. Kataoka (364) 264
Okuda, J. see Y. Toyoda (359) 81
Okuda, M., Y. Kawahara, I. Nakayama, M. Hoshijima and M. Yokoyama, Angiotensin II transduces its signal to focal adhesions via angiotensin II type 1 receptors in vascular smooth muscle cells (368) 343
Okuda, T. see M. Noda (367) 246
Okuma, M. see Y. Ezumi (374) 48
Okumura, N. see M.A. Khan (362) 201
Okumura, T. see A. Sakamoto (358) 62
Okumura, Y. see C. Nishiyama (377) 62
Okura, I. see J. Hirota (368) 248
Okutani, F. see S. Takahashi (368) 455
Oliff, A. see P.S. Huang (358) 287
Oliver, J., B. Jungnickel, D. Görlich, T. Rapoport and S. High, The Sec61 complex is essential for the insertion of proteins into the membrane of the endoplasmic reticulum (362) 126
Olkkonen, V.M. see C. Bucci (366) 65
Olsen, B.R. see S.S. Apte (363) 304
Olsen, K. see U. Sidenius (361) 250
Olsen, M. see S. Østergaard (362) 306
Olson, D. see M. Conese (358) 73
Olsson, H., W. Martínez-Arias, B.K. Drøbak and B. Jergil, Presence of a novel form of phosphatidylinositol 4-kinase in rat liver (361) 282
Olsson, H., K. Wikström, G. Kjellström and B. Öbrink, Cell adhesion activity of the short cytoplasmic domain isoform of C-CAM (C-CAM2) in CHO cells (365) 51
Olsson, J.M. see J. Grünler (358) 230
Olsson, S. see M. Schmidt (370) 11
Omata, M. see K. Yamada (360) 67
Omatsu-Kanbe, M., S.W. Cushman, V.C. Manganiello and M. Taira, Insulin stimulates hormone-sensitive cyclic GMP-inhibited cyclic nucleotide phosphodiesterase in rat brown adipose cells (374) 187
Omay, S.B. see M. Nishikawa (375) 299
Omori, A. see M. Takahashi (372) 59
Ongemba, L.N. see D.J. Becker (371) 324
Onisto, M. see A. Negro (360) 52
Ono, H. see T. Akagi (358) 34
Ono, T. see E. Sato (374) 184
Ono, Y. see H. Takanaga (368) 276
Onodera, K. see H. Tachikawa (369) 212
Onogi, T., M. Minami, Y. Katao, T. Nakagawa, Y. Aoki, T. Toya, S. Katsumata and M. Satoh, DAMGO, a μ-opioid receptor selective agonist, distinguishes between μ- and δ-opioid receptors around their first extracellular loops (357) 93
Onogi, T. see M. Minami (364) 23
Onozawa, S. see N. Nakanishi (368) 411
Ooe, S. see S.-i. Kidokoro (367) 73
Oomen, R.P. see N.M. Young (377) 135
Ootani, M. see T. Yasuda (359) 211
Opie, L.H. see F. Brunner (373) 97
Oppi, C. see T. Wagner (365) 13
Ordiz, I., P. Herrero, R. Rodicio and F. Moreno, Glucose-induced inactivation of isocitrate lyase in *Saccharomyces cerevisiae* is mediated by an internal decapeptide sequence (367) 219
Orellana, G. see G. Colmenarejo (374) 426
Orii, Y. see T. Mogi (370) 259
Ornstein, R.L. see R.H. Sarma (357) 317
Oron, Y. see O. Geyer (374) 399
Orrenius, S. see J. Schlegel (364) 139
Orrenius, S. see S.C. Chow (364) 134
Osada, H. see T. Hamaguchi (372) 54
Osada, S.-i. see K. Mizuno (359) 259
Osada, S.-i. see N. Nishioka (377) 393
Osada, T. see T. Iwamoto (368) 420
Osawa, T. see S. Toyokuni (359) 189
Osborn, R.W., G.W. De Samblanx, K. Thevissen, I. Goderis, S. Torrekens, F. Van Leuven, S. Attenborough, S.B. Rees and W.F. Broekaert, Isolation and characterisation of plant defensins from seeds of Asteraceae, Fabaceae, Hippocastanaceae and Saxifragaceae (368) 257
Osborne, M.J. see S.L. Davy (363) 199
Oshie, A. see A. Suzuki (373) 275
Oshita, Y. see R. Tsuboi (371) 188
Ossovskaya, V.S. see T.P. Stromskaya (368) 373
Ostberg, C.O., P. Zhu, T.N. Wight and E.E. Qwarnstrom, Fibronectin attachment is permissive for IL-1 mediated gene regulation (367) 93
Østergaard, S., P.H. Hansen, M. Olsen and A. Holm, Novel avidin and streptavidin binding sequences found in synthetic peptide libraries (362) 306
Östling, J. see J.-P. Cassart (371) 191
Ostolaza, H. and F.M. Goñi, Interaction of the bacterial protein toxin α-haemolysin with model membranes: protein binding does not always lead to lytic activity (371) 303
Ostrovsky, A.G. see L.N. Kulik (367) 85
Oswald, R.E. see Z.G. Wo (368) 230
Ota, K. see T. Imai (368) 23
Otero, C., M.L. Rúa and L. Robledo, Influence of the hydrophobicity of lipase isoenzymes from *Candida rugosa* on its hydrolytic activity in reverse micelles (360) 202

Otlewski, J. see K. Bolewska (377) 172
Otsuka-Murakami, H. and Y. Nisimoto, Purification of an NADPH-dependent diaphorase from membrane of DMSO-induced differentiated human promyelocytic leukemia HL-60 cells (361) 206
Ottaviani, E. see A. Conte (365) 120
Ouchane, S., M. Picaud and C. Astier, A new mutation in the *puf*L gene responsible for the terbutryn resistance phenotype in *Rubrivivax gelatinosus* (374) 130
Ouhabi, R. see F. Sztark (368) 101
Oury-Donat, F. see C. Serradeil-Le Gal (362) 192
Outlaw Jr., W.H. see P. Lu (362) 180
Owen, D. see D.P. Molloy (368) 297
Ozaki, T. and S. Sakiyama, Sequence-specific DNA binding activity of rat *cdc37*-related gene product (375) 155
Ozawa, E. see M. Yoshida (367) 311
Ozon, R. see V. De Smedt (375) 249

P

Paboeuf, G. see P.-Y. Rescan (362) 89
Packer, L. see S. Roy (376) 164
Padan, E. see E. Pinner (365) 18
Padh, H. and S. Tanjore, Localization of cyclic-AMP receptors with acidosomes in *Dictyostelium discoideum* (368) 358
Padrós, E. see J. Cladera (371) 115
Paganga, G. see N.J. Miller (365) 164
Paganga, G. see C. Castelluccio (368) 188
Pagani, S., R. Colnaghi, A. Palagi and A. Negri, Purification and characterization of an iron superoxide dismutase from the nitrogen-fixing *Azotobacter vinelandii* (357) 79
Page, K. see V. Campbell (370) 135
Pagnier, J. see A. Dumoulin (374) 39
Pagnotti, P. see A. Pierangeli (374) 327
Pahan, K., M. Khan, B.T. Smith and I. Singh, Ketoconazole and other imidazole derivatives are potent inhibitors of peroxisomal phytanic acid α-oxidation (377) 213
Påhlman, S. see L. Nilsson (372) 88
Paifer, E. see M. Raices (369) 233
Paiva, A.C.M. see T.A. Pertinhez (375) 239
Palade, P.T. see K.A. Krown (376) 24
Palagi, A. see S. Pagani (357) 79
Palczewski, K. see H. Ohguro (368) 452
Palestini, P. see A.M. Fra (375) 11
Palladini, G. see R. Albertini (377) 240
Pallanca, A. see M. Brigotti (373) 115
Pallavicini, G. see R. Albertini (377) 240
Palm, D. see H. Jung (358) 133
Palmer III, A.G. see K. Siivari (366) 104
Palmer, T.N. see S.R. Aggarwal (377) 439
Palmieri, F. see L. Capobianco (357) 297
Pan, Y.-X. see G.C. Rossi (369) 192
Panagopoulos, I. see M. Zhang (373) 203
Panayotova-Heiermann, M. see M.P. Lostao (377) 181
Pang, S.F. see F. Liu (374) 273
Panin, V.M. see P.V. Sergeev (360) 194
Panozzo, C. see S. Fillinger (368) 547
Papa, S. see A.M. Sardanelli (377) 470
Papadovasilaki, M. see K. Petratos (368) 432
Paquet, N. see L. Falquet (359) 73
Paquet, N. see L. Falquet (376) 233
Paracini, F. see S. Barlati (363) 170
Parak, F. see B.K. Semin (375) 223
Pardi, A. see P. Legault (362) 156
Pardi, D. see P.A. Sandstrom (365) 66
Pardi, R. see E. Ferrero (374) 323
Parent, L., M. Gopalakrishnan, A.E. Lacerda, X. Wei and E. Perez-Reyes, Voltage-dependent inactivation in a cardiac-skeletal chimeric calcium channel (360) 144
Parenti Castelli, G. see G. Lenaz (366) 119
Parés, X. see M. Rosario Fernández (370) 23
Pariš, A., B. Štrukelj, J. Pungerčar, M. Renko, I. Dolenc and V. Turk, Molecular cloning and sequence analysis of human preprocathepsin C (369) 326
Paris, S. see M. Franco (362) 286
Parish, R.W. see S.K. Chung (362) 215
Park, H. see K.-B. Lee (367) 77
Parker, C.S. see R. Pathak (362) 229
Parks, L.W. see S.L. Kelly (377) 217
Parmeggiani, A. see G. Scarano (365) 214
Parpura, V., Y. Fang, T. Basarsky, R. Jahn and P.G. Haydon, Expression of synaptobrevin II, cellubrevin and syntaxin but not SNAP-25 in cultured astrocytes (377) 489
Parpura, V., F. Liu, S. Brethorst, K. Jeftinija, S. Jeftinija and P.G. Haydon, α-Latrotoxin stimulates glutamate release from cortical astrocytes in cell culture (360) 266
Parra, H.-J. see A. Leroy (361) 29
Parra-Diaz, D., Q. Wei, E.Y.C. Lee, L. Echegoyen and D. Puett, Binding of vanadium (IV) to the phosphatase calcineurin (376) 58
Parry, D.J. see B.J. Jasmin (374) 393
Part, D. see I. Petropoulos (372) 273
Parton, R.G. see E. Ikonen (358) 273
Parton, R.G. see M. Way (376) 108
Passalacqua, M. see E. Melloni (368) 466
Passi, A. see R. Albertini (377) 240
Passilly, P. see O. Bardot (360) 183
Pasternak, G.W. see G.C. Rossi (369) 192
Pastor-Anglada, M. see J.V. Martínez-Mas (362) 85
Pastore, A. see M.A. Castiglione Morelli (358) 193
Pastushenko, V. see K. Groschner (373) 30
Patchell, V.B. see P.G. Quirk (370) 175
Patel, P.S. see P.M. Rose (361) 243
Patel, V. see Y. Moriyama (359) 69
Patel, Y.C. see N. Brakch (362) 143
Pathak, R., C.S. Parker and B. Imperiali, The essential yeast *NLT1* gene encodes the 64 kDa glycoprotein subunit of the oligosaccharyl transferase (362) 229
Patiño, R. see R. Bruzzone (358) 301
Paton, A. see K. Moreton (372) 33
Patrone, M. see E. Melloni (368) 466
Patston, P.A., J. Hauert, M. Michaud and M. Schapira, Formation and properties of C1-inhibitor polymers (368) 401
Patte, C., H. Vaudry, L. Desrues, P. Gandolfo, I. Strijdveen, M. Lamacz and M.C. Tonon, The endozepine ODN stimulates polyphosphoinositide metabolism in rat astrocytes (362) 106
Patthy, A. see G. Kaslik (370) 179
Paul, D.L. see R. Bruzzone (358) 301
Paul, M.-F. and A. Tzagoloff, Mutations in *RCA1* and *AFG3* inhibit F_1-ATPase assembly in *Saccharomyces cerevisiae* (373) 66
Paulsson, M. see N. Hauser (368) 307
Pavlov, N., A. Evstafieva, Y. Rubtsov and A. Vartapetian, Human prothymosin α inhibits division of yeast *Saccharomyces cerevisiae* cells, while its mutant lacking nuclear localization signal does not (366) 43
Pavlova, G.V. see P.V. Sergeev (360) 194
Payton, M. see S. Arkinstall (375) 183
Pearson, J.D. see R.C.M. Siow (368) 239
Pedron, S. see N. Zebda (362) 161
Pedrotti, B. and K. Islam, Microtubule associated protein 1B (MAP1B) promotes efficient tubulin polymerisation in vitro (371) 29
Pegg, M.S. see J. Tiralongo (372) 148
Peinado, J. see R. Buscà (367) 257
Peinado-Onsurbe, J. see J.V. Martínez-Mas (362) 85
Peishoff, C.E., R.W. Janes and B.A. Wallace, Comparison of the structures of the endothelin A receptor antagonists BQ123 and *N*-methyl leucine BQ123 with the crystal structure of the C-terminal tail of endothelin-1 (374) 379
Peitsch, M. see M. Hane (373) 265
Peitsch, M. see S. Arkinstall (364) 45
Pellegatta, F. see W.M. Zhu (372) 1
Pellet, A. see C. Serradeil-Le Gal (362) 192
Peluso, J. see C. Gavériaux (369) 272
Pennica, D. see M. Peters (372) 177
Penttilä, L. see R. Niemelä (367) 67
Penz, F. see R. Sterner (364) 9
Pepermans, H.A.M. see P. Verheyden (370) 245

Pepin, M.-C., M. Beauchemin, C. Collins, J. Plamondon and M.D. O'Connor-McCourt, Mutagenesis analysis of the membrane-proximal ligand binding site of the TGF-β receptor type III extracellular domain (377) 368
Perälä, M. see A. Hiltunen (364) 171
Peraldi, P., M. Frödin, J.V. Barnier, V. Calleja, J.-C. Scimeca, C. Filloux, G. Calothy and E. Van Obberghen, Regulation of the MAP kinase cascade in PC12 cells: B-Raf activates MEK-1 (MAP kinase or ERK kinase) and is inhibited by cAMP (357) 290
Peränen, J. see D. Zacchetti (377) 465
Pereira, F.B., F.M. Goñi and J.L. Nieva, Liposome destabilization induced by the HIV-1 fusion peptide: Effect of a single amino acid substitution (362) 243
Pereira-Smith, O.M. see S.C. Kaul (361) 269
Perez Bercoff, R. see A. Pierangeli (374) 327
Pérez, M. see F.J. Moreno (372) 65
Pérez, M.D. see J. Avila (366) 137
Pérez-Mediavilla, L.A., M.J. López-Zabalza, M. Calonge, L. Montuenga, N. López-Moratalla and E. Santiago, Inducible nitric oxide synthase in human lymphomononuclear cells activated by synthetic peptides derived from extracellular matrix proteins (357) 121
Pérez-Payá, E. see I. Mingarro (372) 131
Perez-Reyes, E. see L. Parent (360) 144
Periquet, G. see C. Auge-Gouillou (368) 541
Perkins, S.J. see C.G. Ullman (371) 199
Perkins, S.J. see A.W. Ashton (374) 141
Perkins, S.J. see Y.J.K. Edwards (358) 283
Perlino, E. see F. Abruzzese (366) 170
Pernozzoli, B. see G. Barile (372) 291
Perry, S., H. Harries, C. Scholfield, T. Lock, L. King, G. Gibson and P. Goldfarb, Molecular cloning and expression of a cDNA for human kidney cysteine conjugate β-lyase (360) 277
Perry, S.R. see P.C. Schmid (375) 117
Perry, S.V. see P.G. Quirk (370) 175
Persson, H. see L. Hjelmqvist (367) 306
Pertinhez, T.A., C.R. Nakaie, R.S.H. Carvalho, A.C.M. Paiva, M. Tabak, F. Toma and S. Schreier, Conformational changes upon binding of a receptor loop to lipid structures: possible role in signal transduction (375) 239
Peschek, G.A., M. Wastyn, S. Fromwald and B. Mayer, Occurrence of heme O in photoheterotrophically growing, semi-anaerobic cyanobacterium *Synechocystis* sp. PCC6803 (371) 89
Pessino, A. see E. Melloni (368) 466
Peter, B. see D.P. Leader (376) 125
Peter, M.E. see B. Schraven (368) 491
Peters, I. see J. Schlegel (364) 139
Peters, M., E. Roeb, D. Pennica, K.-H. Meyer zum Büschenfelde and S. Rose-John, A new hepatocyte stimulating factor: cardiotrophin-1 (CT-1) (372) 177
Peterson, J. see D.E. Holm (370) 53
Petillot, Y., P. Thibault, N.M. Thielens, V. Rossi, M. Lacroix, B. Coddeville, G. Spik, V.N. Schumaker, J. Gagnon and G.J. Arlaud, Analysis of the N-linked oligosaccharides of human C1s using electrospray ionisation mass spectrometry (358) 323
Petit-Glatron, M.-F. see P.A. Scotti (360) 307
Petratos, K., M. Papadovasilaki and Z. Dauter, The crystal structure of apo-pseudoazurin from *Alcaligenes faecalis* S-6 (368) 432
Petronilli, V. see P. Costantini (362) 239
Petropoulos, I. see H. Terenzi (369) 277
Petropoulos, I., D. Part, A. Ochoa, M.M. Zakin and E. Lamas, NOR-2 (neuron-derived orphan receptor), a brain zinc finger protein, is highly induced during liver regeneration (372) 273
Petry, P., K.R. Johnson, L. Lemaire and U.A.O. Heinlein, Assignment to chromosome 11 of mouse p68 RNA helicase gene (*Hlr1*) and pseudogene (*Hlr1-ps1*) (363) 25
Pette, D. see H. Peuker (367) 132
Pettersson, G. see M. Raices (369) 233
Pettersson, G. see M. Linder (372) 96
Pettersson, T. see U. Ernström (360) 177
Pettersson, T., U. Ernström, W. Griffiths, J. Sjövall, T. Bergman and H. Jörnvall, Lutein associated with a transthyretin indicates carotenoid derivation and novel multiplicity of transthyretin ligands (365) 23
Pettigrew, G. see B. Samyn (377) 145
Peuker, H. and D. Pette, Reverse transcriptase-polymerase chain reaction detects induction of cardiac-like α myosin heavy chain mRNA in low frequency stimulated rabbit fast-twitch muscle (367) 132
Peumans, W.J. see K. Hom (361) 157
Peyton, M. see X. Zhu (373) 193
Pfanner, N. see N. Seki (375) 307
Pfeil, W. see K. Gast (358) 247
Pfeilschifter, J. see G. Walker (364) 218
Pfenninger-Li, X.D. and P. Dimroth, The Na^+-translocating NADH:ubiquinone oxidoreductase from the marine bacterium *Vibrio alginolyticus* contains FAD but not FMN (369) 173
Pfeuffer, T. see S. Mollner (371) 241
Philippov, P.P. see I.I. Senin (376) 87
Philipps, G., B. Clément and C. Gigot, Molecular characterization and cell cycle-regulated expression of a cDNA clone from *Arabidopsis thaliana* homologous to the small subunit of ribonucleotide reductase (358) 67
Phillips, I.R. see F. Willenbrock (358) 189
Phillips, M. see A. Vahdat (365) 149
Picard, V. see P. Gaussem (365) 219
Picaud, M. see S. Ouchane (374) 130
Piccoli, R. see V. Cafaro (359) 31
Pickersgill, R. see J. Jenkins (362) 281
Pickersgill, R.W. see M.G. Smyth (360) 62
Picone, D. see P. Amodeo (377) 363
Piemont, Y. see G. Prevost (376) 135
Piepenhagen, P. see M.L. Benka (363) 49
Pierangeli, A., M. Bucci, P. Pagnotti, A.M. Degener and R. Perez Bercoff, Mutational analysis of the 3′-terminal extra-cistronic region of poliovirus RNA: secondary structure is not the only requirement for minus strand RNA replication (374) 327
Pieri, A. see M.M.G.M. Thunnissen (364) 243
Pignat, W. see G. Walker (364) 218
Pilgaard, M. see J.S. Kastrup (363) 115
Pillai, P. see H.A. Norman (368) 135
Pilon, M. see C. Forsman (358) 39
Pilone, M.S. see G. Gadda (363) 307
Pinaev, G., C.E. Schutt and U. Lindberg, The effect on actin ATPase of phalloidin and tetramethylrhodamine phalloidin (369) 144
Pinçon-Raymond, M. see G. Varadi (368) 405
Pinedo, H.M. see N. Feller (368) 385
Piñeiro, A. see N. González-Ramón (371) 227
Piñeiro, A. see S. Gamen (376) 15
Piñeiro, M. see N. González-Ramón (371) 227
Piñeiro, M., I. Diaz, P. Rodriguez-Palenzuela, E. Titarenko and F. Garcia-Olmedo, Selective disulphide linkage of plant thionins with other proteins (369) 239
Pinelis, V. see B. Khodorov (371) 249
Pinilla, C. see I. Mingarro (372) 131
Pinna, L.A. see A.M. Brunati (367) 149
Pinna, L.A. see O. Marin (363) 111
Pinner, E., E. Padan and S. Schuldiner, Amiloride and harmaline are potent inhibitors of NhaB, a Na^+/H^+ antiporter from *Escherichia coli* (365) 18
Pinzani, M. see F. Marra (376) 141
Pirillo, A. see W.M. Zhu (372) 1
Pirt, S.J. see M. Fielder (369) 243
Piškur, J. and A. Rupprecht, Aggregated DNA in ethanol solution (375) 174
Piskarev, V.E. see A.S. Gambaryan (366) 57
Pitard, B. see C. Sigalat (368) 253
Pitt, A.R. see T. Krell (360) 93
Pitt, A.R. see J. Nairn (359) 192
Pittet, J.L. see A. Vincenot (367) 153
Pittner, R.A., D. Wolfe-Lopez, A.A. Young and T.J. Rink, Amylin and epinephrine have no direct effect on glucose transport in isolated rat soleus muscle (365) 98
Plamondon, J. see M.-C. Pepin (377) 368
Planas, A. see M. Hahn (374) 221
Plancke, Y. see E. Maes (358) 205
Plancke, Y. see D. Legrand (365) 57
Planells, R. see M. Daadi (358) 137
Plastino, J. and J.P. Klinman, Limited proteolysis of *Hansenula polymorpha* yeast amine oxidase: isolation of a C-terminal fragment containing both a copper and quino-cofactor (371) 276
Plaxton, W.C. see R.J. Hodgson (368) 559

Plessmann, U. see M. Rüdiger (364) 147
Pletinckx, J. see P. Verheyden (370) 245
Plückthun, A. see C. Krebber (377) 227
Pluim, D. see K.N. Faber (357) 115
Pocsik, E. see B.B. Aggarwal (372) 44
Pocsik, E. see B.B. Aggarwal (357) 1
Pode, D. see M. Elkin (374) 57
Podhorska-Okolov, M. see M. Sandri (373) 291
Podkovyrov, S. and T.J. Larson, Lipid biosynthetic genes and a ribosomal protein gene are cotranscribed (368) 429
Pogliaghi, G., L. Tacchini, E. Anzon, L. Radice and A. Bernelli-Zazzera, Heat shock activation of NFkB in rat liver is mediated by interleukin-1 (372) 181
Pöhler, D., E. Butt, J. Meißner, S. Müller, M. Lohse, U. Walter, S.M. Lohmann and T. Jarchau, Expression, purification, and characterization of the cGMP-dependent protein kinases Iβ and II using the baculovirus system (374) 419
Polák, P. see P. Šmigáň (371) 119
Polishchuk, S.V., N.R. Brandt, H.E. Meyer, M. Varsányi and L.M.G. Heilmeyer Jr., Does phosphorylase kinase control glycogen biosynthesis in skeletal muscle? (362) 271
Pollack, S.J. see J.R. Atack (361) 1
Pollard, H.B. see B.E. Cohen (377) 444
Pollet, N. see C. Auge-Gouillou (368) 541
Pollock, J.R. see M.B. Fairbanks (369) 197
Polozova, A.I., G.E. Dubachev, T.N. Simonova and L.I. Barsukov, Temperature-induced micellar–lamellar transformation in binary mixtures of saturated phosphatidylcholines with sodium cholate (358) 17
Polverino de Laureto, P. see A. Fontana (362) 266
Ponassi, M. see R. Gherzi (369) 335
Pongs, O. see S.H. Heinemann (377) 383
Ponomarev, M.A., V.P. Timofeev and D.I. Levitsky, The difference between ADP-beryllium fluoride and ADP-aluminium fluoride complexes of the spin-labeled myosin subfragment 1 (371) 261
Pons, J. see M. Hahn (374) 221
Pontremoli, S. see E. Melloni (368) 466
Pope, B. see A.G. Weeds (360) 227
Popineau, Y. see J. Hargreaves (372) 103
Popov, A.N. see E.Yu. Morgunova (367) 183
Popov, V.N. see A.U. Igamberdiev (367) 287
Porra, R.J., W. Schäfer, I. Katheder and H. Scheer, The derivation of the oxygen atoms of the 13^1-oxo and 3-acetyl groups of bacteriochlorophyll *a* from water in *Rhodobacter sphaeroides* cells adapting from respiratory to photosynthetic conditions: evidence for an anaerobic pathway for the formation of *iso*cyclic ring E (371) 21
Porst, M. see T. Schlenkrich (364) 276
Portoukalian, J. see N. Zebda (362) 161
Posas, F., M. Bollen, W. Stalmans and J. Ariño, Biochemical characterization of recombinant yeast PPZ1, a protein phosphatase involved in salt tolerance (368) 39
Pöschl, E. see U. Mayer (365) 129
Postina, R. see E. Ufer (362) 19
Postle, A.D. see Y.M.M. Heung (364) 250
Potekhin, S.A. see V.N. Uversky (364) 165
Potempa, J. see J. Cichy (359) 262
Pötsch, S., M. Sahlin, Y. Langelier, A. Gräslund and G. Lassmann, Reduction of the tyrosyl radical and the iron center in protein R2 of ribonucleotide reductase from mouse, herpes simplex virus and *E. coli* by *p*-alkoxyphenols (374) 95
Potter, B.V.L. see D.J. Hardick (365) 79
Poulos, A. see H. Singh (359) 179
Poulsen, F.M. see C. Rischel (374) 105
Poupot, R., E. Martinez-Romero, F. Maillet and J.-C. Prome, *Rhizobium tropici* nodulation factor sulfation is limited by the quantity of activated form of sulfate (368) 536
Power, C.A. see A.E.I. Proudfoot (376) 19
Powis, G. see P.Y. Gasdaska (373) 5
Poyart, C. see A. Dumoulin (374) 39
Prairie, M.D. see M.B. Fairbanks (369) 197
Prangé, T., F. Gaudey, J. Ohanessian, D. Avenel, A. Neuman, C. Corot and D. Meyer, Angiography contrast agents interact with serine proteinases: The molecular structure of the model system elastase/iohexol (357) 247
Prashar, Y., A. Khanna, P. Sehajpal, V.K. Sharma and M. Suthanthiran, Stimulation of transforming growth factor-β_1 transcription by cyclosporine (358) 109
Prasthofer, T.W. see K. Ylinenjärvi (357) 309
Prats, M. see I. Vergne (375) 254
Pratt, G. see V. Ustrell (376) 155
Préat, T. see J.-M. Dura (370) 250
Prehn, S. see W. Dubiel (363) 97
Preiss, T., A.E. Sang, Z.M.A. Chrzanowska-Lightowlers and R.N. Lightowlers, The mRNA-binding protein COLBP is glutamate dehydrogenase (367) 291
Prelli, F. see C. Soto (371) 110
Prendergast, F.G. see T. Ehrig (367) 163
Prevost, G., T. Bouakham, Y. Piemont and H. Monteil, Characterisation of a synergohymenotropic toxin produced by *Staphylococcus intermedius* (376) 135
Price, N.C. see J. Nairn (359) 192
Price, S. see M. Kron (374) 122
Pridham, J. see C. Castelluccio (368) 188
Priel, E., E. Aflalo, I. Seri, L.E. Henderson, L.O. Arthur, M. Aboud, S. Segal and D.G. Blair, DNA binding properties of the zinc-bound and zinc-free HIV nucleocapsid protein: supercoiled DNA unwinding and DNA–protein cleavable complex formation (362) 59
Pries, F., J. Kingma and D.B. Janssen, Activation of an Asp-124→Asn mutant of haloalkane dehalogenase by hydrolytic deamidation of asparagine (358) 171
Pristupa, Z.B. see F. Liu (374) 273
Prisyazhnoy, V. see T. Sklyarova (363) 273
Pritchard, S. see G.I. Murray (364) 79
Prochiantz, A. see I. Le Roux (368) 311
Proctor, M. see M. Bycroft (362) 333
Proks, P. see C.T. Bond (367) 61
Prome, J.-C. see R. Poupot (368) 536
Protasevich, I. see L. Florens (373) 280
Protasevich, I.I. see G.I. Yakovlev (366) 156
Protasevich, I.I. see A.A. Makarov (357) 58
Proudfoot, A.E.I., C.A. Power, A. Hoogewerf, M.-O. Montjovent, F. Borlat and T.N.C. Wells, Characterisation of the RANTES/MIP-1α receptor (CC CKR-1) stably transfected in HEK 293 cells and the recombinant ligands (376) 19
Prowald, A. see P. Wagner (377) 155
Prudchenko, I.A. see E.M. Khvatova (368) 367
Prytulla, S. see A. Toy-Palmer (365) 35
Przetak, M.M., S. Yoast and B.F. Schmidt, Cloning of cDNA for human granzyme 3 (364) 268
Ptitsyn, O.B. see V.E. Bychkova (359) 6
Pu, M., L. Ma, K. Ohkusu, K.-I. Isobe, R. Taguchi, H. Ikezawa, M. Hamaguchi and I. Nakashima, Direct evidence of involvement of glycosylphosphatidylinositol-anchored proteins in the heavy metal-mediated signal delivery into T lymphocytes (361) 295
Pu, P.X. see H. Nishimura (357) 207
Puett, D. see D. Parra-Diaz (376) 58
Pugin, A. see D. Wendehenne (374) 203
Puig, J., A. Arendt, F.L. Tomson, G. Abdulaeva, R. Miller, P.A. Hargrave and J.H. McDowell, Synthetic phosphopeptide from rhodopsin sequence induces retinal arrestin binding to photoactivated unphosphorylated rhodopsin (362) 185
Pulcinelli, F.M., B. Ashby, P.P. Gazzaniga and J.L. Daniel, Protein kinase C activation is not a key step in ADP-mediated exposure of fibrinogen receptors on human platelets (364) 87
Pungerčar, J. see A. Pariš (369) 326
Puppo, A. see S. Moreau (361) 225
Pusch, O. see T. Soucek (373) 164
Püschel, G.P. see U. Hespeling (372) 108
Pushkareva, M.A. see O.K. Mirzoeva (377) 306

Q

Quader, H. see M. Jadot (371) 145
Quail, E.A. and G.C.T. Yeoh, The effect of iron status on glyceraldehyde 3-phosphate dehydrogenase expression in rat liver (359) 126
Querol, E. see M. Hahn (374) 221
Quintavalla, J.C. see L.P. Wennogle (371) 315

Quintero, R. see A. Lorence (360) 217
Quirk, P.G., V.B. Patchell, Y. Gao, B.A. Levine and S.V. Perry, Sequential phosphorylation of adjacent serine residues on the N-terminal region of cardiac troponin-I: structure–activity implications of ordered phosphorylation (370) 175
Qwarnstrom, E.E. see C.O. Ostberg (367) 93

R

Rabenstein, D.L., J.M. Robert and S. Hari, Binding of the growth factor glycyl-L-histidyl-L-lysine by heparin (376) 216
Räbinä, J. see R. Niemelä (367) 67
Rabinowitz, J.C. see J.M. Song (376) 229
Rabouille, C. and T. Nilsson, Redrawing compartmental boundaries in the exocytic pathway (369) 97
Racké, K. see M. Hecker (359) 251
Rader, R.K. see K. Giffin (357) 269
Radermacher, M. see T. Wagenknecht (369) 43
Radice, L. see G. Pogliaghi (372) 181
Radionov, A.N. and A.D. Kaulen, Cooperative phenomena in the photocycle of D96N mutant bacteriorhodopsin (377) 330
Radons, J. see V. Burkart (364) 259
Raffetseder, U. see M. Burg (377) 426
Raha, S., B. Giri, B. Bhattacharyya and B.B. Biswas, Inositol(1,3,4,5) tetrakisphosphate plays an important role in calcium mobilization from *Entamoeba histolytica* (362) 316
Rahman, I. see S. Hannah (372) 233
Raiber, S., G. Schröder and J. Schröder, Molecular and enzymatic characterization of two stilbene synthases from Eastern white pine (*Pinus strobus*): A single Arg/His difference determines the activity and the pH dependence of the enzymes (361) 299
Raices, M., E. Paifer, J. Cremata, R. Montesino, J. Ståhlberg, C. Divne, I.J. Szabó, G. Henriksson, G. Johansson and G. Pettersson, Cloning and characterization of a cDNA encoding a cellobiose dehydrogenase from the white rot fungus *Phanerochaete chrysosporium* (369) 233
Raida, M. see R. Hess (374) 34
Raida, M. see K.W. Bensch (368) 331
Raida, M. see H.-D. Zucht (372) 185
Raida, M. see J.J. Calvete (365) 179
Raimond, J., F. Rouleux, M. Monsigny and A. Legrand, The second intron of the human galectin-3 gene has a strong promoter activity down-regulated by p53 (363) 165
Rainteau, D., P. Mansuelle, H. Rochat and S. Weinman, Characterization and ultrastructural localization of annexin VI from mitochondria (360) 80
Raj, P.A. and M. Edgerton, Functional domain and poly-L-proline II conformation for candidacidal activity of bactenecin 5 (368) 526
Raje, M. see M.L. Benka (363) 49
Ram, A.F.J., S.S.C. Brekelmans, L.J.W.M. Oehlen and F.M. Klis, Identification of two cell cycle regulated genes affecting the β1,3-glucan content of cell walls in *Saccharomyces cerevisiae* (358) 165
Ramachandran, J. see V.J. Basus (370) 163
Ramakrishna, T. see B. Raman (365) 133
Raman, B., T. Ramakrishna and C.M. Rao, Temperature dependent chaperone-like activity of alpha-crystallin (365) 133
Ramesh, V., Y.-Z. Xu and G.C.K. Roberts, Site-specific ^{15}N-labelling of oligonucleotides for NMR: the *trp* operator and its interaction with the *trp* repressor (363) 61
Ramilo, C.A. see Y. Li (377) 208
Ramlal, T. see L. Lavoie (366) 109
Ramponi, G. see A. Modesti (375) 235
Ramponi, G. see A. Caselli (374) 249
Ramponi, G. see M.M.G.M. Thunnissen (364) 243
Ramponi, G. see T. Fiaschi (367) 145
Ramponi, G. see N. Taddei (362) 175
Ramponi, G. see P. Chiarugi (372) 49
Randak, C., A.A. Roscher, H.-B. Hadorn, I. Assfalg-Machleidt, E.A. Auerswald and W. Machleidt, Expression and functional properties of the second predicted nucleotide binding fold of the cystic fibrosis transmembrane conductance regulator fused to glutathione-*S*-transferase (363) 189
Randoux, A. see P. Gillery (357) 287
Ranjbar, B. see G.I. Yakovlev (366) 156
Rank, K.B. see N. Fan (370) 59
Rank, K.B. see N. Fan (359) 233
Rao, C.M. see B. Raman (365) 133
Rapisarda, C. see S. Ferroni (367) 319
Rapoport, T. see J. Oliver (362) 126
Rappaport, J. see M.-L. Gu (365) 95
Rariy, R.V., N. Bec, J.-L. Saldana, S.N. Nametkin, V.V. Mozhaev, N.L. Klyachko, A.V. Levashov and C. Balny, High-pressure stabilization of α-chymotrypsin entrapped in reversed micelles of Aerosol OT in octane against thermal inactivation (364) 98
Rasmussen, H. see J.S. Kastrup (363) 115
Rasola, A., L.J.V. Galietta, V. Barone, G. Romeo and S. Bagnasco, Molecular cloning and functional characterization of a GABA/betaine transporter from human kidney (373) 229
Rathgeber, G. see H.-J. Schäfer (377) 408
Rathjen, P.D. see G. Chapman (364) 289
Raugei, G. see N. Taddei (362) 175
Raugei, G. see A. Modesti (375) 235
Raugei, G. see T. Fiaschi (367) 145
Raugei, G. see P. Chiarugi (372) 49
Ravichandran, L.V. and R.A. Johns, Up-regulation of endothelial nitric oxide synthase expression by cyclic guanosine 3′,5′-monophosphate (374) 295
Ravoahangimalala, O. and J.-F. Charles, In vitro binding of *Bacillus thuringiensis* var. *israelensis* individual toxins to midgut cells of *Anopheles gambiae* larvae (Diptera: Culicidae) (362) 111
Rawlins, M.R., C.J. Leaver and M.J. May, Characterisation of an *Arabidopsis thaliana* cDNA encoding glutathione synthetase (376) 81
Raychaudhuri, P. see A. Morozov (371) 214
Raynaud-Messina, B. see C. Birck (363) 145
Rayner, B. see C. Boiziau (361) 41
Rayner, D.V. see P. Trayhurn (368) 488
Razjivin, A.P. see V.I. Novoderezhkin (368) 370
Razzaki, T. see M. Kamal (374) 363
Realini, C. see V. Ustrell (376) 155
Rebbaa, A. see N. Zebda (362) 161
Rechinsky, V.O. see D.A. Kostyuk (369) 165
Rechsteiner, M. see W. Dubiel (363) 97
Rechsteiner, M. see V. Ustrell (376) 155
Rechsteiner, M. see D.T. Mahaffey (370) 109
Reddy, V.Y. see G.-P. Shi (357) 129
Reeb, R. see S. Lefort (366) 122
Reed, J.C. see T. Koseki (376) 247
Reed, J.C. see M. Adachi (372) 113
Reed, J.C. see T. Sato (358) 113
Rees, R.C. see C.M. Bacon (370) 63
Rees, S.B. see R.W. Osborn (368) 257
Régnier, C.H. see C. Tomasetto (373) 245
Rehfeld, J.F. see J.R. Bundgaard (369) 225
Reibnegger, G. see G. Baier-Bitterlich (364) 234
Reibnegger, G. see W. Estelberger (357) 37
Reid, K.B.M. see J.-Y. Wang (376) 6
Reid, T. see P. Madaule (377) 243
Reig, J.A. see L.M. Gutiérrez (372) 39
Reijnders, W.N.M. see R.J.M. Van Spanning (360) 151
Reiländer, H. see H.M. Weiß (377) 451
Rein, R. see R.H. Sarma (357) 317
Reina, M. see R. Buscà (367) 257
Reinikainen, T. see M. Linder (372) 96
Reinstein, J. see L. Wiesmüller (363) 22
Reiser, G. see R. Stricker (370) 236
Reisler, E. see A. Vahdat (365) 149
Reiter, M. see B.E. Fischer (375) 259
Ren, H. see J. Anglister (375) 108
Ren, X.-D., A.W. Dodds, J.J. Enghild, C.T. Chu and S.K.A. Law, The effect of residue 1106 on the thioester-mediated covalent binding reaction of human complement protein C4 and the monomeric rat α-macroglobulin α_1I3 (368) 87
Renault, F. see C. Cléry (370) 212
Renger, G. see R. Fiege (377) 325

Renko, M. see A. Pariš (369) 326
Renkonen, O. see R. Niemelä (367) 67
Renouf, S., M. Beullens, S. Wera, A. Van Eynde, J. Sikela, W. Stalmans and M. Bollen, Molecular cloning of a human polypeptide related to yeast sds22, a regulator of protein phosphatase-1 (375) 75
Rentsch, D., M. Laloi, I. Rouhara, E. Schmelzer, S. Delrot and W.B. Frommer, *NTR1* encodes a high affinity oligopeptide transporter in *Arabidopsis* (370) 264
Renz, D. see S. Kochanek (360) 115
Repke, K.R.H., R. Megges, J. Weiland and R. Schön, Location and properties of the digitalis receptor site in Na^+/K^+-ATPase (359) 107
Repkova, M.N. see O.D. Zakharova (361) 287
Rescan, P.-Y., L. Gauvry and G. Paboeuf, A gene with homology to myogenin is expressed in developing myotomal musculature of the rainbow trout and in vitro during the conversion of myosatellite cells to myotubes (362) 89
Resnati, M. see P. Limongi (369) 207
Retnakaran, A. see G.B. Tremblay (368) 177
Rettig, J. see S.H. Heinemann (377) 383
Reutelingsperger, C.P.M. see E.L.J. Goossens (359) 155
Reuter, G. see H.-C. Siebert (371) 13
Reuter, H. see A. Bouron (377) 159
Reutter, W. see K. Löster (373) 234
Reutter, W. see M. Fritsch (376) 159
Revilla, E. see C. Santa Maria (374) 85
Revillard, J.-P. see S. Fournel (367) 188
Reyes, J.C. and F.J. Florencio, A novel mechanism of glutamine synthetase inactivation by ammonium in the cyanobacterium *Synechocystis sp.* PCC 6803. Involvement of an inactivating protein (367) 45
Reymann, S. see C. Jakob (368) 5
Reynolds, C.H. see D.A. Latimer (365) 42
Rezaian, M.A. see R.A. Stasys (358) 182
Ricci, P. see D. Wendehenne (374) 203
Rice, D.W. see S.Y.K. Seah (370) 93
Rice, P. see C. Rocchini (363) 37
Rice-Evans, C. see C. Castelluccio (368) 188
Rice-Evans, C.A. see N.J. Miller (365) 164
Rich, P.R., B. Meunier and F.B. Ward, Predicted structure and possible ionmotive mechanism of the sodium-linked NADH-ubiquinone oxidoreductase of *Vibrio alginolyticus* (375) 5
Richards, W.R. see S. Fidai (372) 264
Richardson, P.J. see A.K. Dixon (374) 135
Richter, D. see T. Falk (367) 127
Richter, D. see P.C. Svane (373) 35
Richter, D. see H. Hausmann (370) 227
Richter, K. see H.-J. Schüller (370) 149
Riddle, K.A. see P. Lu (362) 180
Ridout, C.J., R. James and C. Greenwood, Nucleotide sequence encoding the di-haem cytochrome c_{551} peroxidase from *Pseudomonas aeruginosa* (365) 152
Riechmann, L. see J. Davies (377) 92
Riecken, E.-O. see S. Rosewicz (368) 45
Riemer, D. see M. Bovenschulte (360) 223
Rietjens, I.M.C.M. see J. Koerts (368) 279
Rigaud, J.-L. see J. Cladera (371) 115
Rijnbrand, R., P. Bredenbeek, T. van der Straaten, L. Whetter, G. Inchauspé, S. Lemon and W. Spaan, Almost the entire 5′ non-translated region of hepatitis C virus is required for cap-independent translation (365) 115
Riley, P.A. see C. McGuigan (372) 259
Rime, H. see V. De Smedt (375) 249
Rindi, S. see R. Albertini (377) 240
Rink, T.J. see R.A. Pittner (365) 98
Rio, M.-C. see C. Tomasetto (373) 245
Ripoche, P. see G. Rousselet (359) 215
Ripoche, P. see V. Laizé (373) 269
Risau, W. see G.T. Stavri (358) 311
Rischel, C. and F.M. Poulsen, Modification of a specific tyrosine enables tracing of the end-to-end distance during apomyoglobin folding (374) 105
Ritonja, A. see B. Turk (360) 101
Ritsema, T. see H.H.J. de Jongh (360) 255
Rivett, A.J. see H.O. Fearnhead (357) 242
Rivkin, H. see N. Chejanovsky (376) 181
Rizzi, C. see M. Sandri (373) 291
Roberds, S.L. and K.P. Campbell, Adhalin mRNA and cDNA sequence are normal in the cardiomyopathic hamster (364) 245
Robert, J.M. see D.L. Rabenstein (376) 216
Roberts, C.J. see A.P. Shivji (371) 25
Roberts, G.C.K. see P.M. Kilby (363) 90
Roberts, G.C.K. see V. Ramesh (363) 61
Roberts, T.H., K.M. Fredlund and I.M. Møller, Direct evidence for the presence of two external NAD(P)H dehydrogenases coupled to the electron transport chain in plant mitochondria (373) 307
Robertson, K.J. see M.A. Barrand (374) 179
Robin, P. see D. Trouche (361) 140
Robinson, C. see K.J. van Wijk (368) 263
Robinson, G.B. see Sh.M. Cochrane (375) 41
Robinson, P.J. see P.J. Green (360) 34
Robinson, P.J. see P.J. Green (360) 34
Robledo, L. see C. Otero (360) 202
Rocchini, C., P. Rice and J. Ausio, Complete sequence and characterization of the major sperm nuclear basic protein from *Mytilus trossulus* (363) 37
Rochat, H. see D. Rainteau (360) 80
Roche, J.P., V. Anantharam and S.N. Treistman, Abolition of G protein inhibition of α_{1A} and α_{1B} calcium channels by co-expression of the β_3 subunit (371) 43
Rocheleau, T. see N. Anthony (368) 461
Rock, K.L. see T.T. Lah (363) 85
Rodenburg, K.W. see N. Juge (363) 299
Rodicio, R. see I. Ordiz (367) 219
Rodina, E.V. see S.M. Avaeva (377) 44
Rodionova, N.P. see O.V. Karpova (360) 281
Rodriguez, C. see D. Blache (357) 135
Rodriguez, C. see D. Blache (362) 197
Rodriguez, S. see W.J. Goux (366) 81
Rodriguez-Palenzuela, P. see M. Piñeiro (369) 239
Rodríguez-Sánchez, P. see P. Tejero-Diez (363) 293
Roeb, E. see M. Peters (372) 177
Roeb, E., S. Rose-John, A. Erren, D.R. Edwards, S. Matern, L. Graeve and P.C. Heinrich, Tissue inhibitor of metalloproteinases-2 (TIMP-2) in rat liver cells is increased by lipopolysaccharide and prostaglandin E_2 (357) 33
Roegiers, F. see M.L. Benka (363) 49
Röhrig, U., G. Gerisch, L. Morozova, M. Schleicher and A. Wegner, Coactosin interferes with the capping of actin filaments (374) 284
Rohwer, J.M. see B.N. Kholodenko (368) 1
Roise, D. see T. Endo (359) 93
Roldan, E.R.S. see T. Murase (360) 242
Röllinghoff, M. see C. Bogdan (363) 69
Roma, P. see W.M. Zhu (372) 1
Romanin, C. see K. Groschner (373) 30
Romano, L. see E.M.V. de Cavanagh (361) 22
Romashkova, J. see A. Danilkovich (369) 161
Romeo, D. see M. Zanetti (374) 1
Romeo, G. see A. Rasola (373) 229
Romero, G. see K. Shome (357) 109
Ronchi, E. see I. Le Roux (368) 311
Rondon, I.J., A.B. Scandurro, R.B. Wilson and B.S. Beckman, Changes in redox affect the activity of erythropoietin RNA binding protein (359) 267
Ronne, H. see J.-P. Cassart (371) 191
Rorsman, H. see M. Zhang (373) 203
Rorsman, P. see J. Gromada (373) 182
Rosario Fernández, M., J.A. Biosca, A. Norin, H. Jörnvall and X. Parés, Class III alcohol dehydrogenase from *Saccharomyces cerevisiae*: Structural and enzymatic features differ toward the human/mammalian forms in a manner consistent with functional needs in formaldehyde detoxication (370) 23
Rosário, L.M. see C.M. Sena (359) 137
Roscher, A.A. see C. Randak (363) 189
Rose, P.M., S.R. Krystek Jr., P.S. Patel, E.C.K. Liu, J.S. Lynch, D.A. Lach, S.M. Fisher and M.L. Webb, Aspartate mutation distinguishes ET_A but not ET_B receptor subtype-selective ligand binding while abolishing phospholipase C activation in both receptors (361) 243
Rose-John, S. see U. Horsten (360) 43
Rose-John, S. see F.D. de Hon (369) 187
Rose-John, S. see E. Roeb (357) 33
Rose-John, S. see M. Peters (372) 177
Rosenbaum, H. see K. Karikó (361) 118
Rosengren, E. see M. Zhang (373) 203

Rosenthal, W. see U. Liebenhoff (365) 209
Rose-Robert, F. see C. Mazière (363) 277
Rosewicz, S., E.-O. Riecken and U. Stier, Transcriptional regulation of carbonic anhydrase II by retinoic acid in the human pancreatic tumor cell line DANG (368) 45
Rossi, G.C., Y.-X. Pan, G.P. Brown and G.W. Pasternak, Antisense mapping the MOR-1 opioid receptor: evidence for alternative splicing and a novel morphine-6β-glucuronide receptor (369) 192
Rossi, J.-F. see Z.-Y. Lu (377) 515
Rossi, V. see Y. Petillot (358) 323
Rossier, B.C. see R. Antolovic (368) 169
Rossignol, B. see I. Guillemain (363) 13
Rossini, G.P. and C. Malaguti, Steroid hormones and temperature induce changes of binding parameters of their receptors in intact cells (376) 151
Roth, D. and R.D. Burgoyne, Stimulation of catecholamine secretion from adrenal chromaffin cells by 14–3–3 proteins is due to reorganisation of the cortical actin network (374) 77
Roth, M. see H. Simon (373) 88
Rother, K.I. see J. Silke (370) 170
Rotilio, G. see A. Battistoni (374) 199
Rouault, J.-P. see S. Fournel (367) 188
Rouby, P.-E. see C. Serradeil-Le Gal (362) 192
Roucou, X., S. Manon and M. Guerin, ATP opens an electrophoretic potassium transport pathway in respiring yeast mitochondria (364) 161
Roudier, N. see V. Laizé (373) 269
Rougier, O. see B. Allard (375) 215
Rouhara, I. see D. Rentsch (370) 264
Rouleux, F. see J. Raimond (363) 165
Rourke, I.J. see J.R. Bundgaard (369) 225
Rouse, J. see A. Cuenda (364) 229
Rousselet, G. see V. Laizé (373) 269
Rousselet, G., M. Simon, P. Ripoche and J.-M. Buhler, A second nitrogen permease regulator in *Saccharomyces cerevisiae* (359) 215
Rouzé, P. see C. Meyer (370) 197
Rowe, A.J. see P.J. Morgan (371) 77
Rowe, I.C.M. see C.T. Bond (367) 61
Rowlands, D.C. see W.E.B. Johnson (364) 309
Rowlands, M.G. see V.M. Macaulay (372) 222
Rowsell, E.H. see M.S. Johnson (374) 161
Roy, C. see V. Niggli (376) 172
Roy, H.K., M. Bissonnette, B.P. Frawley Jr., R.K. Wali, S.M. Niedziela, D. Earnest and T.A. Brasitus, Selective preservation of protein kinase C-ζ in the chemoprevention of azoxymethane-induced colonic tumors by piroxicam (366) 143
Roy, S., Y. Noda, V. Eckert, M.G. Traber, A. Mori, R. Liburdy and L. Packer, The phorbol 12-myristate 13- acetate (PMA)-induced oxidative burst in rat peritoneal neutrophils is increased by a 0.1 mT (60 Hz) magnetic field (376) 164
Rúa, M.L. see C. Otero (360) 202
Rubanova, N.A. see E.M. Khvatova (368) 367
Rubin, A.B. see B.K. Semin (375) 223
Rubio, J. see V. Yermilov (376) 207
Rubtsov, Y. see N. Pavlov (366) 43
Rüdiger, A. see M. Nimtz (365) 203
Rüdiger, A.-H. see M. Rüdiger (364) 147
Rüdiger, M., U. Plessmann, A.-H. Rüdiger and K. Weber, β tubulin of bull sperm is polyglycylated (364) 147
Rudy, B. see K. McCormack (370) 32
Rüegg, J.C. see C. Dohet (377) 131
Rüffer, M., B. Steipe and M.H. Zenk, Evidence against specific binding of salicylic acid to plant catalase (377) 175
Ruiz-Herrera, J., R. Ruiz-Medrano and A. Domínguez, Selective inhibition of cytosine-DNA methylases by polyamines (357) 192
Ruiz-Medrano, R. see J. Ruiz-Herrera (357) 192
Ruiz-Montasell, B. see J.V. Martínez-Mas (362) 85
Rukavishnikova, E.V., T.A. Korolenko, T. Sassa, T. Oka, S. Horiuchi and Y. Natori,, Interaction of rat liver lysosomes with basic polypeptides (369) 217
Rumsby, M. see K. Moreton (372) 33
Rundström, N. see J. Morr (368) 495
Ruoho, A. see G. Woldegiorgis (364) 143
Rupp, K. see J. Lundström-Ljung (357) 305
Ruppersberg, J.P. see T. Doi (375) 193
Rupprecht, A. see J. Piškur (375) 174
Rush, C., A. Willetts, G. Davies, Z. Dauter, H. Watson and J. Littlechild, Purification, crystallisation and preliminary X-ray analysis of the vanadium-dependent haloperoxidase from *Corallina officinalis* (359) 244
Rusnak, F. see L.T. Kakalis (362) 55
Russo, T. see R. Ammendola (371) 209
Ruysschaert, J.-M. see V. Mandieau (368) 15
Ruzzene, M. see A.M. Brunati (367) 149
Rybak, S. see M.L. Benka (363) 49
Rybalkina, E.Y. see T.P. Stromskaya (368) 373
Ryu, S.H. see Y.H. Lee (358) 105

S

Saad, M.J.A. see L.A. Velloso (377) 353
Saad, M.J.A., L.G.C. Hartmann, D.S. de Carvalho, C.A.O. Galoro, S.L. Brenelli and C.R.O. Carvalho, Effect of glucagon on insulin receptor substrate-1 (IRS-1) phosphorylation and association with phosphatidylinositol 3-kinase (PI 3-kinase) (370) 131
Säämänen, A.-M. see A. Hiltunen (364) 171
Sabbadini, R.A. see K.A. Krown (376) 24
Sada, H. see Y. Yamada (377) 390
Sadler, P.J. see J. Christodoulou (376) 1
Saenger, W. see A. Bzowska (367) 214
Saez, C.T. see M.T. Henzl (375) 137
Saga, S. see A. Kato (371) 17
Saggerson, E.D. see N.M. Broadway (371) 137
Saheki, T. see K. Kobayashi (372) 69
Sahlin, M. see P.-O. Lycksell (368) 441
Sahlin, M. see S. Pötsch (374) 95
Saibil, H. see C. Venien-Bryan (359) 45
Saibil, H.R. see P.J. Morgan (371) 77
Saido, T.C. see K. Mizuno (359) 259
Saier Jr., M.H. see C.C. Nguyen (377) 98
Saier, Jr., M.H., Differential codon usage: a safeguard against inappropriate expression of specialized genes? (362) 1
Saifudeen, Z., R.J. Desnick and M. Ehrlich, A mutation in the 5′ untranslated region of the human α-galactosidase A gene in high-activity variants inhibits specific protein binding (371) 181
Saifullin, S.R. see B.N. Goldstein (373) 259
Saigo, S. see N. Shibayama (372) 126
Saigoh, M. see M. Wakiyama (360) 191
Saika, K. and M. Yoshida, A minimum catalytic unit of F_1-ATPase shows non-cooperative ATPase activity inherent in a single catalytic site with a K_m 70 μM (368) 207
Saimi, Y. see X.-L. Zhou (373) 170
Sainio, K. see A. Iivanainen (365) 183
Saito, H. see T. Imai (368) 23
Saito, T., K. Ishiguro, T. Uchida, E. Miyamoto, T. Kishimoto and S.-i. Hisanaga, In situ dephosphorylation of tau by protein phosphatase 2A and 2B in fetal rat primary cultured neurons (376) 238
Saito, Y. see Y. Kubohara (359) 119
Saito, Y., Y. Nemoto, T. Ishizaki, N. Watanabe, N. Morii and S. Narumiya, Identification of Glu^{173} as the critical amino acid residue for the ADP-ribosyltransferase activity of *Clostridium botulinum* C3 exoenzyme (371) 105
Saito, Y. see N. Kumagai (366) 11
Saitoh, Y. see J. Nishikawa (373) 19
Sakai, H., R.A. Furuta, K. Tokunaga, M. Kawamura, M. Hatanaka and A. Adachi, Rev-dependency of expression of human immunodeficiency virus type 1 *gag* and *env* genes (365) 141
Sakai, K. see T. Ishikawa (367) 28
Sakai, M. see H. Hakamata (363) 29
Sakai, M. see M. Ohkuro (373) 189
Sakakibara, R. see M. Sugimoto (363) 53
Sakamoto, A. see S. Kunugi (362) 189
Sakamoto, A., T. Okumura, H. Kaminaka, K. Sumi and K. Tanaka, Structure and differential response to abscisic acid of two promoters for the cytosolic copper/zinc-superoxide dismutase genes, *SodCc1* and *SodCc2*, in rice protoplasts (358) 62

Sakamoto, Y. see T. Imai (368) 23
Sakamoto, Y.-I. see H. Hakamata (363) 29
Sakharov, A.M. see A.S. Gambaryan (366) 57
Sakimura, K. see T. Yamakura (374) 412
Sakiyama, S. see T. Ozaki (375) 155
Sakoda, Y. see H. Ohtani (359) 65
Sakura, H., C. Bond, M. Warren-Perry, S. Horsley, L. Kearney, S. Tucker, J. Adelman, R. Turner and F.M. Ashcroft, Characterization and variation of a human inwardly-rectifying K-channel gene (KCNJ6): a putative ATP-sensitive K-channel subunit (367) 193
Sakura, H., C. Ämmälä, P.A. Smith, F.M. Gribble and F.M. Ashcroft, Cloning and functional expression of the cDNA encoding a novel ATP-sensitive potassium channel subunit expressed in pancreatic β-cells, brain, heart and skeletal muscle (377) 338
Sakura, H. see C.T. Bond (367) 61
Sakurai, H. see K. Fukui (368) 31
Sakurai, K. see M. Nakano (372) 140
Sakurai, T. see R. Tsuboi (371) 188
Salcedo, G. see G. García-Casado (364) 36
Saldana, J.-L. see R.V. Rariy (364) 98
Salic, A. see M.L. Benka (363) 49
Salmanova, D.V. see A.S. Zasedatelev (375) 304
Salmon, M. see E.-B. Haddad (363) 285
Salmon, V. see D. Legrand (365) 57
Salton, S.R.J., C. Volonté and G. D'Arcangelo, Stimulation of *vgf* gene expression by NGF is mediated through multiple signal transduction pathways involving protein phosphorylation (360) 106
Salvadori, S. see P. Amodeo (377) 363
Salvatore, P., C. Contursi, G. Benvenuto, C.B. Bruni and L. Chiariotti, Characterization and functional dissection of the galectin-1 gene promoter (373) 159
Salzet, M., P. Bulet, M. Verger-Bocquet and J. Malecha, Isolation and structural characterization of enkephalins in the brain of the Rhynchobdellid leech *Theromyzon tessulatum* (357) 187
Salzman, A.L. see C. Szabó (363) 235
Salzman, A.L. see C. Szabó (372) 229
Samama, J.-P. see C. Birck (363) 145
Samanta, A.K. see S.K. Manna (367) 117
Samokhvalov, I.M. see M.A. Ershler (375) 50
Sampaolese, B. see B. Kropp (364) 17
Sampogna, S.L. see M.P. Lostao (377) 181
Sampson, J. see C. Castelluccio (368) 188
Samuilov, V.D., E.L. Barsky, O.N. Gubanova, V.V. Klimov and Yu.N. Kozlov, Photoreduction of silicomolybdate in chloroplasts by agents accelerating the deactivation reactions of the water-oxidizing system (357) 55
Samyn, B., K. Van Craenenbroeck, L. De Smet, I. Vandenberghe, G. Pettigrew and J. Van Beeumen, A reinvestigation of the covalent structure of *Pseudomonas aeruginosa* cytochrome c peroxidase (377) 145
Sánchez, L.M. see G. García-Casado (364) 36
Sánchez, L.M. see J.H. Morais Cabral (366) 53
Sánchez-Monge, R. see G. García-Casado (364) 36
Sanders, D. see E. Johannes (365) 1
Sandmann, G. see M. Albrecht (372) 199
Sandor, Z. and A. Bredberg, Deficient DNA repair of triple helix-directed double psoralen damage in human cells (374) 287
Sandri, M., U. Carraro, M. Podhorska-Okolov, C. Rizzi, P. Arslan, D. Monti and C. Franceschi, Apoptosis, DNA damage and ubiquitin expression in normal and *mdx* muscle fibers after exercise (373) 291
Sandstrom, P.A., D. Pardi, P.W. Tebbey, R.W. Dudek, D.M. Terrian, T.M. Folks and T.M. Buttke, Lipid hydroperoxide-induced apoptosis: lack of inhibition by Bcl-2 over-expression (365) 66
Sang, A.E. see T. Preiss (367) 291
Sankararamakrishnan, R. and M.S.P. Sansom, Water-mediated conformational transitions in nicotinic receptor M2 helix bundles: a molecular dynamics study (377) 377
Sansom, M.S.P. see R. Sankararamakrishnan (377) 377
Santa Maria, C., E. Revilla, A. Ayala, C.P. de la Cruz and A. Machado, Changes in the histidine residues of Cu/Zn superoxide dismutase during aging (374) 85
Santiago, E. see L.A. Pérez-Mediavilla (357) 121
Santos, R.M. see C.M. Sena (359) 137
Sanz, L. see J.J. Calvete (365) 179
Sarai, A. see N. Shimba (360) 247
Sarai, A. see T. Takahashi (358) 89
Saraste, M. see J. Castresana (374) 149
Sardanelli, A.M., Z. Technikova-Dobrova, S.C. Scacco, F. Speranza and S. Papa, Characterization of proteins phosphorylated by the cAMP-dependent protein kinase of bovine heart mitochondria (377) 470
Sariola, H. see A. Iivanainen (365) 183
Sarkar, D. and A. Bhaduri, Temperature-induced rapid increase in cytoplasmic free Ca^{2+} in pathogenic *Leishmania donovani* promastigotes (375) 83
Sarma, M.H. see R.H. Sarma (357) 317
Sarma, R.H., M.H. Sarma, R. Rein, M. Shibata, R.S. Setlik, R.L. Ornstein, A.L. Kazim, A. Cairo and T.B. Tomasi, Secondary structure in solution of two anti-HIV-1 hammerhead ribozymes as investigated by two-dimensional ^{1}H 500 MHz NMR spectroscopy in water (357) 317
Sarsa, J.A. see N. González-Ramón (371) 227
Sartori, P., K. Djinovic Carugo, R. Ferraccioli, G. Balliano, P. Milla, P. Ascenzi and M. Bolognesi, Active site titration of bovine β-trypsin by N^{α}-(*N*,*N*-dimethylcarbamoyl)-α-aza-lysine *p*-nitrophenyl ester: kinetic and crystallographic analysis (358) 53
Sartorius, J. and H.-J. Schneider, NMR-titrations with complexes between ds-DNA and indole derivatives including tryptophane containing peptides (374) 387
Sarubbi, E. see H. Schreuder (373) 39
Saruta, T. see K. Hishikawa (360) 291
Sasabe, H. see T. Noguchi (358) 9
Sasabe, H. see N. Ishii (362) 121
Sasakawa, T. see T. Oka (367) 49
Sasaki, N. see H. Nishimura (357) 207
Sasaki, R. see M. Nagao (373) 225
Sasaki, T. see T. Sugahara (368) 92
Sasaki, T. see I. Nakamura (361) 79
Sasaki, T. see T. Akagi (358) 34
Sasaki, Y., K. Ishii, K. Nunoki, T. Yamagishi and N. Taira, The voltage-dependent K^+ channel (Kv1.5) cloned from rabbit heart and facilitation of inactivation of the delayed rectifier current by the rat β subunit (372) 20
Sasatsu, M. see A. Yamaguchi (365) 193
Sass, M. see P. Löw (368) 125
Sassa, T. see T. Oka (367) 49
Sassa, T. see E.V. Rukavishnikova (369) 217
Sato, C. see R. Tsuboi (371) 188
Sato, E., H. Fujii, M. Fujita, T. Kanda, S. Iseki, K. Hatakeyama, T. Tanaka and T. Ono, Tissue-specific regulation of the expression of rat intestinal bile acid-binding protein (374) 184
Sato, H. see R.C.M. Siow (368) 239
Sato, K. see M. Takahashi (372) 59
Sato, K. see N. Martin-Moutot (366) 21
Sato, K., H. Betz and P. Schloss, The recombinant GABA transporter GAT1 is downregulated upon activation of protein kinase C (375) 99
Sato, M. see T. Nakano (360) 197
Sato, M. see T. Kawakami (358) 225
Sato, T., S. Irie and J.C. Reed, A novel member of the TRAF family of putative signal transducing proteins binds to the cytosolic domain of CD40 (358) 113
Satoh, K. see G.E. Bialek-Bylka (363) 137
Satoh, M. see T. Onogi (357) 93
Satoh, M. see H. Misawa (361) 106
Satoh, M. see T. Iwamoto (368) 420
Satoh, M. see M. Minami (364) 23
Satoh, M. see H.W.L. Lai (360) 97
Satoh, M. see T. Iwamoto (368) 420
Satoh, T. see A. Ito (368) 183
Sato-Watanabe, M., S. Itoh, T. Mogi, K. Matsuura, H. Miyoshi and Y. Anraku, Stabilization of a semiquinone radical at the high-affinity quinone-binding site (Q_H) of the *Escherichia coli bo*-type ubiquinol oxidase (374) 265
Sau, A.K., K.V.R. Chary, G. Govil, C.-q. Chen, F.B. Howard and H.T. Miles, Evidence for A$^+$(*anti*)–G(*syn*) mismatched base-pairing in d-GGTAAGCGTACC (377) 301
Sauer, N. see J. Stolz (377) 167
Sauer, U.H. see R. Ficner (357) 62
Sautière, P.E. see L. Dupont-Wallois (357) 197
Savaria, D. see S. Benjannet (362) 151
Savart, M., C. Verret, D. Dutaud, K. Touyarot, N. Elamrani and A. Ducastaing, Isolation and identification of a μ-calpain-protein kinase Cα complex in skeletal muscle (359) 60

Savino, M. see B. Kropp (364) 17
Saviñon-Tejeda, A.L. see R. Coria (367) 122
Savoie, P., J. de Champlain and M.B. Anand-Srivastava, C-type natriuretic peptide and brain natriuretic peptide inhibit adenylyl cyclase activity: interaction with ANF-R2/ANP-C receptors (370) 6
Savouré, A., S. Jaoua, X.-J. Hua, W. Ardiles, M. Van Montagu and N. Verbruggen, Isolation, characterization, and chromosomal location of a gene encoding the Δ^1-pyrroline-5-carboxylate synthetase in *Arabidopsis thaliana* (372) 13
Sawada, N. see K. Iba (373) 1
Sawai, T. see T. Kimura (362) 47
Sawai, T. see A. Yamaguchi (365) 193
Sawai, T. see Y. Someya (374) 72
Sawamura, T. see J.-B. Denault (362) 276
Sawazaki, K. see T. Yasuda (359) 211
Sawyer, L. see J.H. Morais Cabral (366) 53
Saya, D. see T. Avidor-Reiss (361) 70
Scacco, S.C. see A.M. Sardanelli (377) 470
Scahill, T.A. see M.B. Fairbanks (369) 197
Scandurro, A.B. see I.J. Rondon (359) 267
Scarano, G., I.M. Krab, V. Bocchini and A. Parmeggiani, Relevance of histidine-84 in the elongation factor Tu GTPase activity and in poly(Phe) synthesis: its substitution by glutamine and alanine (365) 214
Schaap, P. see C. Schulkes (368) 381
Schäfer, E. see N. Seki (375) 307
Schäfer, G. see C.L. Schmidt (359) 239
Schäfer, H.-J., G. Rathgeber and Y. Kagawa, 2,8-Diazido-ATP — a short-length bifunctional photoaffinity label for photoaffinity cross-linking of a stable F_1 in ATP synthase (from thermophilic bacteria PS3) (377) 408
Schäfer, J. see T. Falk (367) 127
Schäfer, W. see J.J. Calvete (365) 179
Schäfer, W. see R.J. Porra (371) 21
Schaffner, W. see J. Silke (370) 170
Schantz, M.-L., H. Schreiber, P. Guillemaut and R. Schantz, Changes in ascorbate peroxidase activities during fruit ripening in *Capsicum annuum* (358) 149
Schantz, R. see M.-L. Schantz (358) 149
Schapira, M. see P.A. Patston (368) 401
Scheer, H. see R.J. Porra (371) 21
Scheffzek, K. see L. Wiesmüller (363) 22
Scheiber, B. see M. Meilinger (360) 70
Schellenberger, A. see L.E. Meshalkina (375) 220
Schepper, M. see J. van der Oost (371) 267
Scherer, P.E. see A.M. Martelli (368) 271
Scherrer, P. see U. Alexiev (373) 81
Schiedel, A.C., A. Barnekow and T. Mayer, Nucleotide induced conformation determines posttranslational isoprenylation of the ras related rab6 protein in insect cells (376) 113
Schieven, G.L. see F. Yanaga (368) 377
Schiltz, E. see M.H. Tadros (368) 243
Schimz, K.-L., G. Decker, E. Frings, J. Meens, M. Klein and M. Müller, A cell-free protein translocation system prepared entirely from a Gram-positive organism (362) 29
Schindler, C. see C. Lütticken (360) 137
Schindler, H. see K. Groschner (373) 30
Schiphorst, W.E.C.M. see M. Nemansky (363) 280
Schirru, N. see V. Talesa (357) 265
Schlaak, M. see A. Bufe (363) 6
Schlagman, S.L. see V.G. Kossykh (370) 75
Schlegel, J., I. Peters and S. Orrenius, Isolation and partial characterization of a protease involved in Fas-induced apoptosis (364) 139
Schleicher, M., B. André, C. Andréoli, L. Eichinger, M. Haugwitz, A. Hofmann, J. Karakesisoglou, M. Stöckelhuber and A.A. Noegel, Structure/function studies on cytoskeletal proteins in *Dictyostelium* amoebae as a paradigm (369) 38
Schleicher, M. see U. Röhrig (374) 284
Schlenkrich, T., M. Porst and D.-P. Häder, A rapid, simple method for the isolation and characterization of the photoreceptor of *Dictyostelium discoideum* amoebae (364) 276
Schley, L. see C. Exley (364) 182
Schliebs, W. see T.V. Borchert (367) 315
Schlokat, U. see B.E. Fischer (375) 259
Schloss, P. see K. Sato (375) 99
Schmalhausen, E.V., V.I. Muronetz and N.K. Nagradova, Interaction of glyceraldehyde-3-phosphate dehydrogenase with SH-containing compounds: evidence for the binding of L-cysteine and for the dependence of the binding on the functional state of the enzyme (375) 18
Schmehl, I., S. Luvisetto, M. Canton, F. Gennari and G.F. Azzone, Nature of respiratory stimulation in hyperthyroidism: the redox behaviour of cytochrome *c* (375) 206
Schmelzer, E. see D. Rentsch (370) 264
Schmid, H.H.O. see P.C. Schmid (375) 117
Schmid, P.C., R.J. Krebsbach, S.R. Perry, T.M. Dettmer, J.L. Maasson and H.H.O. Schmid, Occurrence and postmortem generation of anandamide and other long-chain *N*-acylethanolamines in mammalian brain (375) 117
Schmid, R. see H.R. Fiedler (377) 163
Schmidt, B., S. König, D. Svergun, V. Volkov, G. Fischer and M.H.J. Koch, Small-angle X-ray solution scattering study on the dimerization of the FKBP25mem from *Legionella pneumophila* (372) 169
Schmidt, B.F. see M.M. Przetak (364) 268
Schmidt, C.L., S. Anemüller, M. Teixeira and G. Schäfer, Purification and characterization of the Rieske iron-sulfur protein from the thermoacidophilic crenarchaeon *Sulfolobus acidocaldarius* (359) 239
Schmidt, J. see C.-T. Su (366) 131
Schmidt, M., S. Olsson, I. van der Ploeg and M. van Hage-Hamsten, cDNA analysis of the mite allergen Lep d 1 identifies two different isoallergens and variants (370) 11
Schmidtchen, R. see U. Krummrei (371) 47
Schmitt, B. see J. Morr (368) 495
Schmitt, N. see B. Lucas-Heron (374) 309
Schmitz-Van de Leur, H. see U. Horsten (360) 43
Schmuck, K. see C. Ullmer (370) 215
Schnabel, P. see A.P. Simões (365) 155
Schnackerz, K. see H. Jung (358) 133
Schnare, M.N., S.J. Greenwood and M.W. Gray, Primary sequence and post-transcriptional modification pattern of an unusual mitochondrial $tRNA^{Met}$ from *Tetrahymena pyriformis* (362) 24
Schneider, H.-J. see J. Sartorius (374) 387
Schneider, R. see J.M. Windisch (374) 125
Schneider, R. see J. Zhang (377) 530
Schneider, R. see P. Kaiser (377) 193
Schobersberger, W., G. Hoffmann, J. Grote, H. Wachter and D. Fuchs, Induction of inducible nitric oxide synthase expression by neopterin in vascular smooth muscle cells (377) 461
Schoentgen, F. and P. Jollès, From structure to function: possible biological roles of a new widespread protein family binding hydrophobic ligands and displaying a nucleotide binding site (369) 22
Schoepfer, R. see X. Bo (375) 129
Schofield, C.J. see C.-Y. Shiau (358) 97
Schofield, C.J. see C.-Y. Shiau (373) 303
Scholfield, C. see S. Perry (360) 277
Schön, A. see K. Gaedigk-Nitschko (357) 275
Schön, R. see K.R.H. Repke (359) 107
Schoner, W. see R. Antolovic (368) 169
Schramm, G. see A. Bufe (363) 6
Schraven, B. and M.E. Peter, APO-1(CD95)-mediated apoptosis in Jurkat cells does not involve src kinases or CD45 (368) 491
Schreiber, G. see C. Frisch (370) 273
Schreiber, H. see M.-L. Schantz (358) 149
Schreiber, U. see R. Fiege (377) 325
Schreiber, V. see C. Tomasetto (373) 245
Schreier, S. see T.A. Pertinhez (375) 239
Schreuder, H., C. Tardif, A. Soffientini, E. Sarubbi, A. Akeson, T. Bowlin, S. Yanofsky and R.W. Barrett, Crystals of soluble interleukin-1 receptor complexed with its natural antagonist reveal a 1:1 receptor–ligand complex (373) 39
Schricker, K. see R. Della Bruna (372) 157
Schröder, G. see M. Hotze (374) 345
Schröder, G. see S. Raiber (361) 299
Schröder, J. see M. Hotze (374) 345
Schröder, J. see S. Raiber (361) 299
Schröder, W. see A. Bzowska (367) 214
Schroeder, J.I., Magnesium-independent activation of inward-rectifying K^+ channels in *Vicia faba* guard cells (363) 157
Schubert, P. see S. Ferroni (367) 319
Schuhmann, K. see K. Groschner (373) 30
Schuldiner, S. see E. Pinner (365) 18

Schuldiner, S. see R. Yelin (377) 201
Schülein, M. see C. Boisset (376) 49
Schulkes, C. and P. Schaap, cAMP-dependent protein kinase activity is essential for preaggregative gene expression in *Dictyostelium* (368) 381
Schüller, H.-J., K. Richter, B. Hoffmann, R. Ebbert and E. Schweizer, DNA binding site of the yeast heteromeric Ino2p/Ino4p basic helix-loop-helix transcription factor: structural requirements as defined by saturation mutagenesis (370) 149
Schulthess, T. see A. Brancaccio (368) 139
Schultz, G. see C. Harteneck (358) 297
Schultz, J.H. see T. Doi (375) 193
Schulz, G.E. see K. Wild (368) 289
Schulze, E. see M. Elkin (374) 57
Schulz-Knappe, P. see R. Hess (374) 34
Schulz-Knappe, P. see K.W. Bensch (368) 331
Schumacher, S. see J. Laufs (377) 258
Schumaker, V.N. see Y. Petillot (358) 323
Schuster, S. see B.N. Kholodenko (368) 1
Schuster, W. see C. Wischmann (374) 152
Schutt, C.E. see G. Pinaev (369) 144
Schwaller, B. see P. Lipp (364) 198
Schwartz, A. see G. Varadi (368) 405
Schwartz, C. see C. Lütticken (360) 137
Schwartz, R.E. see K. Kerksiek (377) 59
Schwarz, H.P. see B.E. Fischer (375) 259
Schwarz, J.R. see T. Falk (367) 127
Schwarz, T. see I.B. Leibiger (362) 210
Schwecke, T. see S.F. Haydock (374) 246
Schwedersky, G. see J.A. Carver (369) 305
Schweiger, A. see A. Jungbluth (375) 87
Schweiger, M. see J. Zhang (377) 530
Schweiger, M. see P. Kaiser (377) 193
Schweizer, E. see H.-J. Schüller (370) 149
Scimeca, J.-C. see P. Peraldi (357) 290
Scoble, J. see V. Dinçbaş (357) 19
Scocchi, M. see L. Bagella (376) 225
Scotti, P.A., R. Chambert and M.-F. Petit-Glatron, Kinetics of the unfolding–folding transition of *Bacillus subtilis* levansucrase precursor (360) 307
Scott-Ward, T. see D.J. Hardick (365) 79
Seagar, M. see N. Martin-Moutot (366) 21
Seagar, M.J. see O. El Far (361) 101
Seah, S.Y.K., K.L. Britton, P.J. Baker, D.W. Rice, Y. Asano and P.C. Engel, Alteration in relative activities of phenylalanine dehydrogenase towards different substrates by site-directed mutagenesis (370) 93
Seedorf, M. and J. Soll, Copper chloride, an inhibitor of protein import into chloroplasts (367) 19
Seemüller, E., A. Lupas, F. Zühl, P. Zwickl and W. Baumeister, The proteasome from *Thermoplasma acidophilum* is neither a cysteine nor a serine protease (359) 173
Segal, S. see E. Priel (362) 59
Ségalas, I., R. Thai, R. Ménez and C. Vita, A particularly labile Asp–Pro bond in the green mamba muscarinic toxin MTX2. Effect of protein conformation on the rate of cleavage (371) 171
Ségui, M. see J.-M. Derocq (369) 177
Sehajpal, P. see Y. Prashar (358) 109
Seidah, N.G. see S. Benjannet (362) 151
Seidah, N.G. see J. Hoflehner (360) 294
Seidah, N.G. see N. Brakch (362) 143
Seiffert, D., Evidence that conformational changes upon the transition of the native to the modified form of vitronectin are not limited to the heparin binding domain (368) 155
Seitanidou, T. see N. Becker (368) 353
Seki, N., M. Moczko, T. Nagase, N. Zufall, B. Ehmann, K. Dietmeier, E. Schäfer, N. Nomura and N. Pfanner, A human homolog of the mitochondrial protein import receptor Mom19 can assemble with the yeast mitochondrial receptor complex (375) 307
Sekimoto, T. see N. Imamoto (368) 415
Sekine, S.-i. see M. Tateno (377) 77
Sekino, N. see K. Tozawa (376) 190
Sekiya, M. see M. Aoachi (372) 113
Seldin, M.F. see S.S. Apte (363) 304
Selivankina, S.Y. see O.N. Kulaeva (366) 26
Selvapandiyan, A., K. Majumder, F.A. Fattah, S. Ahmad, N. Arora and R.K. Bhatnagar, Point mutation of a conserved arginine (104) to lysine introduces hypersensitivity to inhibition by glyphosate in the 5-enolpyruvylshikimate-3-phosphate synthase of *Bacillus subtilis* (374) 253
Semenchuk, L.A. and J. Di Salvo, Receptor-activated increases in intracellular calcium and protein tyrosine phosphorylation in vascular smooth muscle cells (370) 127
Semenza, G. see P. Keller (368) 563
Semin, B.K., I.I. Ivanov, A.B. Rubin and F. Parak, High-specific binding of Fe(II) at the Mn-binding site in Mn-depleted PSII membranes from spinach (375) 223
Semizarov, D.G. see M.V. Jasko (357) 23
Sena, C.M., A.R. Tomé, R.M. Santos and L.M. Rosário, Protein kinase C activator inhibits voltage-sensitive Ca^{2+} channels and catecholamine secretion in adrenal chromaffin cells (359) 137
Senchenkova, S.N. see L.M. Likhosherstov (368) 113
Senger, H. see N.I. Bishop (367) 158
Senger, R. see W.H. Goldmann (368) 516
Senin, I.I., A.A. Zargarov, A.M. Alekseev, E.N. Gorodovikova, V.M. Lipkin and P.P. Philippov, *N*-Myristoylation of recoverin enhances its efficiency as an inhibitor of rhodopsin kinase (376) 87
Senior, A.E., M.K. Al-Shawi and I.L. Urbatsch, The catalytic cycle of P-glycoprotein (377) 285
Senjo, M. see M. Kishi (364) 293
Seo, M. and K. Noguchi, Retinoic acid induces gene expression of fibroblast growth factor-9 during induction of neuronal differentiation of mouse embryonal carcinoma P19 cells (370) 231
Seol, J.H., S.J. Yoo, M.-S. Kang, D.B. Ha and C.H. Chung, The 65-kDa protein derived from the internal translational start site of the *clpA* gene blocks autodegradation of ClpA by the ATP-dependent protease Ti in *Escherichia coli* (377) 41
Seppo, A. see R. Niemelä (367) 67
Serdyuk, O.P., L.D. Smolygina, E.N. Muzafarov, V.M. Adanin and M.U. Arinbasarov, 4-Hydroxyphenethyl alcohol — a new cytokinin-like substance from the phototrophic purple bacterium *Rhodospirillum rubrum* 1R (365) 10
Sergeev, P.V., V.M. Panin, G.V. Pavlova, M.R. Kopantseva, N.G. Shostak, V.N. Bashkirov, G.P. Georgiev and L.I. Korochkin, The expression of esterase S gene of *Drosophila virilis* in *Drosophila melanogaster* (360) 194
Seri, I. see E. Priel (362) 59
Seris, J.L. see I. Aubes-Dufau (364) 115
Serradeil-Le Gal, C., G. Valette, P.-E. Rouby, A. Pellet, F. Oury-Donat, G. Brossard, L. Lespy, E. Marty, G. Neliat, P. de Cointet, J.-P. Maffrand and G. Le Fur, SR120819A, an orally-active and selective neuropeptide Y Y1 receptor antagonist (362) 192
Servent, D., A. Ménez and P. Kessler, Site-directed disulfide reduction using an affinity reagent: application on the nicotinic acetylcholine receptor (360) 261
Serwe, M. see D.G. Singh (376) 61
Sesboüé, R. see A. Héron (374) 195
Setaka, M. see K. Yokoyama (368) 477
Setlik, R.S. see R.H. Sarma (357) 317
Severin, S.E. see L.G. Korotchkina (364) 185
Seyama, Y. see H. Wachi (368) 215
Seydoux, J. see M. Moinat (373) 131
Sgonc, R. see G. Baier-Bitterlich (364) 234
Shabanowitz, J. see L. Hjelmqvist (367) 237
Shafer, R.H. see A.S. Zasedatelev (375) 304
Shafqat, J. see L. Hjelmqvist (373) 212
Shafqat, J. see M. Kamal (374) 363
Shafqat, J. see L. Hjelmqvist (367) 237
Shahidullah, M., N. Hoshi, S. Yokoyama, T. Kawamura and H. Higashida, Slow inactivation conserved in heteromultimeric voltage-dependent K^+ channels between *Shaker* (Kv1) and *Shaw* (Kv3) subfamilies (371) 307
Shaltiel, S. see P. Keller (368) 563
Shao, Z. see J. Mou (371) 279
Sharma, S.K. see N. Fan (359) 233
Sharma, S.K. see N. Fan (370) 59
Sharma, V.K. see Y. Prashar (358) 109
Sharonov, Y.A., Evidence for the high-spin heme iron in both stable and unstable reduced forms of lactoperoxidase: low-temperature magnetic circular dichroism data (377) 512
Sharov, V. see T. Sklyarova (363) 273
Sharples, F.P. see R.G. Hiller (363) 175

Sharrocks, A.D., ERK2/p42 MAP kinase stimulates both autonomous and SRF-dependent DNA binding by Elk-1 (368) 77
Shashkov, A.S. see A.Z. Metlitskaya (357) 235
Shashkov, A.S. see L.M. Likhosherstov (368) 113
Shashkov, A.S., G.M. Streshinskaya, V.A. Gnilozub, L.I. Evtushenko and I.B. Naumova, Poly(arabitol phosphate) teichoic acid in the cell wall of *Agromyces cerinus* subsp. *cerinus* VKM Ac-1340^T (371) 163
Shaul, Y. see S. Noiman (364) 63
Shavit, N. see H.R. Fiedler (377) 163
Shchyolkina, A.K., O.F. Borisova, E.E. Minyat, E.N. Timofeev, I.A. Il'icheva, E.B. Khomyakova and V.L. Florentiev, Parallel purine–pyrimidine–purine triplex: experimental evidence for existence (367) 81
Shea, T.B. see C.M. Cressman (367) 223
Sheffield, W.P. and M.A. Blajchman, Deletion mutagenesis of heparin cofactor II: defining the minimum size of a thrombin inhibiting serpin (365) 189
Sheil, M.M. see G. Wickham (360) 231
Shen, F.-s. see A.M. Wu (360) 211
Shen, W.-C. see H.M. Ekrami (371) 283
Shen, Z. see F. Zhang (376) 77
Shergill, J.K. see A.J. Bune (366) 127
Sherstobaeva, N.M. see A.T. Gudkov (367) 280
Shevelev, A. see M. Elkin (374) 57
Shi, G.-P., H.A. Chapman, S.M. Bhairi, C. DeLeeuw, V.Y. Reddy and S.J. Weiss, Molecular cloning of human cathepsin O, a novel endoproteinase and homologue of rabbit OC2 (357) 129
Shi, W. see G. Acuña (358) 31
Shiau, C.-Y., J.E. Baldwin, M.F. Byford and C.J. Schofield, δ-L-(α-Aminoadipoyl)-L-cysteinyl-D-valine synthetase: isolation of L-cysteinyl-D-valine, a 'shunt' product, and implications for the order of peptide bond formation (373) 303
Shiau, C.-Y., J.E. Baldwin, M.F. Byford, W.J. Sobey and C.J. Schofield, δ-L-(α-Aminoadipoyl)-L-cysteinyl-D-valine synthetase: the order of peptide bond formation and timing of the epimerisation reaction (358) 97
Shiba, T. see M. Ito (377) 37
Shiba, T. see N. Takamatsu (377) 373
Shibaev, V.N. see L.M. Likhosherstov (368) 113
Shibanuma, M. see K. Egawa (372) 74
Shibata, K. see A. Hirasawa (363) 256
Shibata, M. see R.H. Sarma (357) 317
Shibata, N. see A. Suzuki (373) 275
Shibayama, N., M. Ikeda-Saito, H. Hori, K. Itaroku, H. Morimoto and S. Saigo, Oxygen equilibrium and electron paramagnetic resonance studies on copper(II)–iron(II) hybrid hemoglobins at room temperature (372) 126
Shibmara, N. see J.Y. Ahn (366) 37
Shichida, Y. see J. Hirayma (364) 168
Shigeoka, S. see T. Ishikawa (367) 28
Shiina, Y. see A. Yamaguchi (365) 193
Shikata, H. see K. Imai (369) 249
Shikata, K. see M. Sugimoto (363) 53
Shiku, H. see J. Okabe-Kado (363) 311
Shiku, H. see M. Nishikawa (375) 299
Shiku, H. see K. Takamiya (358) 79
Shima, A. see N. Yamazaki (363) 41
Shima, D.T., U. Deutsch and P.A. D'Amore, Hypoxic induction of vascular endothelial growth factor (VEGF) in human epithelial cells is mediated by increases in mRNA stability (370) 203
Shimada, I. see N. Shimba (360) 247
Shimada, K., M. Takahashi, M. Ikeda and K. Tanzawa, Identification and characterization of two isoforms of an endothelin-converting enzyme-1 (371) 140
Shimada, Y. see T. Yamada (374) 262
Shimakage, M., A. Kurata, H. Inoue, Y. Okamoto, M. Yutsudo and A. Hakura, Tumorigenicity of EBNA2-transfected cells (371) 245
Shimakawa, M. see H. Takanaga (368) 276
Shimamoto, T. see N. Imamoto (368) 415
Shimasaki, H. see R. Maeba (377) 309
Shimayama, T., S. Nishikawa and K. Taira, Extraordinary enhancement of the cleavage activity of a DNA-armed hammerhead ribozyme at elevated concentrations of Mg^{2+} ions (368) 304
Shimba, N., H. Torigoe, H. Takahashi, K. Masuda, I. Shimada, Y. Arata and A. Sarai, Comparative thermodynamic analyses of the Fv, Fab* and Fab fragments of anti-dansyl mouse monoclonal antibody (360) 247
Shimbara, N. see K.-y. Akiyama (363) 151
Shimizu, N. see S. Gamou (357) 161
Shimizu, N., M. Kobayashi, H.-Y. Liu, H. Kido and H. Hoshino, Detection of tryptase TL_2 and CD26 antigen in brain-derived cells non-permissive to T-cell line-tropic human immunodeficiency virus type 1 (358) 48
Shimizu, T., K. Hamada, H. Isomura, Y. Myotoishi, S. Ikegami, H. Kaneko and M. Dan-Sohkawa, Selective inhibition of gastrulation in the starfish embryo by albuside B, an inosine analogue (369) 221
Shimizu, T. see H. Yamada (376) 37
Shimizu, T. see A. Kato (371) 17
Shimoda, S.-I. see Y. Hattori (368) 336
Shimoji, K. see T. Yamakura (374) 412
Shimonishi, Y. see K.-i. Yoshino (362) 319
Shimonishi, Y. see N. Imamoto (368) 415
Shimosaka, A. see C.M. Bacon (370) 63
Shimotohno, K. see T. Akagi (358) 34
Shimozawa, T. see T. Kikukawa (377) 502
Shindo, H., T. Iwaki, R. Ieda, H. Kurumizaka, C. Ueguchi, T. Mizuno, S. Morikawa, H. Nakamura and H. Kuboniwa, Solution structure of the DNA binding domain of a nucleoid-associated protein, H-NS, from *Escherichia coli* (360) 125
Shine, N. see K. Hom (361) 157
Shinkai, K. see K. Yoshioka (372) 25
Shinohara, K. see K. Tazaki (377) 54
Shinohara, Y. see N. Yamazaki (363) 41
Shinozaki, K. see T. Mizoguchi (358) 199
Shinsato, T. see K. Kobayashi (372) 69
Shiokawa, K. see M. Wakiyama (360) 191
Shipilova, S.V. see O.N. Kulaeva (366) 26
Shirahata, S. see T. Sugahara (368) 92
Shirakawa, M. see K. Uegaki (359) 184
Shirinsky, V.P. see M.V. Medvedeva (360) 89
Shirinsky, V.P. see D.M. Watterson (373) 217
Shirokane, Y. and M. Suzuki, A novel enzyme, maltose 1-epimerase from *Lactobacillus brevis* IFO 3345 (367) 177
Shivji, A.P., F. Brown, M.C. Davies, K.H. Jennings, C.J. Roberts, S.J.B. Tendler, M.J. Wilkinson and P.M. Williams, Scanning tunnelling microscopy studies of β-amyloid fibril structure and assembly (371) 25
Shkuropatov, A.Ya. see A.M. Streltsov (357) 239
Shlyapnikov, M.G. see A.V. Kaliman (366) 46
Shoham, Y. see S. Yaron (360) 121
Shoji, H. see S. Sugo (369) 311
Shome, K., X.-q. Xu and G. Romero, Brefeldin A inhibits insulin-dependent receptor redistribution in HIRcB cells (357) 109
Shore, G.C. see I.S. Goping (373) 45
Shostak, N.G. see P.V. Sergeev (360) 194
Shoubnikova, A. see V. Bunik (371) 167
Shrago, E. see G. Woldegiorgis (364) 143
Shteinman, A.A., The mechanism of methane and dioxygen activation in the catalytic cycle of methane monooxygenase (362) 5
Shugar, D. see A. Bzowska (367) 214
Shuvalov, V.A. see R. Fiege (377) 325
Shuvalov, V.A. see A.M. Streltsov (357) 239
Siddiqi, A.R. see L. Hjelmqvist (373) 212
Sidebottom, C. see C. Domoney (360) 15
Sidenius, N. see M. Conese (358) 73
Sidenius, U., K. Olsen, B. Svensson and U. Christensen, Stopped-flow kinetic studies of the reaction of barley α-amylase/subtilisin inhibitor and the high pI barley α-amylase (361) 250
Siebert, H.-C., S. André, G. Reuter, H.-J. Gabius, R. Kaptein and J.F.G. Vliegenthart, Effect of enzymatic desialylation of human serum amyloid P component on surface exposure of laser photo CIDNP (chemically induced dynamic nuclear polarization) – reactive histidine, tryptophan and tyrosine residues (371) 13
Siedow, J.N., A.L. Umbach and A.L. Moore, The active site of the cyanide-resistant oxidase from plant mitochondria contains a binuclear iron center (362) 10
Siegal, G. see V. Dötsch (366) 6
Siegal, G. see V. Dötsch (372) 288
Siegel, D.L. see R.B. Anachi (368) 551
Siegrist, W. see R. Drozdz (359) 199
Siess, W. see D. Dash (363) 231
Siest, G. see M. El yaagoubi (369) 183
Sigalat, C., B. Pitard and F. Haraux, Proton coupling is preserved in membrane-bound chloroplast ATPase activated by high concentrations of tentoxin (368) 253

Signorini, C., M. Ferrali, L. Ciccoli, L. Sugherini, A. Magnani and M. Comporti, Iron release, membrane protein oxidation and erythrocyte ageing (362) 165
Siivari, K., M. Zhang, A.G. Palmer III and H.J. Vogel, NMR studies of the methionine methyl groups in calmodulin (366) 104
Sikela, J. see S. Renouf (375) 75
Sikkink, R. see L.T. Kakalis (362) 55
Siletsky, S.A. see D.L. Zaslavsky, (359) 27
Silke, J., K.I. Rother, O. Georgiev, W. Schaffner and K. Matsuo, Complex demethylation patterns at Sp1 binding sites in F9 embryonal carcinoma cells (370) 170
Sim, R.B. see C.G. Ullman (371) 199
Simmons, C. see Nguyen thi Man (358) 262
Simms, M.D. see L.A. Andersson (370) 97
Simões, A.P., M. Camps, P. Schnabel and P. Gierschik, Mutational analysis of a putative polyphosphoinositide binding site in phospholipase C-β_2 (365) 155
Simon, H., M. Roth and C. Zimmer, Biochemical complementation studies in vitro of gyrase subunits from different species (373) 88
Simon, M. see G. Rousselet (359) 215
Simon, T. see A. Zimprich (359) 142
Simonin, F. see C. Gavériaux (369) 272
Simonneaux, G. see N. Legrand (364) 152
Simonova, T.N. see A.I. Polozova (358) 17
Simons, K. see D. Zacchetti (377) 465
Simons, K. see A.M. Fra (375) 11
Simons, K. see E. Ikonen (358) 273
Simons, K. see C. Bucci (366) 65
Simons, M., P.J. Tienari, C.G. Dotti and K. Beyreuther, Two-dimensional gel mapping of the processing of the human amyloid precursor protein in rat hippocampal neurons (368) 363
Simorre, J.-P. see N. Morelle (365) 172
Simorre, J.-P. see M. Caffrey (368) 519
Simos, G. and E.C. Hurt, Nucleocytoplasmic transport: factors and mechanisms (369) 107
Singh, D.G., J. Lomako, W.M. Lomako, W.J. Whelan, H.E. Meyer, M. Serwe and J.W. Metzger, β-Glucosylarginine: a new glucose–protein bond in a self-glucosylating protein from sweet corn (376) 61
Singh, H. and A. Poulos, Substrate specificity of rat liver mitochondrial carnitine palmitoyl transferase I: evidence against α-oxidation of phytanic acid in rat liver mitochondria (359) 179
Singh, I. see K. Pahan (377) 213
Singh, I.N., D.G. McCartney and J.N. Kanfer, Amyloid beta protein (25–35) stimulation of phospholipases A, C and D activities of LA-N-2 cells (365) 125
Singh, K., B. Groth-Vasselli, T.F. Kumosinski and P.N. Farnsworth, α-Crystallin quaternary structure: molecular basis for its chaperone activity (372) 283
Singh, R.J., N. Hogg, J. Joseph and B. Kalyanaraman, Photosensitized decomposition of *S*-nitrosothiols and 2-methyl-2-nitrosopropane: Possible use for site-directed nitric oxide production (360) 47
Singh, S. see B.B. Aggarwal (364) 5
Singh, T.J., T. Zaidi, I. Grundke-Iqbal and K. Iqbal, Modulation of GSK-3-catalyzed phosphorylation of microtubule-associated protein tau by non-proline-dependent protein kinases (358) 4
Singh, T.J., N. Haque, I. Grundke-Iqbal and K. Iqbal, Rapid Alzheimer-like phosphorylation of tau by the synergistic actions of non-proline-dependent protein kinases and GSK-3 (358) 267
Siomi, H. see S. Kubota (375) 31
Siow, R.C.M., T. Ishii, H. Sato, S. Taketani, D.S. Leake, J.H. Sweiry, J.D. Pearson, S. Bannai and G.E. Mann, Induction of the antioxidant stress proteins heme oxygenase-1 and MSP23 by stress agents and oxidised LDL in cultured vascular smooth muscle cells (368) 239
Sirangelo, I. see T. Naranda (372) 249
Sivaprasadarao, A. see A. Carne (372) 243
Siverio, J.M. see J. Avila (366) 137
Sjöholm, Å., Ceramide inhibits pancreatic β-cell insulin production and mitogenesis and mimics the actions of interleukin-1β (367) 283
Sjölinder, M., S. Tornhamre, P. Werga, C. Edenius and J.Å. Lindgren, Phorbol ester-induced suppression of leukotriene C_4 synthase activity in human granulocytes (377) 87
Sjövall, J. see T. Pettersson (365) 23
Skadsen, R.W. and N.S. Knauer, Alternative polyadenylation generates three low-pI α-amylase mRNAs with differential expression in barley (361) 220
Sklyarova, T., V. Kostyukovski, V. Sharov, V. Prisyazhnoy and O. Denisenko, Alterations in protein synthesis induced by C2 toxin in 3T3 cells (363) 273
Skoudy, A. and A. García de Herreros, The protein kinase C activator TPA modulates cellular levels and distribution of E-cadherin in HT-29 human intestinal epithelial cells (374) 415
Slany, R.K. see S.O. Mueller (361) 259
Slaughter, C.A. see K.-y. Akiyama (363) 151
Slaughter, C.A. see J.Y. Ahn (366) 37
Sled, V.D. see A.D. Vinogradov (370) 83
Slegers, H. see J. Willems (363) 289
Sligar, S.G. see A. Dumoulin (374) 39
Slominski, A., G. Ermak, J. Hwang, A. Chakraborty, J.E. Mazurkiewicz and M. Mihm, Proopiomelanocortin, corticotropin releasing hormone and corticotropin releasing hormone receptor genes are expressed in human skin (374) 113
Slowinska, B. see H.M. Hanauske-Abel (366) 92
Sluis-Cremer, N. and H. Dirr, Conformational stability of Cys^{45}-alkylated and hydrogen peroxide-oxidised glutathione *S*-transferase (371) 94
Sluse, F.E. see L. Capobianco (357) 297
Small, D.H. see R.N. LePage (377) 267
Small, J.V. see Å. Jaworowski (365) 167
Šmigáň, P., A. Majerník, P. Polák, I. Hapala and M. Greksák, The presence of H^+ and Na^+-translocating ATPases in *Methanobacterium thermoautotrophicum* and their possible function under alkaline conditions (371) 119
Smirnova, E.A. see E.Y. Morgunova (367) 183
Smirnova, I.A. see D.L. Zaslavsky, (359) 27
Smirnova, I.A., C. Hägerhäll, A.A. Konstantinov and L. Hederstedt, HOQNO interaction with cytochrome *b* in succinate:menaquinone oxidoreductase from *Bacillus subtilis* (359) 23
Smith, A.E. see P. Manavalan (366) 87
Smith, B.T. see K. Pahan (377) 213
Smith, C.J., B.H. Anderton, D.R. Davis and J.-M. Gallo, Tau isoform expression and phosphorylation state during differentiation of cultured neuronal cells (375) 243
Smith, K.E., S.G. Fried, M.M. Durkin, E.L. Gustafson, L.A. Borden, T.A. Branchek and R.L. Weinshank, Molecular cloning of an orphan transporter: A new member of the neurotransmitter transporter family (357) 86
Smith, K.F. see C.G. Ullman (371) 199
Smith, P.A. see N.J. Willmott (371) 99
Smith, P.A. see H. Sakura (377) 338
Smith, R. see S. Bieri (371) 341
Smith, R.D., Identification of atypical (non-AT_1, non-AT_2) angiotensin binding sites with high affinity for angiotensin I on IEC-18 rat intestinal epithelial cells (373) 199
Smith-Hall, J. see M.L. Benka (363) 49
Smolygina, L.D. see O.P. Serdyuk (365) 10
Smyth, M.G., R.W. Pickersgill and A.J. Lax, The potent mitogen *Pasteurella multocida* toxin is highly resistant to proteolysis but becomes susceptible at lysosomal pH (360) 62
Snel, M.M.E. see R.C.A. Keller (358) 251
Sobey, W.J. see C.-Y. Shiau (358) 97
Sode, K., K. Watanabe, S. Ito, K. Matsumura and T. Kikuchi, Thermostable chimeric PQQ glucose dehydrogenase (364) 325
Soedjanaatmadja, U.M.S., T. Subroto and J.J. Beintema, Processed products of the hevein precursor in the latex of the rubber tree (*Hevea brasiliensis*) (363) 211
Soffientini, A. see H. Schreuder (373) 39
Soga, H. see A. Mogi (373) 135
Soga, M. see K. Tozawa (376) 190
Sohi, S.S. see G.B. Tremblay (368) 177
Sokolenko, A., H. Fulgosi, A. Gal, L. Altschmied, I. Ohad and R.G. Herrmann, The 64 kDa polypeptide of spinach may not be the LHCII kinase, but a lumen-located polyphenol oxidase (371) 176
Soldatov, N.M. see A. Bouron (377) 159
Söling, H.-D. see J. Lundström-Ljung (357) 305
Soll, J. see M. Seedorf (367) 19
Söllner, T., SNAREs and targeted membrane fusion (369) 80
Someya, Y., Y. Moriyama, M. Futai, T. Sawai and A. Yamaguchi, Reconstitution of the metal-tetracycline/H^+ antiporter of *Escherichia coli* in proteoliposomes including F_0F_1-ATPase (374) 72
Somlyo, A.P. see C.M.M. Haystead (377) 123
Somlyo, A.V. see C.M.M. Haystead (377) 123
Sommer, B. see A. Christnacher (373) 93

Song, H.K., K.N. Lee, K.-S. Kwon, M.-H. Yu and S.W. Suh, Crystal structure of an uncleaved α_1-antitrypsin reveals the conformation of its inhibitory reactive loop (377) 150
Song, J.M. and J.C. Rabinowitz, The N-terminal, dehydrogenase/cyclohydrolase domain of yeast cytoplasmic trifunctional C1-tetrahydrofolate synthase requires the C-terminal, synthetase domain for the catalytic activity in vitro (376) 229
Song, S.-C. see A.M. Wu (360) 211
Song, S.-C. see A.M. Wu (371) 32
Sonnenberg, A. see A. van der Flier (369) 340
Sonnino, S. see A.M. Fra (375) 11
Sonoike, K., I. Terashima, M. Iwaki and S. Itoh, Destruction of photosystem I iron-sulfur centers in leaves of *Cucumis sativus* L. by weak illumination at chilling temperatures (362) 235
Soria, M.R. see M. Conese (358) 73
Soriano, F. see F.M. de Benito (360) 299
Sorimachi, H. see T. Yoshizawa (358) 101
Sorimachi, H. see T. Kinouchi (364) 203
Sotiropoulos, A., S. Moutoussamy, N. Binart, P.A. Kelly and J. Finidori, The membrane proximal region of the cytoplasmic domain of the growth hormone receptor is involved in the activation of Stat 3 (369) 169
Soto, C., E.M. Castaño, F. Prelli, R. Asok Kumar and M. Baumann, Apolipoprotein E increases the fibrillogenic potential of synthetic peptides derived from Alzheimer's, Gelsolin and AA amyloids (371) 110
Soto, T., J. Fernández, J. Vicente-Soler, J. Cansado and M. Gacto, Activation of neutral trehalase by glucose and nitrogen source in *Schizosaccharomyces pombe* strains deficient in cAMP-dependent protein kinase activity (367) 263
Sottrup-Jensen, L. see K.L. Nielsen (373) 296
Sottrup-Jensen, L. see K. Dolmer (372) 93
Soucek, T., O. Pusch, E. Hengstschläger-Ottnad, E. Wawra, G. Bernaschek and M. Hengstschläger, Expression of the cyclin-dependent kinase inhibitor p16 during the ongoing cell cycle (373) 164
Soulimane, T., U. Gohlke, R. Huber and G. Buse, Three-dimensional crystals of cytochrome-*c* oxidase from *Thermus thermophilus* diffracting to 3.8 Å resolution (368) 132
Spaan, W. see R. Rijnbrand (365) 115
Spada, S. see C. Krebber (377) 227
Spalding, T.A. see E.S. Burstein (363) 261
Spamer, C. see S. Baksh (376) 53
Sparatore, B. see E. Melloni (368) 466
Sparkman, D.R. see W.J. Goux (366) 81
Spencer, J.P.E., A. Jenner, K. Chimel, O.I. Aruoma, C.E. Cross, R. Wu and B. Halliwell, DNA strand breakage and base modification induced by hydrogen peroxide treatment of human respiratory tract epithelial cells (374) 233
Spencer, J.P.E., A. Jenner, K. Chimel, O.I. Aruoma, C.E. Cross, R. Wu and B. Halliwell, DNA damage in human respiratory tract epithelial cells: damage by gas phase cigarette smoke apparently involves attack by reactive nitrogen species in addition to oxygen radicals (375) 179
Speranza, F. see A.M. Sardanelli (377) 470
Sperti, S. see M. Brigotti (373) 115
Spetz, A.-L. see J. Bodor (377) 413
Spiess, M., Heads or tails – what determines the orientation of proteins in the membrane (369) 76
Spik, G. see Y. Petillot (358) 323
Spik, G. see D. Legrand (365) 57
Spiridonova, V.A. see A.V. Karginov (369) 158
Spirin, A.S. see V.L. Katanaev (359) 89
Spiro, S. see R.J.M. Van Spanning (360) 151
Spoto, N. see L.R. Ceci (364) 179
Sprecher, H. see S.P. Baykousheva (367) 198
Sprinzl, M. see M.R. Ahmadian (377) 253
Spungin, B., I. Margalit and H. Breitbart, A 70 kDa protein is transferred from the outer acrsomal to the plasma membrane during capacitation (357) 98
Spyr, C.A., F. Käsermann and C. Kempf, Identification of the pore forming element of Semliki Forest virus spikes (375) 134
Spyrou, G., M. Björnstedt, S. Kumar and A. Holmgren, AP-1 DNA-binding activity is inhibited by selenite and selenodiglutathione (368) 59
St. Johnston, D. see M. Bycroft (362) 333
Ståhlberg, J. see M. Raices (369) 233
Stabel, S. see D.A. Latimer (365) 42
Staiano-Coico, L. see H.M. Hanauske-Abel (366) 92
Stalmans, W. see F. Posas (368) 39
Stalmans, W. see S. Renouf (375) 75
Standera, S. see W. Dubiel (363) 97
Stanley, K.K. see R. Zehavi-Feferman (368) 122
Starke, D.W. see C.A. Chrestensen (374) 25
Starostzik, C. and W. Marwan, A photoreceptor with characteristics of phytochrome triggers sporulation in the true slime mould *Physarum polycephalum* (370) 146
Stasys, R.A., I.B. Dry and M.A. Rezaian, The termini of a new citrus viroid contain duplications of the central conserved regions from two viroid groups (358) 182
Staunton, J. see S.F. Haydock (374) 246
Stavri, G.T., Y. Hong, I.C. Zachary, G. Breier, P.A. Baskerville, S. Ylä-Herttuala, W. Risau, J.F. Martin and J.D. Erusalimsky, Hypoxia and platelet-derived growth factor-BB synergistically upregulate the expression of vascular endothelial growth factor in vascular smooth muscle cells (358) 311
Stępkowski, D., The role of the skeletal muscle myosin light chains N-terminal fragments (374) 6
Steel, D.M. see D.J. Gaughan (374) 241
Steele-Mortimer, O. see C. Bucci (366) 65
Stefani, M. see N. Taddei (362) 175
Steinböck, F. see M. Meilinger (360) 70
Steinemann, D., S. Engelbrecht and H. Lill, Reassembly of *Synechocystis* sp. PCC 6803 F_1-ATPase from its over-expressed subunits (362) 171
Steiner, D.F. see S.J. Duguay (371) 69
Steinkasserer, A. see H. Klier (364) 207
Steinmüller, K. see T. Friedrich (367) 107
Steipe, B. see M. Rüffer (377) 175
Stemmer, P.M., X. Wang, M.H. Krinks and C.B. Klee, Factors responsible for the Ca^{2+}-dependent inactivation of calcineurin in brain (374) 237
Stenger, S. see C. Bogdan (363) 69
Stepanov, A.V. see A.N. Nekrasov (371) 35
Stepanova, O.V. see D.M. Watterson (373) 217
Stephan, C. see B. Chaudhuri (364) 91
Stephens, G.J. see J.A. Grimes (369) 290
Stepnaya, O.A. see L.M. Likhosherstov (368) 113
Sterin-Borda, L. see C.A. Cazaux (364) 120
Sterner, R., T. Vogl, H.-J. Hinz, F. Penz, R. Hoff, R. Föll and H. Decker, Extreme thermostability of tarantula hemocyanin (364) 9
Stessel, H. see F. Brunner (373) 97
Stessel, H. see F. Brunner (376) 262
Stetler-Stevenson, W.G. see M.R. Emmert-Buck (364) 28
Stetzkowski-Marden, F. see B.J. Jasmin (374) 393
Stier, G. see M.A. Castiglione Morelli (358) 193
Stier, G. see R. Ficner (357) 62
Stier, U. see S. Rosewicz (368) 45
Stieve, H., Is there evidence for a cGMP gated cation channel in the photosensory membrane of Sepia? (373) 187
Stöckelhuber, M. see M. Schleicher (369) 38
Stocker, R. see P.K. Witting (375) 45
Stocker, S. see A. Jungbluth (375) 87
Stockman, B.J. see M.B. Fairbanks (369) 197
Stoeckenius, W. see A. Dér (377) 419
Stoffer, B., A.E. Aleshin, L.M. Firsov, B. Svensson and R.B. Honzatko, Refined structure for the complex of D-*gluco*-dihydroacarbose with glucoamylase from *Aspergillus awamori* var. *X100* to 2.2 Å resolution: dual conformations for extended inhibitors bound to the active site of glucoamylase (358) 57
Stöffler, G. see J. Strauss (376) 103
Stoka, V. see B. Turk (360) 101
Stoka, V., M. Nycander, B. Lenarčič, C. Labriola, J.J. Cazzulo, I. Björk and V. Turk, Inhibition of cruzipain, the major cysteine proteinase of the protozoan parasite, *Trypanosoma cruzi*, by proteinase inhibitors of the cystatin superfamily (370) 101
Stolz, J., B. Darnhofer-Demar and N. Sauer, Rapid purification of a functionally active plant sucrose carrier from transgenic yeast using a bacterial biotin acceptor domain (377) 167
Stone, D. see M. Iwatsuki (360) 271
Storm, G. see P.G.M. Bloemen (357) 140
Storozhevykh, T. see B. Khodorov (371) 249
Stouthamer, A.H. see J. van der Oost (371) 267
Stouthamer, A.H. see R.J.M. Van Spanning (360) 151

Straczek, J., F. Maachi, D. Le Nguyen, M. Becchi, M.H. Heulin, P. Nabet and F. Belleville, Purification from human plasma of a tetrapeptide that potentiates insulin-like growth factor-I activity in chick embryo cartilage (373) 207
Stransky, H. see K. Büch (376) 45
Strasser, P. see Å. Jaworowski (365) 167
Sträter, N. see T. Klabunde (367) 56
Strauss, J., R.L. Mach, S. Zeilinger, G. Hartler, G. Stöffler, M. Wolschek and C.P. Kubicek, Cre1, the carbon catabolite repressor protein from *Trichoderma reesei* (376) 103
Strecker, G. see E. Maes (358) 205
Streltsov, A.M., A.G. Yakovlev, A.Ya. Shkuropatov and V.A. Shuvalov, Dynamic hole burning within special pair absorption band of *Rhodobacter sphaeroides* (R-26) reaction center at room temperature (357) 239
Streshinskaya, G.M. see A.S. Shashkov (371) 163
Stricker, R., H. Kalbacher, F. Lottspeich and G. Reiser, Characterization of a high-affinity Ins-P_4 (inositol 1,3,4,5-tetrakisphosphate) receptor from brain by an anti-peptide antiserum (370) 236
Strijdveen, I. see C. Patte (362) 106
Strocchi, P. see S. Bettuzzi (377) 321
Strocchi, P., X.-M. Tang and F. Cambi, Molecular diagnosis of transthyretin Met^{30} mutation in an Italian family with familial amyloidotic polyneuropathy (359) 203
Stroebel, M. see M. Goppelt-Struebe (374) 375
Stromskaya, T.P., I.A. Grigorian, V.S. Ossovskaya, E.Y. Rybalkina, P.M. Chumakov and B.P. Kopnin, Cell-specific effects of RAS oncogene and protein kinase C agonist TPA on P-glycoprotein function (368) 373
Strotmann, H. see H.R. Fiedler (377) 163
Struck, A.T., N. Hogg, J.P. Thomas and B. Kalyanaraman, Nitric oxide donor compounds inhibit the toxicity of oxidized low-density lipoprotein to endothelial cells (361) 291
Štrukelj, B. see A. Pariš (369) 326
Stubbs, M.T. see E.A. Auerswald (361) 179
Stubbs, M.T., R. Huber and W. Bode, Crystal structures of factor Xa specific inhibitors in complex with trypsin: structural grounds for inhibition of factor Xa and selectivity against thrombin (375) 103
Stubbs, M.T. see W. Machleidt (361) 185
Stucki, J.W. see J.-Y. Chatton (368) 165
Stühmer, W. see K. McCormack (370) 32
Stumpf, G. see J. Hani (365) 198
Su, C.-T., C.-F. Huang and J. Schmidt, The depolarization response element in acetylcholine receptor genes is a dual-function E box (366) 131
Su, H. see G.I. Keshet (371) 39
Suárez-Rendueles, P. see J. Bordallo (364) 13
Suárez-Rendueles, P. see J. Bordallo (376) 120
Subjeck, J. see A. Morozov (371) 214
Subramanian, A. see M. Wartmann (359) 133
Subroto, T. see U.M.S. Soedjanaatmadja (363) 211
Suck, D. see R. Ficner (357) 62
Sud'ina, G.F. see O.K. Mirzoeva (377) 306
Sud'ina, G.F. see S.I. Galkina (374) 17
Suda, N., Involvement of Mg^{2+} in terminating Ca^{2+} release in cultured rat skeletal muscle (359) 223
Suda, T. see I. Nakamura (361) 79
Sudo, T. see T. Hamaguchi (372) 54
Sudol, M., H.I. Chen, C. Bougeret, A. Einbond and P. Bork, Characterization of a novel protein-binding module – the WW domain (369) 67
Suetake, K., K. Tsuchihashi, K. Inaba, M. Chiba, Y. Ibayashi, K. Hashi and S. Gasa, Novel modification of ceramide: rat glioma ganglioside GM3 having 3-*O*-acetylated sphingenine (361) 201
Sugahara, T., S. Shirahata, T. Sasaki and H. Murakami, The mode of actions of glyceraldehyde-3-phosphate dehydrogenase identified as an immunoglobulin production stimulating factor (368) 92
Sugamori, K.S., L.L. Demchyshyn, F. McConkey, M.A. Forte and H.B. Niznik, A primordial dopamine D1-like adenylyl cyclase-linked receptor from *Drosophila melanogaster* displaying poor affinity for benzazepines (362) 131
Sugamori, K.S. see F. Liu (374) 273
Suganami, H. see H. Wachi (368) 215
Sugherini, L. see C. Signorini (362) 165
Sugimoto, M., K. Ohishi, M. Fukasawa, K. Shikata, H. Kawai, H. Itakura, M. Hatanaka, R. Sakakibara, M. Ishiguro, M. Nakata and T. Mizuochi, Oligomannose-coated liposomes as an adjuvant for the induction of cell-mediated immunity (363) 53
Sugimoto, Y. see N. Nishigaki (364) 339
Sugimoto, Y. see M. Katsuyama (372) 151
Sugito, K., M. Yamane, H. Hattori, Y. Hayashi, I. Tohnai, M. Ueda, N. Tsuchida and K. Ohtsuka, Interaction between hsp70 and hsp40, eukaryotic homologues of DnaK and DnaJ, in human cells expressing mutant-type p53 (358) 161
Sugiura, T., A. Wada, T. Itoh, H. Tojo, M. Okamoto, E. Imai, T. Kamada and N. Ueda, Group II phospholipase A_2 activates mitogen-activated protein kinase in cultured rat mesangial cells (370) 141
Sugiyama, M., T. Kumagai, H. Matsuo, M.Z.A. Bhuiyan, K. Ueda, H. Mochizuki, N. Nakamura and J.E. Davies, Overproduction of the bleomycin-binding proteins from bleomycin-producing *Streptomyces verticillus* and a methicillin-resistant *Staphylococcus aureus* in *Escherichia coli* and their immunological characterisation (362) 80
Sugiyama, M. see K. Hanada (373) 85
Sugiyama, S. see T. Yamada (374) 262
Sugiyama, Y., H. Hamamoto, S. Takemoto, Y. Watanabe and Y. Okada, Systemic production of foreign peptides on the particle surface of tobacco mosaic virus (359) 247
Sugo, S., N. Minamino, H. Shoji, K. Kangawa and H. Matsuo, Effects of vasoactive substances and cAMP related compounds on adrenomedullin production in cultured vascular smooth muscle cells (369) 311
Suh, P.-G. see Y.H. Lee (358) 105
Suh, S.W. see H.K. Song (377) 150
Sullivan, M. see P. Engels (358) 305
Sumati, see R. Kayestha (368) 285
Sumi, K. see A. Sakamoto (358) 62
Sumitani, K. see H. Kakegawa (370) 78
Sun, J. see E.-B. Haddad (363) 285
Superti-Furga, G., Regulation of the Src protein tyrosine kinase (369) 62
Surewicz, W.K. see K.P. Das (369) 321
Surolia, A. see S. Misquith (373) 151
Süss, K.-H. see M. Teige (377) 349
Sussman, J.L. see R.N. Alon (371) 231
Szászták, K., K. Káldi, A. Kapus and E. Ligeti, Ligands of purinergic receptors stimulate electrogenic H^+-transport of neutrophils (375) 79
Suthanthiran, M. see Y. Prashar (358) 109
Sutter, G., M. Ohlmann and V. Erfle, Non-replicating vaccinia vector efficiently expresses bacteriophage T7 RNA polymerase (371) 9
Suzuki, A. see N. Nishioka (377) 393
Suzuki, A. see T. Noguti (376) 251
Suzuki, A., Y. Takata, A. Oshie, A. Tezuka, N. Shibata, H. Kobayashi, Y. Okawa and S. Suzuki, Detection of β-1,2-mannosyltransferase in *Candida albicans* cells (373) 275
Suzuki, A. see K. Yokoyama (368) 477
Suzuki, H. see K. Hishikawa (360) 291
Suzuki, K. see T. Kinouchi (364) 203
Suzuki, K. see T. Yoshizawa (358) 101
Suzuki, K., J. Nishihata, Y. Arai, N. Honma, K. Yamamoto, T. Irimura and S. Toyoshima, Molecular cloning of a novel actin-binding protein, p57, with a WD repeat and a leucine zipper motif (364) 283
Suzuki, M. and S.E. Brenner, Classification of multi-helical DNA-binding domains and application to predict the DBD structures of σ factor, LysR, OmpR/PhoB, CENP-B, Rap1, and XylS/Ada/AraC (372) 215
Suzuki, M. see K. Yokoyama (368) 477
Suzuki, M. see Y. Shirokane (367) 177
Suzuki, S. see M. Ito (377) 37
Suzuki, S. see A. Suzuki (373) 275
Suzuki, T., A. Terakita, K. Narita, K. Nagai, Y. Tsukahara and Y. Kito, Squid photoreceptor phospholipase C is stimulated by membrane Gqα but not by soluble Gqα (377) 333
Süßbrich, H. see T. Doi (375) 193
Svane, P.C., N.A. Thorn, D. Richter and E. Mohr, Effect of hypoosmolality on the abundance, poly(A) tail length and axonal targeting of arginine vasopressin and oxytocin mRNAs in rat hypothalamic magnocellular neurons (373) 35

Svendsen, I. and E.S. Day, The primary structure of carboxypeptidase S3 from *Penicillium janthinellum* IBT 3991 (371) 1
Svensson, B. see N. Juge (363) 299
Svensson, B. see U. Sidenius (361) 250
Svensson, B. see B. Stoffer (358) 57
Svergun, D. see B. Schmidt (372) 169
Swain, J. and J.M.C. Gutteridge, Prooxidant iron and copper, with ferroxidase and xanthine oxidase activities in human atherosclerotic material (368) 513
Sweiry, J.H. see R.C.M. Siow (368) 239
Swiderek, K.M. see G.R. Huesmann (371) 311
Swiderek, K.M. see S.S.L. Harwig (362) 65
Swift, S. see P. Taylor-Harris (360) 315
Syroeshkin, A.V., E.A. Vasilyeva and A.D. Vinogradov, ATP synthesis catalyzed by the mitochondrial F_1–F_0 ATP synthase is not a reversal of its ATPase activity (366) 29
Syrris, P. see A.R. Hipkiss (371) 81
Szabó, C., A.L. Salzman and H. Ischiropoulos, Peroxynitrite-mediated oxidation of dihydrorhodamine 123 occurs in early stages of endotoxic and hemorrhagic shock and ischemia-reperfusion injury (372) 229
Szabó, C., A.L. Salzman and H. Ischiropoulos, Endotoxin triggers the expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in the rat aorta in vivo (363) 235
Szabó, I.J. see M. Raices (369) 233
Szabo, P. see H.M. Hanauske-Abel (366) 92
Szakmary, K.A. see M. Meilinger (360) 70
Sztark, F., F. Ichas, R. Ouhabi, P. Dabadie and J.-P. Mazat, Effects of the anaesthetic propofol on the calcium-induced permeability transition of rat heart mitochondria: direct pore inhibition and shift of the gating potential (368) 101
Szyperski, T. see J. Johansson (362) 261

T

Tabak, M. see T.A. Pertinhez (375) 239
Tabata, S. see D. Chida (358) 233
Tacchini, L. see G. Pogliaghi (372) 181
Tachibana, T. see N. Imamoto (368) 415
Tachikawa, H., Y. Takeuchi, W. Funahashi, T. Miura, X.-D. Gao, D. Fujimoto, T. Mizunaga and K. Onodera, Isolation and characterization of a yeast gene, *MPD1*, the overexpression of which suppresses inviability caused by protein disulfide isomerase depletion (369) 212
Tacnet, F. see V. Laizé (373) 269
Taddei, N. see M.M.G.M. Thunnissen (364) 243
Taddei, N., A. Modesti, M. Bucciantini, M. Stefani, F. Magherini, M. Vecchi, G. Raugei and G. Ramponi, Properties of N-terminus truncated and C-terminus mutated muscle acylphosphatases (362) 175
Tadros, M.H., G.E. Hagemann, E. Katsiou, R. Dierstein and E. Schiltz, Isolation and complete amino acid sequence of the β- and α-polypeptides from the peripheral light-harvesting pigment-protein complex II of *Rhodobacter sulfidophilus* (368) 243
Tagami, K. see H. Kakegawa (370) 78
Taguchi, H. see N. Ishii (362) 121
Taguchi, H. and M. Yoshida, Chaperonin releases the substrate protein in a form with tendency to aggregate and ability to rebind to chaperonin (359) 195
Taguchi, R. see M. Pu (361) 295
Taillebourg, E. see J.-M. Dura (370) 250
Taira, K. see T. Shimayama (368) 304
Taira, K. see Y. Takagi (361) 273
Taira, M. see M. Omatsu-Kanbe (374) 187
Taira, N. see Y. Sasaki (372) 20
Tajima, S. see H. Wachi (368) 215
Tajmir-Riahi, H.A., J.F. Neault and M. Naoui, Does DNA acid fixation produce left-handed Z structure? (370) 105
Tajmir-Riahi, H.A. see A. Ahmed (363) 65
Takagaki, K. see A. Hirasawa (363) 256
Takagi, M., K. Kohda, T. Hamuro, A. Harada, H. Yamaguchi, M. Kamachi and T. Imanaka, Thermostable peroxidase activity with a recombinant antibody L chain–porphyrin Fe(III) complex (375) 273
Takagi, Y. and K. Taira, Temperature-dependent change in the rate-determining step in a reaction catalyzed by a hammerhead ribozyme (361) 273
Takahashi, E. see M. Fujii (375) 263
Takahashi, H. see N. Shimba (360) 247
Takahashi, H. see Y. Watanabe (372) 165
Takahashi, K. see M. Ohkuro (373) 189
Takahashi, K., I. Kukimoto, K.-i. Tokita, K. Inageda, S.-i. Inoue, K. Kontani, S.-i. Hoshino, H. Nishina, Y. Kanaho and T. Katada, Accumulation of cyclic ADP-ribose measured by a specific radioimmunoassay in differentiated human leukemic HL-60 cells with all-*trans*-retinoic acid (371) 204
Takahashi, M. see K. Shimada (371) 140
Takahashi, M. see J. Hirota (368) 248
Takahashi, M. see N. Martin-Moutot (366) 21
Takahashi, M. see H. Terenzi (369) 277
Takahashi, M. see P. Wittung (368) 64
Takahashi, M., K. Tomizawa, K. Sato, A. Ohtake and A. Omori, A novel tau-tubulin kinase from bovine brain (372) 59
Takahashi, M. see O. El Far (361) 101
Takahashi, N. see I. Nakamura (361) 79
Takahashi, S. see M. Negishi (372) 279
Takahashi, S. see A. Ito (360) 75
Takahashi, S., H. Yamamoto, Z. Matsuda, M. Ogawa, K. Yagyu, T. Taniguchi, T. Miyata, H. Kaba, T. Higuchi, F. Okutani and S. Fujimoto, Identification of two highly homologous presynaptic proteins distinctly localized at the dendritic and somatic synapses (368) 455
Takahashi, T., H. Nakagoshi, A. Sarai, N. Nomura, T. Yamamoto and S. Ishii, Human A-*myb* gene encodes a transcriptional activator containing the negative regulatory domains (358) 89
Takahashi, T. see A. Takeda (359) 78
Takamatsu, N. see M. Ito (377) 37
Takamatsu, N., T. Shiba, K. Muramoto and H. Kamiya, Molecular cloning of the defense factor in the albumen gland of the sea hare *Aplysia kurodai* (377) 373
Takamiya, K., A. Yamamoto, S. Yamashiro, K. Furukawa, M. Haraguchi, M. Okada, T. Ikeda, H. Shiku and K. Furukawa, T cell receptor-mediated stimulation of mouse thymocytes induces up-regulation of the GM2/GD2 synthase gene (358) 79
Takanaga, H., H. Mukai, M. Shimakawa, H. Konishi, U. Kikkawa, T. Koizumi and Y. Ono, Functional characterization of the promoter region of the mouse protein kinase C γ gene (368) 276
Takano, E., H. Ma, H.Q. Yang, M. Maki and M. Hatanaka, Preference of calcium-dependent interactions between calmodulin-like domains of calpain and calpastatin subdomains (362) 93
Takao, T. see N. Imamoto (368) 415
Takao, T. see K.-i. Yoshino (362) 319
Takasaki, I. see K. Abeyama (364) 298
Takasawa, S. see H. Miyashita (377) 429
Takata, M. and T. Kurosaki, The catalytic activity of Src-family tyrosine kinase is required for B cell antigen receptor signaling (374) 407
Takata, Y. see A. Suzuki (373) 275
Takatsuki, A. see T. Kataoka (359) 53
Takayama, H. see Y. Ezumi (374) 48
Takeda, A., T. Yamamoto, Y. Nakamura, T. Takahashi and T. Hibino, Squamous cell carcinoma antigen is a potent inhibitor of cysteine proteinase cathepsin L (359) 78
Takeda, T. see K.-i. Yoshino (362) 319
Takeda, T. see T. Ishikawa (367) 28
Takei, Y. see A. Hirasawa (363) 256
Takemoto, S. see Y. Sugiyama (359) 247
Takenaka, Y. see M. Kito (362) 39
Takenoshita, S. see A. Mogi (373) 135
Takeshita, H. see T. Yasuda (359) 211
Taketani, S. see R.C.M. Siow (368) 239
Takeuchi, M. see T. Nakano (360) 197
Takeuchi, T. see H. Miyashita (377) 429
Takeuchi, Y. see H. Tachikawa (369) 212
Takeuchi, Y. see Y. Watanabe (372) 165
Takeyama, Y. see J. Nishikawa (373) 19

Takuwa, N., W. Zhou, M. Kumada and Y. Takuwa, Involvement of intact inositol-1,4,5-trisphosphate-sensitive Ca^{2+} stores in cell cycle progression at the G1/S boundary in serum-stimulated human fibroblasts (360) 173
Takuwa, Y. see M. Noda (367) 246
Takuwa, Y. see N. Takuwa (360) 173
Talesa, V., E. Culetto, N. Schirru, H. Bernardi, Y. Fedon, J.-P. Toutant and M. Arpagaus, Characterization of a null mutation in *ace-1*, the gene encoding class A acetylcholinesterase in the nematode *Caenorhabditis elegans* (357) 265
Tamaoki, T. see K. Mizuno (359) 259
Tamura, A. see H. Yamada (376) 37
Tamura, S. see M. Nishikawa (375) 299
Tanabe, K. see A. Kanai (376) 221
Tanahashi, N. see J.Y. Ahn (366) 37
Tanaka, A., K. Miyamoto, H. Matsuo, K. Matsumoto and H. Yoshida, Human androgen-induced growth factor in prostate and breast cancer cells: its molecular cloning and growth properties (363) 226
Tanaka, H. see M. Miyata (377) 493
Tanaka, I. and H. Ishihara, Unusual long target duplication by insertion of intracisternal A-particle element in radiation-induced acute myeloid leukemia cells in mouse (376) 146
Tanaka, K. see K.-y. Akiyama (363) 151
Tanaka, K. see A. Sakamoto (358) 62
Tanaka, K. see J.Y. Ahn (366) 37
Tanaka, K. see M. Ikawa (375) 125
Tanaka, S. see I. Nakamura (361) 79
Tanaka, S. see S. Karino (362) 147
Tanaka, T. see A. Hirasawa (363) 256
Tanaka, T. see H. Yamada (376) 37
Tanaka, T. see E. Sato (374) 184
Tanaka, T., K. Iqbal, E. Trenkner, D. Jie Liu and I. Grundke-Iqbal, Abnormally phosphorylated tau in SY5Y human neuroblastoma cells (360) 5
Tancredi, T. see P. Amodeo (377) 363
Taneva, S.G., J.M.M. Caaveiro, A. Muga and F.M. Goñi, A pathway for the thermal destabilization of bacteriorhodopsin (367) 297
Tanfani, F. see G. Lippe (373) 141
Tang, J. and J.A. Hartsuck, A kinetic model for comparing proteolytic processing activity and inhibitor resistance potential of mutant HIV-1 proteases (367) 112
Tang, W., K. Miyazawa and N. Kitamura, Hepatocyte growth factor remains as an inactive single chain after partial hepatectomy or unilateral nephrectomy (362) 220
Tang, X.-M. see P. Strocchi (359) 203
Tangemann, K. and J. Engel, Demonstration of non-linear detection in ELISA resulting in up to 1000-fold too high affinities of fibrinogen binding to integrin $\alpha IIb\beta 3$ (358) 179
Taniguchi, T. see S. Takahashi (368) 455
Taniguchi, T. see M. Adachi (372) 113
Taniguchi, T. see T. Kawakami (358) 225
Taniguchi, T. see K. Uegaki (359) 184
Tanjore, S. see H. Padh (368) 358
Tanner, W. see M. Gentzsch (377) 128
Tano, M. see S. Karino (362) 147
Tanouye, M. see K. McCormack (370) 32
Tanzawa, K. see J. Hirota (368) 248
Tanzawa, K. see K. Shimada (371) 140
Tardif, C. see H. Schreuder (373) 39
Tardy, F., P. Deviller, P. Louisot and A. Martin, Purification and characterization of the N-terminal domain of galectin-4 from rat small intestine (359) 169
Targoni, O. see A. Danilkovich (369) 161
Tarpey, I. see M. Fielder (369) 243
Tarpey, M.M., J.S. Beckman, H. Ischiropoulos, J.Z. Gore and T.A. Brock, Peroxynitrite stimulates vascular smooth muscle cell cyclic GMP synthesis (364) 314
Tarpley, W.G. see N. Fan (359) 233
Tarpley, W.G. see N. Fan (370) 59
Tarrago-Litvak, L. see O.D. Zakharova (373) 255
Tarrago-Litvak, L. see O.D. Zakharova (361) 287
Tarricone, C. see E. Leci (357) 227
Tarui, M. see H. Kawai (370) 193
Tarutani, O. see R. Maeba (377) 309
Tashiro, F. see H. Ishihara (371) 329
Taskinen, J. see R. Niemelä (367) 67
Tata, R. see C. Novo (367) 275
Tate, S.S. see Y. Wang (368) 389
Tatemoto, K. see Y. Kubohara (359) 119
Tateno, M., O. Nureki, S.-i. Sekine, K. Kaneda, M. Gō and S. Yokoyama, A three-dimensional structure model of the complex of glutamyl-tRNA synthetase and its cognate tRNA (377) 77
Tatnell, P.J. see S.D. Fowler (366) 72
Tatsumi, N. see M. Hino (374) 69
Taybi, T. see H. Gehrig (377) 399
Taylor, B.L. see M.S. Johnson (374) 161
Taylor, B.L. see I.B. Zhulin (367) 180
Taylor, W.R., D.N. Chadee, C.D. Allis, J.A. Wright and J.R. Davie, Fibroblasts transformed by combinations of *ras*, *myc* and mutant p53 exhibit increased phosphorylation of histone H1 that is independent of metastatic potential (377) 51
Taylor-Harris, P., S. Swift and A. Ashworth, *Zfy1* encodes a nuclear sequence-specific DNA binding protein (360) 315
Tazaki, K., K. Yoshida, K. Shinohara, T. Koshiba and N. Yamamoto, Expression of cDNA for a bark lectin of *Robinia* in transgenic tobacco plants (377) 54
Tchikin, L.D. see L.N. Kulik (367) 85
Tebbey, P.W. see P.A. Sandstrom (365) 66
Teboul, M. see M. Daadi (358) 137
Technikova-Dobrova, Z. see A.M. Sardanelli (377) 470
Tedeschi, G. see P. Fusi (360) 187
Teeri, T.T. see M. Linder (372) 96
Teige, M., S. Kopriva, H. Bauwe and K.-H. Süss, Chloroplast pentose-5-phosphate 3-epimerase from potato: cloning, cDNA sequence, and tissue-specific enzyme accumulation (377) 349
Teixeira, M. see C.L. Schmidt (359) 239
Tejero-Díez, P., P. Rodríguez-Sánchez and F.J. Díez-Guerra, Expression of protein kinase C isozymes in hippocampal neurones in culture (363) 293
Teleman, O. see T.S. Jokiranta (376) 31
Telford, J.L. see M.M. Di Somma (363) 101
Temp, U. see C. Eggert (376) 202
Temussi, P.A. see P. Amodeo (377) 363
Tendler, S.J.B. see A.P. Shivji (371) 25
Tenjo, E. see T. Yasuda (359) 211
Terada, H. see N. Yamazaki (363) 41
Terai, T. see T. Furukawa (375) 56
Terakita, A. see T. Suzuki (377) 333
Terasako, K. see K. Fukuda (373) 177
Terashima, I. see K. Sonoike (362) 235
Terazono, H. see K. Kobayashi (372) 69
Terenzi, F., M. Casado, P. Martín-Sanz and L. Boscá, Epidermal growth factor inhibits cytokine-dependent nitric oxide synthase expression in hepatocytes (368) 193
Terenzi, H., I. Petropoulos, C. Ellouze, M. Takahashi and M.M. Zakin, Interaction of DNA binding domain of HNF-3α with its transferrin enhancer DNA specific target site (369) 277
Terrian, D.M. see P.A. Sandstrom (365) 66
Teruel, T., A.M. Valverde, M. Benito and M. Lorenzo, Transforming growth factor β_1 induces differentiation-specific gene expression in fetal rat brown adipocytes (364) 193
Testa, L. see A.G. Ficca (377) 140
Tezuka, A. see A. Suzuki (373) 275
Thai, R. see I. Ségalas (371) 171
Thauer, R.K. see A.R. Klein (368) 203
Theimer, R.R. see A. Hoppe (374) 225
Thelander, L. see B.B. Nielsen (373) 310
Thelander, M. see B.B. Nielsen (373) 310
Thelen, M. see S.A. Jones (364) 211
Thevissen, K. see R.W. Osborn (368) 257
Thibault, P. see Y. Petillot (358) 323
Thiede, B., B. Wittmann-Liebold, M. Bienert and E. Krause, MALDI-MS for C-terminal sequence determination of peptides and proteins degraded by carboxypeptidase Y and P (357) 65
Thielens, N.M. see Y. Petillot (358) 323
Thiesen, H.-J. see H. Vissing (369) 153
Thinnes, F.P. see C. Jakob (368) 5
Thirup, S. see S. Bøgestrand (368) 49
Thirup, S. see K. Dolmer (372) 93
Thøgersen, H.C. see K.L. Nielsen (373) 296
Thomas, A.A.M. see M.A.M. Kasperaitis (365) 47
Thomas, D. see L. Kuras (367) 15
Thomas, G.M. see Y.N. Doza (364) 223
Thomas, J.P. see A.T. Struck (361) 291
Thomas, J.W. see M.W. Calhoun (368) 523

Thomas, M.E.A. see P. Trayhurn (368) 488
Thomas, M.L. see D. Chida (358) 233
Thomas, R.C. see N. Fan (370) 59
Thomas, R.C. see N. Fan (359) 233
Thomson, A.J. see S.L. Davy (363) 199
Thorn, N.A. see P.C. Svane (373) 35
Thorpe, C. see M.J. Clague (367) 272
Thümmler, F., P. Algarra and G.M. Fobo, Sequence similarities of phytochrome to protein kinases: implication for the structure, function and evolution of the phytochrome gene family (357) 149
Thunnissen, M.M.G.M., E.G. Agango, N. Taddei, G. Liguri, C. Cecchi, A. Pieri, G. Ramponi and P. Nordlund, Crystallisation and preliminary X-ray analysis of the 'common-type' acylphosphatase (364) 243
Thurman, R.G. see J. Mandl (376) 65
Tibor, A. see P.A. Denoel (361) 238
Tienari, P.J. see M. Simons (368) 363
Tijburg, L. see N.J. Miller (365) 164
Tikhonova, T.V., I.P. Gladysheva and N.I. Larionova, Retardation by the soybean Bowman–Birk inhibitor of elastin hydrolysis catalyzed by leukocyte proteinases (362) 225
Timofeev, E.N. see A.K. Shchyolkina (367) 81
Timofeev, V.P. see A.N. Nekrasov (371) 35
Timofeev, V.P. see M.A. Ponomarev (371) 261
Timonen, T. see P.E. Kovanen (361) 233
Timpl, R. see U. Mayer (365) 129
Tinsley, J.M. see B.J. Jasmin (374) 393
Tiracchia, V. see G. Barile (372) 291
Tiralongo, J., M.S. Pegg and M. von Itzstein, Effect of substrate aglycon on enzyme mechanism in the reaction of sialidase from influenza virus (372) 148
Tissari, J. see T.S. Jokiranta (376) 31
Titarenko, E. see M. Piñeiro (369) 239
Tjaglo, M.V. see L.E. Meshalkina (375) 220
Tocanne, J.-F. see I. Vergne (375) 254
Tocchini Valentini, G.P. see T. Wagner (365) 13
Tocchini Valentini, G.P. see A.G. Ficca (377) 140
Todd, M.J., O. Boudkin, E. Freire and G.H. Lorimer, GroES and the chaperonin-assisted protein folding cycle: GroES has no affinity for nucleotides (359) 123
Todd, M.J. see A.S. Girshovich (366) 17
Todokoro, K. see Y. Nagata (377) 497
Toh, H., A. Ichikawa and S. Narumiya, Molecular evolution of receptors for eicosanoids (361) 17
Tohnai, I. see K. Sugito (358) 161
Tojo, A. see M. Hino (374) 69
Tojo, H. see T. Sugiura (370) 141
Tokaji, Z., Cooperativity-regulated parallel pathways of the bacteriorhodopsin photocycle (357) 156
Tokita, K.-i. see K. Takahashi (371) 204
Tokuda, H. see V.P. Kontinen (364) 157
Tokunaga, F. see Y. Imamoto (374) 157
Tokunaga, K. see H. Sakai (365) 141
Toma, F. see T.A. Pertinhez (375) 239
Tomasetto, C., C. Moog-Lutz, C.H. Régnier, V. Schreiber, P. Basset and M.-C. Rio, Lasp-1 (MLN 50) defines a new LIM protein subfamily characterized by the association of LIM and SH3 domains (373) 245
Tomashevskaya, O.L. see O.V. Karpova (360) 281
Tomashevski, A.Y. see V.N. Uversky (364) 165
Tomasi, T.B. see R.H. Sarma (357) 317
Tomé, A.R. see C.M. Sena (359) 137
Tomé, F.M.S. see B.J. Jasmin (374) 393
Tomerup, N. see P.S. Gromov (377) 221
Tomino, S. see Y. Hayakawa (376) 185
Tomioka, S. see T. Yoshizawa (358) 101
Tomizawa, K. see M. Takahashi (372) 59
Tommerup, N. see H. Vissing (369) 153
Tomo, T. see G.E. Bialek-Bylka (363) 137
Tomono, M. see Z. Kiss (371) 185
Tomono, M. see Z. Kiss (358) 243
Tomson, F.L. see J. Puig (362) 185
Tonelli, M. see S. Barlati (363) 170
Tonon, M.C. see C. Patte (362) 106
Töpfer-Petersen, E. see J.J. Calvete (365) 179
Torigoe, H. see N. Shimba (360) 247
Torigoe, T. see M. Adachi (372) 113
Tornhamre, S. see M. Sjölinder (377) 87
Toro, M.J. see A. Chiloeches (361) 46
Toropova, F.V. see I.I. Marakhova (368) 110
Torp, A. see A. Kilk (362) 323
Torrekens, S. see R.W. Osborn (368) 257
Torresani, J. see M. Daadi (358) 137
Tortolani, P.J. see C.M. Bacon (370) 63
Tortora, P. see R. Consonni (372) 135
Tortora, P. see P. Fusi (360) 187
Tosi, L., F. Aniello, G. Geraci and M. Branno, DNA methyltransferase activity in the early stages of a sea urchin embryo: Evidence of differential control (361) 115
Tosi, P.-F. see J. Hannig (359) 9
Tóth-Boconádi, R. see A. Dér (377) 419
Totpal, K. see B.B. Aggarwal (372) 44
Totpal, K. see B.B. Aggarwal (364) 5
Totpal, K. see B.B. Aggarwal (357) 1
Toulme, J.-J. see C. Boiziau (361) 41
Toutant, J.-P. see V. Talesa (357) 265
Touyarot, K. see M. Savart (359) 60
Toya, T. see T. Onogi (357) 93
Toyoda, H., T. Komurasaki, Y. Ikeda, M. Yoshimoto and S. Morimoto, Molecular cloning of mouse epiregulin, a novel epidermal growth factor-related protein, expressed in the early stage of development (377) 403
Toyoda, Y., I. Miwa, M. Kamiya, S. Ogiso, J. Okuda and T. Nonogaki, Changes in subcellular and zonal distribution of glucokinase in rat liver during postnatal development (359) 81
Toyokuni, S., K. Okamoto, J. Yodoi and H. Hiai, Persistent oxidative stress in cancer (358) 1
Toyokuni, S., N. Miyake, H. Hiai, M. Hagiwara, S. Kawakishi, T. Osawa and K. Uchida, The monoclonal antibody specific for the 4-hydroxy-2-nonenal histidine adduct (359) 189
Toyokuni, S. see K. Uchida (357) 165
Toyoshima, S. see K. Suzuki (364) 283
Toy-Palmer, A., S. Prytulla and H.J. Dyson, Complete ^{13}C assignments for recombinant Cu(I) rusticyanin: Prediction of secondary structure from patterns of chemical shifts (365) 35
Tozawa, K., N. Sekino, M. Soga, H. Yagi, M. Yoshida and H. Akutsu, Conformational dynamics monitored by His-179 and His-200 of isolated thermophilic F_1-ATPase β subunit which reside at the entrance of the 'conical tunnel' in holoenzyme (376) 190
Traber, M.G. see S. Roy (376) 164
Tranbarger, T.J. see D.J. Brick (377) 475
Traub, P. see M. Kooijman (358) 185
Travaglini Allocatelli, C. see E. Leci (357) 227
Travè, G. see M.A. Castiglione Morelli (358) 193
Travers, F. see C. Lionne (364) 59
Travis, J. see J. Cichy (359) 262
Trayer, I.P. see C. Dohet (377) 131
Trayhurn, P., M.E.A. Thomas, J.S. Duncan and D.V. Rayner, Effects of fasting and refeeding on *ob* gene expression in white adipose tissue of lean and obese (*ob/ob*) mice (368) 488
Treiman, M. see C. Caspersen (377) 31
Treistman, S.N. see J.P. Roche (371) 43
Tremblay, G.B., S.S. Sohi, A. Retnakaran and R.E. MacKenzie, NAD-dependent methylenetetrahydrofolate dehydrogenase-methenyltetrahydrofolate cyclohydrolase is targeted to the cytoplasm in insect cell lines (368) 177
Trenkner, E. see T. Tanaka (360) 5
Trommer, W.E. see P. Ježek (361) 303
Trouche, D., H. Masutani, R. Groisman, P. Robin, J.-L. Lenormand and A. Harel-Bellan, Myogenin binds to and represses c-*fos* promoter (361) 140
Trubiani, O., F.J. Bollum and R. Di Primio, Terminal deoxynucleotidil transferase is a nuclear PKC substrate (374) 367
Trudeau, K. see G. Acuña (358) 31
Tryggvason, K. see A. Iivanainen (365) 183
Tsai, C. see S. An (375) 121
Tschesche, H. see S. Bartsch (357) 255
Tschesche, H. see N. Balke (371) 300
Tschopp, J. see M. Hane (373) 265
Tschopp, J. see K. Hofmann (371) 321
Tsim, S.-T. see L.Y. Yung (372) 99
Tsolas, O. see K. Vareli (371) 337
Tsuboi, R., C. Sato, Y. Oshita, H. Hama, T. Sakurai, K. Goto and H. Ogawa, Ultraviolet B irradiation increases endothelin-1 and endothelin receptor expression in cultured human keratinocytes (371) 188

Tsubouchi, H. see T. Moriyama (372) 78
Tsuchida, N. see K. Sugito (358) 161
Tsuchihashi, K. see K. Suetake (361) 201
Tsuchiya, T. see H. Inoue (363) 264
Tsuji, S. see N. Kojima (373) 119
Tsuji, S. see N. Kojima (360) 1
Tsujimoto, G. see A. Hirasawa (363) 256
Tsujimoto, Y. see T. Koseki (376) 247
Tsukahara, Y. see T. Suzuki (377) 333
Tsukamoto, Y. see H. Ohtani (359) 65
Tublitz, N.J. see G.R. Huesmann (371) 311
Tuček, S. see J. Jakubík (377) 275
Tucker, A. see J. Christodoulou (376) 1
Tucker, S. see H. Sakura (367) 193
Tuddenham, E.G.D. see A.W. Ashton (374) 141
Tuller, G. and G. Daum, Import of sterols into mitochondria of the yeast *Saccharomyces cerevisiae* (372) 29
Tumanyan, V.G. see V.J. Makeev (366) 33
Tunitskaya, V.L. see D.A. Kostyuk (369) 165
Turecek, P.L. see B.E. Fischer (375) 259
Turk, B., A. Ritonja, I. Björk, V. Stoka, I. Dolenc and V. Turk, Identification of bovine stefin A, a novel protein inhibitor of cysteine proteinases (360) 101
Turk, V. see A. Pariš (369) 326
Turk, V. see V. Stoka (370) 101
Turk, V. see B. Turk (360) 101
Turner, R. see K. Moreton (372) 33
Turner, R. see H. Sakura (367) 193
Turovetsky, V.B. see O.N. Valkina (361) 145
Tuzikov, A.B. see A.S. Gambaryan (366) 57
Tygesen, C.K., M. Jørgensen and P.H. Andersen, The importance of two specific domains in ligand binding to the AMPA/kainate glutamate receptors GluR2 and GluR6 (363) 184
Tykocinsky, M. see M. Elkin (374) 57
Tzagoloff, A. see M.-F. Paul (373) 66
Tzartos, E. see S.J. Tzartos (363) 195
Tzartos, J.S. see S.J. Tzartos (363) 195
Tzartos, S.J., E. Tzartos and J.S. Tzartos, Monoclonal antibodies against the acetylcholine receptor γ-subunit as site specific probes for receptor tyrosine phosphorylation (363) 195

U

Uchida, K., A. Fukuda, S. Kawakishi, S. Toyokuni, H. Hiai, S. Ikeda and F. Horio, Acute nephrotoxicity of a carcinogenic iron chelate: Selective inhibition of a proteoiytic conversion of α_{2U}-globulin to the kidney fatty acid-binding protein (357) 165
Uchida, K. see S. Toyokuni (359) 189
Uchida, T. see T. Saito (376) 238
Udagawa, N. see I. Nakamura (361) 79
Ueda, H. see H. Misawa (361) 106
Ueda, H., T. Miyamae, N. Fukushima, S. Watanabe and Y. Misu, Evidence for a metabostatic opioid κ-receptor inhibiting pertussis toxin-sensitive metabotropic glutamate receptor-currents in *Xenopus* oocytes (375) 201
Ueda, K. see M. Sugiyama (362) 80
Ueda, M. see K. Sugito (358) 161
Ueda, N. see T. Sugiura (370) 141
Ueda, N. see T. Itoh (373) 123
Ueda, T. see J. Nishikawa (373) 19
Ueda, Y. see K. Mizuno (359) 259
Uedaira, H. see N. Kobayashi (366) 99
Uegaki, K., M. Shirakawa, H. Harada, T. Taniguchi and Y. Kyogoku, Secondary structure and folding topology of the DNA binding domain of interferon regulatory factor 2, as revealed by NMR spectroscopy (359) 184
Ueguchi, C. see H. Shindo (360) 125
Ueha, T. see N. Nakanishi (368) 411
Uehara, T. see T. Nishiya (371) 333
Uematsu, S. see L. Ji (358) 211
Uemura, Y. see H. Wachi (368) 215
Ueno, N. see J. Nishikawa (373) 19
Ueta, N. see R. Maeba (377) 309
Ufer, E., R. Postina, V. Gorbulev and F. Fahrenholz, An extracellular residue determines the agonist specificity of V_2 vasopressin receptors (362) 19
Ui, M. see H. Misawa (361) 106
Uitto, J. see K. Korang (368) 556
Ujihara, H. see Y. Yamada (377) 390
Ullman, C.G., P.I. Haris, K.F. Smith, R.B. Sim, V.C. Emery and S.J. Perkins, β-Sheet secondary structure of an LDL receptor domain from complement factor I by consensus structure predictions and spectroscopy (371) 199
Ullmer, C., K. Schmuck, H.O. Kalkman and H. Lübbert, Expression of serotonin receptor mRNAs in blood vessels (370) 215
Ulmer, J.S., R.N. Lindquist, M.S. Dennis and R.A. Lazarus, Ecotin is a potent inhibitor of the contact system proteases factor XIIa and plasma kallikrein (365) 159
Umbach, A.L. see J.N. Siedow (362) 10
Unemoto, T. see M. Hayashi (363) 75
Unkeless, J.C. see F. Zhang (376) 77
Unnerstall, J.R. see H.J. Yu (374) 89
Uphues, I., Y. Chern and J. Eckel, Insulin-dependent translocation of the small GTP-binding protein rab3C in cardiac muscle: studies on insulin-resistant Zucker rats (377) 109
Upton, C. see D.J. Brick (377) 475
Urade, R. see M. Kito (362) 39
Urano, T. see J. Okabe-Kado (363) 311
Urbatsch, I.L. see A.E. Senior (377) 285
Urbig, T. see N.I. Bishop (367) 158
Urquidi, V. and S.J.H. Ashcroft, A novel pancreatic β-cell isoform of calcium/calmodulin-dependent protein kinase II (β_3 isoform) contains a proline-rich tandem repeat in the association domain (358) 23
Urushiyama, A. see T. Imai (368) 23
Urzúa, U., L.F. Larrondo, S. Lobos, J. Larraín and R. Vicuña, Oxidation reactions catalyzed by manganese peroxidase isoenzymes from *Ceriporiopsis subvermispora* (371) 132
Usami, I. see A. Kataoka (364) 264
Ustrell, V., C. Realini, G. Pratt and M. Rechsteiner, Human lymphoblast and erythrocyte multicatalytic proteases: differential peptidase activities and responses to the 11S regulator (376) 155
Uusitalo, L. see R. Niemelä (367) 67
Uversky, V.N., M.D. Kirkitadze, N.V. Narizhneva, S.A. Potekhin and A.Y. Tomashevski, Structural properties of α-fetoprotein from human cord serum: the protein molecule at low pH possesses all the properties of the molten globule (364) 165
Uyeda, A. see T. Yamada (374) 262

V

Vahdat, A., C. Miller, M. Phillips, A. Muhlrad and E. Reisler, A novel 27/16 kDa form of subtilisin cleaved actin: structural and functional consequences of cleavage between Ser^{234} and Ser^{235} (365) 149
Vaillant, B. see X.-L. Zhou (373) 170
Vainshtein, B.K. see E.Y. Morgunova (367) 183
Valdez, B.C. see D.A. Weidner (366) 146
Valette, A. see P. Mazars (362) 295
Valette, G. see C. Serradeil-Le Gal (362) 192
Valkina, O.N., O.V. Vergun, V.B. Turovetsky and B.I. Khodorov, Changes of cytoplasmic pH in frog nerve fibers during K^+-induced membrane depolarization (361) 145
Vallé, A. and J.-P. Kinet, *N*-acetyl-L-cysteine inhibits antigen-mediated Syk, but not Lyn tyrosine kinase activation in mast cells (357) 41
Valujskikh, A. see A. Danilkovich (369) 161
Valverde, A.M. see T. Teruel (364) 193
van 't Hof, R. and B. de Kruijff, Transit sequence-dependent binding of the chloroplast precursor protein ferredoxin to lipid vesicles and its implications for membrane stability (361) 35
van Amerongen, H. see M. Kooijman (358) 185
Van Beeumen, J. see B. Samyn (377) 145

van Bergen en Henegouwen, P.M.P. see S. van Delft (357) 251
van Bloois, L. see P.G.M. Bloemen (357) 140
Van Craenenbroeck, K. see B. Samyn (377) 145
van de Velde, M.J., F. Engels, P.A.J. Henricks, P.G.M. Bloemen and F.P. Nijkamp, The linoleic acid metabolite 13-HODE modulates degranulation of human polymorphonuclear leukocytes (369) 301
van Delft, S., A.J. Verkleij, J. Boonstra and P.M.P. van Bergen en Henegouwen, Epidermal growth factor induces serine phosphorylation of actin (357) 251
van den Berg, A.J.J., S.F.A.J. Horsten, J.J. Kettenes-van den Bosch, B.H. Kroes, C.J. Beukelman, B.R. Leeflang and R.P. Labadie, Curcacycline A – a novel cyclic octapeptide isolated from the latex of *Jatropha curcas* L. (358) 215
van den Bosch, H. see G. Walker (364) 218
Van den Eijnden, D.H. see M. Nemansky (363) 280
van den Tweel, M.C. see P.G.M. Bloemen (357) 140
van den Wijngaard, P.W.J. see J.M. Leenhouts (370) 189
van der Bijl, P. see J.P. Vos (368) 393
van der Eb, A.J. see O. Kranenburg (367) 103
van der Flier, A., I. Kuikman, C. Baudoin, R. van der Neut and A. Sonnenberg, A novel β1 integrin isoform produced by alternative splicing: unique expression in cardiac and skeletal muscle (369) 340
van der Hee, R. see L. Aarts (357) 83
van der Neut, R. see A. van der Flier (369) 340
Van der Oost, J. see R.J.M. Van Spanning (360) 151
van der Oost, J. see C. Dennison (365) 92
van der Oost, J., M. Schepper, A.H. Stouthamer, H.V. Westerhoff, R.J.M. van Spanning and J.-W.L. de Gier, Reversed electron transfer through the bc_1complex enables a cytochrome c oxidase mutant (Δaa_3/cbb_3) of *Paracoccus denitrificans* to grow on methylamine (371) 267
van der Ploeg, I. see M. Schmidt (370) 11
van der Straaten, T. see R. Rijnbrand (365) 115
van der Veen, C. see C.E. Marchant (358) 175
van der Weijden, C.C. see R. Kusters (372) 253
van Eickles, M. see R.H. Karas (377) 103
Van Eldik, L.J. see P.M. Kilby (363) 90
Van Eldik, L.J. see D.M. Watterson (373) 217
Van Eynde, A. see S. Renouf (375) 75
van Geel, A. see R. Kusters (372) 253
van Golde, L.M.G. see J.P. Vos (368) 393
van Grondelle, R. see M. Kooijman (358) 185
van Hage-Hamsten, M. see M. Schmidt (370) 11
van Helvoort, A. and G. van Meer, Intracellular lipid heterogeneity caused by topology of synthesis and specificity in transport. Example: sphingolipids (369) 18
Van Leuven, F. see R.W. Osborn (368) 257
van Liempt, H. see R. Dieckmann (357) 212
van Liemt, W.B.S. see R. Brudler (370) 88
van Meer, G. see A. van Helvoort (369) 18
Van Montagu, M. see L. Lepiniec (364) 103
Van Montagu, M. see K. Kampfenkel (374) 351
Van Montagu, M. see A. Savouré (372) 13
Van Nielen, W. see N.J. Miller (365) 164
Van Obberghen, E. see P. Peraldi (357) 290
Van Putten, V. see P.A. Wojtaszek (367) 228
Van Schaftingen, E. and J. Jaeken, Phosphomannomutase deficiency is a cause of carbohydrate-deficient glycoprotein syndrome type I (377) 318
van Solinge, W.W. see J.R. Bundgaard (369) 225
Van Spanning, R.J.M., A.P.N. De Boer, W.N.M. Reijnders, S. Spiro, H.V. Westerhoff, A.H. Stouthamer and J. Van der Oost, Nitrite and nitric oxide reduction in *Paracoccus denitrificans* is under the control of NNR, a regulatory protein that belongs to the FNR family of transcriptional activators (360) 151
van Spanning, R.J.M. see J. van der Oost (371) 267
van Wijk, K.J., T.G. Knott and C. Robinson, Evidence for SecA- and ΔpH-independent insertion of D1 into thylakoids (368) 263
Vandenberghe, I. see B. Samyn (377) 145
Vandenbrouck, Y., G. Lambert, B. Janvier, D. Girlich, G. Bereziat and M. Mangeney-Andreani, Transcriptional regulation of apolipoprotein A-I expression in Hep G2 cells by phorbol ester (376) 99
Vandenhaute, J. see J.-P. Cassart (371) 191
Vander Velde, D.G. see K. Kounga (364) 215
Vanin, A.F. see I.Y. Malyshev (370) 159
Vanoni, M. see R. Consonni (372) 135
Váradi, A. see E. Molnár (371) 253
Varadi, G., G. Mikala, P. Lory, M. Varadi, B. Drouet, M. Pinçon-Raymond and A. Schwartz, Endogenous cardiac Ca^{2+} channels do not overcome the E–C coupling defect in immortalized dysgenic muscle cells: evidence for a missing link (368) 405
Varadi, M. see G. Varadi (368) 405
Vareli, K., M. Frangou-Lazaridis and O. Tsolas, Prothymosin α mRNA levels vary with c-myc expression during tissue proliferation, viral infection and heat shock (371) 337
Varfolomeev, S.D. see O.K. Mirzoeva (377) 306
Vargas, R. see J.L. Nieva (368) 143
Varga-Weisz, P.D. and P.B. Becker, Transcription factor-mediated chromatin remodelling: mechanisms and models (369) 118
Varsányi, M. see S.V. Polishchuk (362) 271
Vartapetian, A. see N. Pavlov (366) 43
Vasiliev, A.M. see V.P. Zav'yalov (371) 65
Vasilyeva, E.A. see A.V. Syroeshkin (366) 29
Vasseur, C. see A. Dumoulin (374) 39
Vassilakos, A., M.J.G. Hughes and D.W. Andrews, The 3′ untranslated region of bovine preprolactin contains a transferable non-poly(A) mRNA sequence that prolongs translation (359) 206
Vaudry, H. see C. Patte (362) 106
Vecchi, M. see N. Taddei (362) 175
Veenhuis, M. see K.N. Faber (357) 115
Veenhuis, M. see M.E. Evers (368) 293
Veenhuis, M. see J.A.K.W. Kiel (377) 434
Veenhuizen, P.Th.M. see A.F. Arendsen (368) 117
Vega, J.M. see C. Barroso (363) 1
Veldink, G.A. see M. Maccarrone (371) 223
Velichko, I.V., S.E. Volk, V.Yu. Dudarenkov, N.N. Magretova, V.Ya. Chernyak, A. Goldman, B.S. Cooperman, R. Lahti and A.A. Baykov, Cold lability of the mutant forms of *Escherichia coli* inorganic pyrophosphatase (359) 20
Velloso, L.A., E.M. Carneiro, S.C. Crepaldi, A.C. Boschero and M.J.A. Saad, Glucose- and insulin-induced phosphorylation of the insulin receptor and its primary substrates IRS-1 and IRS-2 in rat pancreatic islets (377) 353
Vendrell, J. see F.X. Gomis-Rüth (367) 211
Venien-Bryan, C., A. Davies, K. Langmack, J. Baverstock, A. Watts, D. Marsh and H. Saibil, Effect of the C-terminal proline repeats on ordered packing of squid rhodopsin and its mobility in membranes (359) 45
Ventura, S. see F.X. Gomis-Rüth (367) 211
Venturoli, G. see A. Hochkoeppler (357) 70
Venyaminova, A.G. see O.D. Zakharova (361) 287
Verbavatz, J.-M. see V. Laizé (373) 269
Verbruggen, N. see A. Savouré (372) 13
Vereninov, A.A. see I.I. Marakhova (368) 110
Vergara, J.L. see A.L. Escobar (364) 335
Verger-Bocquet, M. see M. Salzet (357) 187
Vergne, I., M. Prats, J.-F. Tocanne and G. Laneelle, Mycobacterial glycopeptidolipid interactions with membranes: a monolayer study (375) 254
Vergoten, G. see A.P. Golovanov (375) 162
Vergun, O. see B. Khodorov (371) 249
Vergun, O.V. see O.N. Valkina (361) 145
Verhagen, M.F.J.M., T.A. Link and W.R. Hagen, Electrochemical study of the redox properties of [2Fe-2S] ferredoxins: Evidence for superreduction of the Rieske [2Fe-2S] cluster (361) 75
Verheij, H.M. see M. Blaauw (373) 10
Verheyden, P., J. Pletinckx, D. Maes, H.A.M. Pepermans, L. Wyns, R. Willem and J.C. Martins, ^{1}H NMR study of the interaction of *N*,*N*′,*N*″-triacetyl chitotriose with Ac-AMP2, a sugar binding antimicrobial protein isolated from *Amaranthus caudatus* (370) 245
Verkhovskaya, M.L., M.I. Verkhovsky and M. Wikström, A novel antiporter activity catalyzing sodium and potassium transport from right-side-out vesicles of *E. coli* (363) 46
Verkhovsky, M.I. see M.L. Verkhovskaya (363) 46
Verkleij, A.J. see S. van Delft (357) 251
Verret, C. see M. Savart (359) 60
Vervoort, J. see J. Koerts (368) 279
Verzili, D. see M.B. Meyers (357) 230
Vianello, A., F. Macri, E. Braidot and E.N. Mokhova, Effect of cyclosporin A on energy coupling in pea stem mitochondria (371) 258
Vianello, A., F. Macri, E. Braidot and E.N. Mokhova, Effect of 6-ketocholestanol on FCCP- and DNP-induced uncoupling in plant mitochondria (365) 7
Vicente-Soler, J. see T. Soto (367) 263

Victorov, I. see B. Khodorov (371) 249
Victorova, L.S. see M.V. Jasko (357) 23
Vicuña, R. see U. Urzúa (371) 132
Vidal, S. see P. Mazars (362) 295
Vieira, L. and Z.I. Cabantchik, Bicarbonate ions and pH regulation of *Leishmania major* promastigotes (361) 123
Vijgenboom, E. see C. Dennison (365) 92
Vilaró, S. see R. Buscà (367) 257
Vilella, E. see R. Buscà (367) 257
Villaverde, J. see J. Cladera (371) 115
Vilsen, B., Functional consequences of mutation Asn^{326}→Leu in the 4th transmembrane segment of the α-subunit of the rat kidney Na^+,K^+-ATPase (363) 179
Vilsen, B. see J.P. Andersen (359) 101
Vincenot, A., P. Gaussem, J.L. Pittet, S. Debost and M. Aiach, Amino acids 225–235 of the protein C serine-protease domain are important for the interaction with the thrombin–thrombomodulin complex (367) 153
Viniegra, S. see L.M. Gutiérrez (372) 39
Vinogradov, A.D., V.D. Sled, D.S. Burbaev, V.G. Grivennikova, I.A. Moroz and T. Ohnishi, Energy-dependent Complex I-associated ubisemiquinones in submitochondrial particles (370) 83
Vinogradov, A.D. see A.V. Syroeshkin (366) 29
Vinogradova, T.A. see I.I. Marakhova (368) 110
Vinskaya, N. see B. Khodorov (371) 249
Virtaneva, K. see P.E. Kovanen (361) 233
Vishveshwara, S. see L.K. Iyer (374) 21
Visser, J.W.M. see M.A. Ershler (375) 50
Vissing, H., W.K.-H. Meyer, L. Aagaard, N. Tommerup and H.-J. Thiesen, Repression of transcriptional activity by heterologous KRAB domains present in zinc finger proteins (369) 153
Vita, C. see I. Ségalas (371) 171
Vita, N. see S. Lefort (366) 122
Vivaudou, M. see B. Allard (375) 215
Vlasov, A.P. see S.P. Martsev (361) 173
Vliegenthart, J.F.G. see M. Maccarrone (371) 223
Vliegenthart, J.F.G. see H.-C. Siebert (371) 13
Vlodavsky, I. see S. Menashi (361) 61
Vogel, H.J. see K. Siivari (366) 104
Vogel, Z. see M. Bayewitch (375) 143
Vogel, Z. see T. Avidor-Reiss (361) 70
Vogl, T. see R. Sterner (364) 9
Vogler, A.P. see C.G. Wray (365) 71
Volk, S.E. see I.V. Velichko (359) 20
Volkov, V. see B. Schmidt (372) 169
Volonté, C. see S.R.J. Salton (360) 106
Volovitch, M. see I. Le Roux (368) 311
Volz, A., R. Göke, B. Lankat-Buttgereit, H.-C. Fehmann, H.P. Bode and B. Göke, Molecular cloning, functional expression, and signal transduction of the GIP-receptor cloned from a human insulinoma (373) 23
von Döhren, H. see R. Dieckmann (357) 212
von Weikersthal, S.F. see M.A. Barrand (374) 179
von Itzstein, M. see J. Tiralongo (372) 148
Voorma, H.O. see M.A.M. Kasperaitis (365) 47
Vorobyeva, N.N. see S.M. Avaeva (377) 44
Vos, J.P., M.L. Giudici, P. van der Bijl, P. Magni, S. Marchesini, L.M.G. van Golde and M. Lopes-Cardozo, Sphingomyelin is synthesized at the plasma membrane of oligodendrocytes and by purified myelin membranes: a study with fluorescent- and radio-labelled ceramide analogues (368) 393
Vranken, W.F., M. Budesinsky, F. Fant, K. Boulez and F.A.M. Borremans, The complete Consensus V3 loop peptide of the envelope protein gp120 of HIV-1 shows pronounced helical character in solution (374) 117
Vuorio, E. see A. Hiltunen (364) 171
Vysokanov, A.V., Synthesis of chloramphenicol acetyltransferase in a coupled transcription–translation in vitro system lacking the chaperones DnaK and DnaJ (375) 211
Vysotskaya, V.S. see N.L. Davydova (369) 229

W

Wachi, H., Y. Seyama, S. Yamashita, H. Suganami, Y. Uemura, K. Okamoto, H. Yamada and S. Tajima, Stimulation of cell proliferation and autoregulation of elastin expression by elastin peptide VPGVG in cultured chick vascular smooth muscle cells (368) 215
Wachinger, G. see K. Gaedigk-Nitschko (357) 275
Wachter, H. see C. Bogdan (363) 69
Wachter, H. see W. Schobersberger (377) 461
Wachter, H. see G. Baier-Bitterlich (364) 234
Wada, A. see S.-i. Kidokoro (367) 73
Wada, A. see T. Sugiura (370) 141
Wada, H. see M.-H. Avelange-Macherel (361) 111
Wada, K. see T. Iwamoto (368) 420
Wade, R. see V. Campbell (370) 135
Wadhwa, R. see S.C. Kaul (361) 269
Wagenknecht, T. and M. Radermacher, Three-dimensional architecture of the skeletal muscle ryanodine receptor (369) 43
Wagman, D.W. see U. Mayer (365) 129
Wagner, A.M., A role for active oxygen species as second messengers in the induction of alternative oxidase gene expression in *Petunia hybrida* cells (368) 339
Wagner, P., A. Fuchs, A. Prowald, M. Montenarh and W. Nastainczyk, Precise mapping of the tms1 binding site on p53 (377) 155
Wagner, T., C. Oppi and G.P. Tocchini Valentini, Differential regulation of G protein α-subunit GTPase activity by peptides derived from the third cytoplasmic loop of the α_2-adrenergic receptor (365) 13
Währer, D.C.R. see N. Feller (368) 385
Wakasa, M. see S. Iwai (368) 315
Wakazono, Y. see A. Kataoka (364) 264
Wakelam, M.J.O. see C.P. Briscoe (361) 162
Wakiyama, M., M. Saigoh, K. Shiokawa and K.-i. Miura, mRNA encoding the translation initiation factor eIF-4E is expressed early in *Xenopus* embryogenesis (360) 191
Waldmann, T., M. Nitsch, M. Klumpp and W. Baumeister, Expression of an archaeal chaperonin in *E. coli*: formation of homo- (α, β) and hetero-oligomeric ($\alpha + \beta$) thermosome complexes (376) 67
Wali, R.K. see H.K. Roy (366) 143
Walker, G., D. Kunz, W. Pignat, H. van den Bosch and J. Pfeilschifter, Pyrrolidine dithiocarbamate differentially affects cytokine- and cAMP-induced expression of group II phospholipase A_2 in rat renal mesangial cells (364) 218
Walker, R.P. and R.C. Leegood, Purification, and phosphorylation in vivo and in vitro, of phospho*enol*pyruvate carboxykinase from cucumber cotyledons (362) 70
Walker, V.K. see B.P. Duncker (377) 185
Walker, W. see J. Bodor (377) 413
Wall, C. see J. Mandl (376) 65
Wallace, B.A. see C.E. Peishoff (374) 379
Wallach, D. see M.P. Boldin (367) 39
Walter, H. and D.E. Brooks, Phase separation in cytoplasm, due to macromolecular crowding, is the basis for microcompartmentation (361) 135
Walter, R. see J. Nairn (359) 192
Walter, U. see D. Pöhler (374) 419
Walter, U. see K. Abel (370) 184
Walther, R. see I.B. Leibiger (362) 210
Wang, G.-R. see M.L. Benka (363) 49
Wang, J.-Y., U. Kishore and K.B.M. Reid, A recombinant polypeptide, composed of the α-helical neck region and the carbohydrate recogniton domain of conglutinin, self-associates to give a functionally intact homotrimer (376) 6
Wang, X. see P.M. Stemmer (374) 237
Wang, X. and P.E. Kolattukudy, Solubilization and purification of aldehyde-generating fatty acyl-CoA reductase from green alga *Botryococcus braunii* (370) 15
Wang, Y. and S.S. Tate, Oligomeric structure of a renal cystine transporter: implications in cystinuria (368) 389
Wang, Y. see C. McGuigan (372) 259
Wang, Y. see J. Dang (359) 147

Wang, Z. see K. Majumder (361) 13
Wang, Z.-X., An exact mathematical expression for describing competitive binding of two different ligands to a protein molecule (360) 111
Ward, F.B. see P.R. Rich (375) 5
Waring, M.J. see C. Bailly (372) 144
Waritani, T. see T. Kataoka (359) 53
Warren-Perry, M. see H. Sakura (367) 193
Warskulat, U., M. Wettstein and D. Häussinger, Betaine is an osmolyte in RAW 264.7 mouse macrophages (377) 47
Wartmann, M., D. Campbell, A. Subramanian, S.H. Burstein and R.J. Davis, The MAP kinase signal transduction pathway is activated by the endogenous cannabinoid anandamide (359) 133
Wastyn, M. see G.A. Peschek (371) 89
Wasvary, J. see L.P. Wennogle (371) 315
Watanabe, D., M. Okabe, N. Hamajima, T. Morita, Y. Nishina and Y. Nishimune, Characterization of the testis-specific gene 'calmegin' promoter sequence and its activity defined by transgenic mouse experiments (368) 509
Watanabe, G. see P. Madaule (377) 243
Watanabe, K. see K. Sode (364) 325
Watanabe, N. see Y. Saito (371) 105
Watanabe, N. and Y. Kobayashi, Roles of the phosphorylation of human interleukin 1α in proteolytic processing (371) 149
Watanabe, N. see N. Kumagai (366) 11
Watanabe, S. see H. Ueda (375) 201
Watanabe, T. see D. Chida (358) 233
Watanabe, Y. see Y. Sugiyama (359) 247
Watanabe, Y., T. Ogawa, H. Takahashi, I. Ishida, Y. Takeuchi, M. Yamamoto and Y. Okada, Resistance against multiple plant viruses in plants mediated by a double stranded-RNA specific ribonuclease (372) 165
Waters, J. see M.L. Benka (363) 49
Watkins, W.M. see A.M. Wu (371) 32
Watson, H. see C. Rush (359) 244
Watson, S.P. see F. Yanaga (368) 377
Watterson, D.M., M. Collinge, T.J. Lukas, L.J. Van Eldik, K.G. Birukov, O.V. Stepanova and V.P. Shirinsky, Multiple gene products are produced from a novel protein kinase transcription region (373) 217
Watterson, D.M. see M.V. Medvedeva (360) 89
Watts, A. see C. Venien-Bryan (359) 45
Watts, S.D., Y. Zhang, R.H. Fillingame and R.A. Capaldi, The γ subunit in the *Escherichia coli* ATP synthase complex (ECF_1F_0) extends through the stalk and contacts the c subunits of the F_0 part (368) 235
Watzinger, N. see F. Brunner (373) 97
Wawra, E. see T. Soucek (373) 164
Waxman, S.G. see S.D. Dib-Hajj (377) 485
Way, M. and R.G. Parton, M-caveolin, a muscle-specific caveolin-related protein (376) 108
Webb, M.L. see P.M. Rose (361) 243
Webb, M.R. see C. Lionne (364) 59
Weber, K. see M. Bovenschulte (360) 223
Weber, K. see M. Rüdiger (364) 147
Weeds, A.G., J. Gooch, P. McLaughlin, B. Pope, M. Bengtsdotter and R. Karlsson, Identification of the trapped calcium in the gelsolin segment 1–actin complex: implications for the role of calcium in the control of gelsolin activity (360) 227
Weeks, B.S. see M. Nomizu (365) 227
Weesie, R.J., D. Askin, F.J.H.M. Jansen, H.J.M. de Groot, J. Lugtenburg and G. Britton, Protein–chromophore interactions in α-crustacyanin, the major blue carotenoprotein from the carapace of the lobster, *Homarus gammarus*: A study by ^{13}C magic angle spinning NMR (362) 34
Wegner, A. see U. Röhrig (374) 284
Wegrowski, J. see P. Gillery (357) 287
Wegrzyn, R.E. see P.S. Huang (358) 287
Wei, Q. see D. Parra-Diaz (376) 58
Wei, X. see L. Parent (360) 144
Wei, Y. and S. Mojsov, Tissue-specific expression of the human receptor for glucagon-like peptide-I: brain, heart and pancreatic forms have the same deduced amino acid sequences (358) 219
Weidner, D.A., B.C. Valdez, D. Henning, S. Greenberg and H. Busch, Phosphorothioate oligonucleotides bind in a non sequence-specific manner to the nucleolar protein C23/nucleolin (366) 146
Weiland, J. see K.R.H. Repke (359) 107
Weinman, S. see D. Rainteau (360) 80
Weinshank, R.L. see K.E. Smith (357) 86
Weis, M. see S.C. Chow (364) 134
Weiss, H. see T. Friedrich (367) 107
Weiss, S.J. see G.-P. Shi (357) 129
Weiß, H.M., W. Haase, H. Michel and H. Reiländer, Expression of functional mouse 5-HT_{5A} serotonin receptor in the methylotrophic yeast *Pichia pastoris*: pharmacological characterization and localization (377) 451
Weißhoff, H., K. Frost, W. Brandt, P. Henklein, C. Mügge and C. Frömmel, Novel disulfide-constrained pentapeptides as models for β-VIa turns in proteins (372) 203
Welham, T. see C. Domoney (360) 15
Wellman, M. see M. El yaagoubi (369) 183
Wellner, M., I. Monden and K. Keller, From triple cysteine mutants to the cysteine-less glucose transporter GLUT1: a functional analysis (370) 19
Wells, J., F. Henkler, M. Leversha and R. Koshy, A mitochondrial elongation factor-like protein is over-expressed in tumours and differentially expressed in normal tissues (358) 119
Wells, T.N.C. see A.E.I. Proudfoot (376) 19
Wendehenne, D., M.-N. Binet, J.-P. Blein, P. Ricci and A. Pugin, Evidence for specific, high-affinity binding sites for a proteinaceous elicitor in tobacco plasma membrane (374) 203
Wennogle, L.P., H. Liang, J.C. Quintavalla, B.R. Bowen, J. Wasvary, D.B. Miller, A. Allentoff, W. Boyer, M. Kelly and P. Marshall, Comparison of recombinant cyclooxygenase-2 to native isoforms: aspirin labeling of the active site (371) 315
Wenzel, U.O. see P. Biswas (373) 146
Wera, S., A. Belayew and J.A. Martial, Rapamycin, FK506 and cyclosporin A inhibit human prolactin gene expression (358) 158
Wera, S. see S. Renouf (375) 75
Werenskiold, A.K. see J. Danescu (367) 89
Werga, P. see M. Sjölinder (377) 87
Werner, E. see C. Bogdan (363) 69
Werner-Felmayer, G. see C. Bogdan (363) 69
Werner-Felmayer, G. see G. Baier-Bitterlich (364) 234
Weser, U., H. Etspüler and Y. Kaup, Enzymatic and immunological activity of 4000 years aged bone alkaline phosphatase (375) 280
West, A.B. see U. Lundberg (371) 345
West, S.M. see A.G. James (373) 111
Westerhoff, H.V. see J. van der Oost (371) 267
Westerhoff, H.V. see R.J.M. Van Spanning (360) 151
Westerhoff, H.V. see B.N. Kholodenko (368) 1
Weston, C.A. see M. Nomizu (365) 227
Wettstein, M. see U. Warskulat (377) 47
Wewer, U.M. see K. Iba (373) 1
Wex, H. see T. Wex (374) 341
Wex, T., U. Lendeckel, H. Wex, K. Frank and S. Ansorge, Quantification of aminopeptidase N mRNA in T cells by competitive PCR (374) 341
Weynants, V. see P.A. Denoel (361) 238
Whelan, W.J. see M.D. Alonso (359) 110
Whelan, W.J. see D.G. Singh (376) 61
Whetter, L. see R. Rijnbrand (365) 115
White, T.W. see R. Bruzzone (358) 301
Whitehead, A.S. see D.J. Gaughan (374) 241
Whitmore, D.H. see C.M. Craft (362) 247
Wible, B.A. see K. Majumder (361) 13
Wiborg, O. see S. Bøgestrand (368) 49
Wickham, G., P. Iannitti, J. Boschenok and M.M. Sheil, The observation of a hedamycin–$d(CACGTG)_2$ covalent adduct by electrospray mass spectrometry (360) 231
Wider, G. see V. Dötsch (366) 6
Wider, G. see V. Dötsch (372) 288
Widmann, M. and P. Christen, Differential effects of molecular chaperones on refolding of homologous proteins (377) 481
Wiebe, L.I. see J. Balzarini (373) 41
Wieczorek, H. see M. Azuma (361) 153
Wierenga, R.K. see T.V. Borchert (367) 315
Wieruszeski, J.-M. see A. Leroy (361) 29
Wieruszeski, J.-M. see E. Maes (358) 205
Wiesmüller, L., K. Scheffzek, W. Kliche, R.S. Goody, A. Wittinghofer and J. Reinstein, Crystallization and preliminary X-ray analysis of UMP/CMP-kinase from *Dictyostelium discoideum* with the specific bisubstrate inhibitor P^1-(adenosine 5′)-P^5-(uridine 5′)-pentaphosphate (UP_5A) (363) 22
Wight, T.N. see C.O. Ostberg (367) 93
Wijdenes, J. see Z.-Y. Lu (377) 515

Wikström, K. see H. Olsson (365) 51
Wikström, M. see M.L. Verkhovskaya (363) 46
Wikström, M. see M.U. Johansson (374) 257
Wild, K., T. Bohner, A. Aubry, G. Folkers and G.E. Schulz, The three-dimensional structure of thymidine kinase from Herpes simplex virus type 1 (368) 289
Wild, N., F.W. Herberg, F. Hofmann and W.R.G. Dostmann, Expression of a chimeric, cGMP-sensitive regulatory subunit of the cAMP-depedent protein kinase type Iα (374) 356
Wilder, R.L. see P. Ben-Av (372) 83
Wilkinson, D. see N. Becker (368) 353
Wilkinson, L. see P.A. Hessian (371) 271
Wilkinson, M.J. see A.P. Shivji (371) 25
Willem, R. see P. Verheyden (370) 245
Willems, J., E. Bruyneel, V. Noë, H. Slegers, A. Zwijsen, R.-M. Mège and M. Mareel, Cadherin-dependent cell aggregation is affected by decapeptide derived from rat extracellular super-oxide dismutase (363) 289
Willenbrock, F., G. Murphy, I.R. Phillips and K. Brocklehurst, The second zinc atom in the matrix metalloproteinase catalytic domain is absent in the full-length enzymes: a possible role for the C-terminal domain (358) 189
Willetts, A. see C. Rush (359) 244
Williams, A. see W.E.B. Johnson (364) 309
Williams, L.T. see S. Koyama (368) 321
Williams, P.M. see A.P. Shivji (371) 25
Willingham, T.R. see L.A. Andersson (370) 97
Willison, K.R. see G. Hynes (358) 129
Willmott, N.J., A. Galione and P.A. Smith, Nitric oxide induces intracellular Ca^{2+} mobilization and increases secretion of incorporated 5-hydroxytryptamine in rat pancreatic β-cells (371) 99
Willy, P.J. see J.Y. Ahn (366) 37
Wilson, C. see M. Fielder (369) 243
Wilson, C.M., Y. Mitsumoto, F. Maher and A. Klip, Regulation of cell surface GLUT1, GLUT3, and GLUT4 by insulin and IGF-I in L6 myotubes (368) 19
Wilson, K. see A. Nolte (374) 292
Wilson, R.B. see I.J. Rondon (359) 267
Wilson, R.C. see H.M. Hanauske-Abel (366) 92
Wilson, W.A. see S. Dale (361) 191
Winblad, B. see L. Nilsson (372) 88
Winder, S.J. and J. Kendrick-Jones, Calcium/calmodulin-dependent regulation of the NH_2-terminal F-actin binding domain of utrophin (357) 125
Winder, S.J., T.J. Gibson and J. Kendrick-Jones, Dystrophin and utrophin: the missing links! (369) 27
Winder, S.J. see Nguyen thi Man (358) 262
Windhaber, R. see H. Jung (358) 133
Windisch, J.M., B. Auer, R. Marksteiner, M.E. Lang and R. Schneider, Specific neurotrophin binding to leucine-rich motif peptides of TrkA and TrkB (374) 125
Winkler, H. see J. Hoflehner (360) 294
Winterbourn, C.C., N.M. Domigan and J.K. Broom, Decreased thermal stability of red blood cell $glu^{100} \rightarrow gly$ superoxide dismutase from a family with amyotrophic lateral sclerosis (368) 449
Wintermeyer, W. see R. Kusters (372) 253
Wischmann, C. and W. Schuster, Transfer of *rps10* from the mitochondrion to the nucleus in *Arabidopsis thaliana*: evidence for RNA-mediated transfer and exon shuffling at the integration site (374) 152
Wiseman, H. see V. Darley-Usmar (369) 131
Wiseman, S. see N.J. Miller (365) 164
Witko-Sarsat, V. see L. Halbwachs-Mecarelli (374) 29
Witte, M.M. see P. Domanski (374) 317
Witting, P.K., V.W. Bowry and R. Stocker, Inverse deuterium kinetic isotope effect for peroxidation in human low-density lipoprotein (LDL): a simple test for tocopherol-mediated peroxidation of LDL lipids (375) 45
Wittinghofer, A. and C. Herrmann, Ras–effector interactions, the problem of specificity (369) 52
Wittinghofer, A. see L. Wiesmüller (363) 22
Wittmann-Liebold, B. see B. Thiede (357) 65
Wittung, P., M. Funk, B. Jernström, B. Nordén and M. Takahashi, Fluorescence-detected interactions of oligonucleotides in RecA complexes (368) 64
Wittung, P., J. Kajanus, K. Edwards, P. Nielsen, B. Nordén and B.G. Malmström, Phospholipid membrane permeability of peptide nucleic acid (365) 27
Witzel, H. see T. Klabunde (367) 56
Witzemann, V. see H. Lühring (361) 65
Wo, Z.G., Z.C. Bian and R.E. Oswald, Asn-265 of frog kainate binding protein is a functional glycosylation site: implications for the transmembrane topology of glutamate receptors (368) 230
Wöhl, T. see H. Klier (364) 207
Wojtaszek, P.A., V. Van Putten and R.A. Nemenoff, Activation of a novel form of phospholipase A_2 during liver regeneration (367) 228
Woldegiorgis, G., J. Lawrence, A. Ruoho, T. Duff and E. Shrago, Photoaffinity labeling of mitochondrial proteins with 2-azido [^{32}P]palmitoyl CoA (364) 143
Wolf, B.B. and M.D. Brown, Epidermal growth factor-binding protein activates soluble and receptor-bound single chain urokinase-type plasminogen activator (376) 177
Wolf, M.J., Y. Izumi, C.F. Zorumski and R.W. Gross, Long-term potentiation requires activation of calcium-independent phospholipase A_2 (377) 358
Wolfe-Lopez, D. see R.A. Pittner (365) 98
Wolff, S.P. see N.K. Gopaul (368) 225
Wolschek, M. see J. Strauss (376) 103
Wong, Y.H. see H.W.L. Lai (360) 97
Wong, Y.H. see L.Y. Yung (372) 99
Wonnacott, S. see D.J. Hardick (365) 79
Woo, K.C. see Y. Gao (375) 95
Wood, J.L. and A. Graham, Structural requirements for oxidation of low-density lipoprotein by thiols (366) 75
Woodgett, J.R. see D.A. Latimer (365) 42
Worrall, D.M. see R.C. Barnes (373) 61
Wray, C.G., D.K. Jacobs, R. Kostriken, A.P. Vogler, R. Baker and R. DeSalle, Homologues of the *engrailed* gene from five molluscan classes (365) 71
Wray, D. see K. Brickley (364) 129
Wray, V. see M. Nimtz (365) 203
Wrench, P.M. see R.G. Hiller (363) 175
Wright, E.M. see M.P. Lostao (377) 181
Wright, J.A. see W.R. Taylor (377) 51
Wrzesinski, J., D. Michałowski, J. Ciesiołka and W.J. Krzyżosiak, Specific RNA cleavages induced by manganese ions (374) 62
Wu, A.M., W.M. Watkins, C.-P. Chen, S.-C. Song, L.-P. Chow and J.-Y. Lin, Native and/or asialo–Tamm–Horsfall glycoproteins Sd(a+) are important receptors for *Triticum vulgaris* (wheat germ) agglutinin and for three toxic lectins (abrin-a, ricin and mistletoe toxic lectin-I) (371) 32
Wu, A.M., F.-s. Shen, A. Herp, S.-C. Song and J.H. Wu, Fraction A of armadillo submandibular glycoprotein and its desialylated product as sialyl-Tn and Tn receptors for lectins (360) 211
Wu, J.H. see A.M. Wu (360) 211
Wu, R. see J.P.E. Spencer (375) 179
Wu, R. see J.P.E. Spencer (374) 233
Wu, R.-F. and Y. Ichikawa, Inhibition of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine metabolic activity of porcine FAD-containing monooxygenase by selective monoamine oxidase-B inhibitors (358) 145
Wulff, B.S. see J. Gromada (373) 182
Wunder, F. see S.H. Heinemann (377) 383
Wüthrich, K. see V. Dötsch (366) 6
Wüthrich, K. see V. Dötsch (372) 288
Wüthrich, K. see J. Johansson (362) 261
Wyns, L. see P. Verheyden (370) 245

X

Xodo, L.E., Characterization of the DNA triplex formed by d(TGGGTGGGTGGTTGGGTGGG) and a critical R·Y sequence located in the promoter of the murine Ki-*ras* proto-oncogene (370) 153
Xu, X.-q. see K. Shome (357) 109
Xu, Y.-Z. see V. Ramesh (363) 61

Y

Yachi, A. see M. Adachi (372) 113
Yagi, H. see K. Tozawa (376) 190
Yagyu, K. see S. Takahashi (368) 455
Yakovlev, A.G. see A.M. Streltsov (357) 239
Yakovlev, G.I., G.P. Moiseyev, I.I. Protasevich, B. Ranjbar, A.L. Bocharov, M.P. Kirpichnikov, R.M. Gilli, C.M. Briand, R.W. Hartley and A.A. Makarov, Dissociation constants and thermal stability of complexes of *Bacillus intermedius* RNase and the protein inhibitor of *Bacillus amyloliquefaciens* RNase (366) 156
Yamada, H., H. Hori, T. Tanaka, S. Fujita, H. Fukuta-Ohi, S. Hojo, A. Tamura, T. Shimizu and K. Matsumura, Secretion of laminin α2 chain in cerebrospinal fluid (376) 37
Yamada, H. see H. Aiba (376) 199
Yamada, H. see H. Wachi (368) 215
Yamada, K., A. Goto and M. Omata, Modulation of the levels of ouabain-like compound by central catecholamine neurons in rats (360) 67
Yamada, K., A new translational elongation factor for selenocysteyl-tRNA in eucaryotes (377) 313
Yamada, K. see M. Fujii (375) 263
Yamada, T., Y. Shimada, A. Uyeda, S. Sugiyama and M. Kikuchi, Construction of a divalent cell adhesive lysozyme by introducing the Arg-Gly-Asp sequence at two sites (374) 262
Yamada, Y., H. Ujihara, H. Sada and T. Ban, Pb^{2+} reduces the current from NMDA receptors expressed in *Xenopus* oocytes (377) 390
Yamada, Y. see M. Nomizu (365) 227
Yamada, Y. see F. Levavasseur (363) 132
Yamagishi, T. see Y. Sasaki (372) 20
Yamaguchi, A., Y. Shiina, E. Fujihira, T. Sawai, N. Noguchi and M. Sasatsu, The tetracycline efflux protein encoded by the *tet*(K) gene from *Staphylococcus aureus* is a metal-tetracycline/H^+ antiporter (365) 193
Yamaguchi, A. see T. Kimura (362) 47
Yamaguchi, A. see Y. Someya (374) 72
Yamaguchi, H. see M. Takagi (375) 273
Yamaguchi-Shinozaki, K. see T. Mizoguchi (358) 199
Yamakura, T., K. Sakimura, M. Mishina and K. Shimoji, The sensitivity of AMPA-selective glutamate receptor channels to pentobarbital is determined by a single amino acid residue of the α2 subunit (374) 412
Yamamoto, A. see Y. Moriyama (367) 233
Yamamoto, A. see K. Takamiya (358) 79
Yamamoto, H. see M. Yoshida (367) 311
Yamamoto, H. see S. Takahashi (368) 455
Yamamoto, K. see K. Suzuki (364) 283
Yamamoto, M. see K. Yoshikawa (373) 250
Yamamoto, M. see Y. Watanabe (372) 165
Yamamoto, M. see J. Nishikawa (373) 19
Yamamoto, N. see K. Tazaki (377) 54
Yamamoto, N. see M.L. Benka (363) 49
Yamamoto, S. see T. Arakawa (363) 105
Yamamoto, T. see A. Takeda (359) 78
Yamamoto, T. see A. Mogi (373) 135
Yamamoto, T. see T. Takahashi (358) 89
Yamanaka, A. see Y. Hayakawa (376) 185
Yamane, M. see K. Sugito (358) 161
Yamasaki, M. see T. Kataoka (359) 53
Yamashiro, S. see K. Takamiya (358) 79
Yamashita, S. see H. Wachi (368) 215
Yamashita, T. see H. Nishimura (357) 207
Yamato, K. see T. Koseki (376) 247
Yamauchi, A. see T. Itoh (373) 123
Yamazaki, N., Y. Shinohara, A. Shima and H. Terada, High expression of a novel carnitine palmitoyltransferase I like protein in rat brown adipose tissue and heart: isolation and characterization of its cDNA clone (363) 41
Yamskov, I.A. see A.S. Gambaryan (366) 57
Yan, H. see P. Domanski (374) 317
Yanaga, F., J. Asselin, G.L. Schieven and S.P. Watson, Phenylarsine oxide inhibits tyrosine phosphorylation of phospholipase Cγ2 in human platelets and phospholipase Cγ1 in NIH-3T3 fibroblasts (368) 377
Yang, B. see F. Zhang (376) 77
Yang, F.-y. see G.-f. Fan (357) 13
Yang, H.Q. see E. Takano (362) 93
Yang, J.-P., J.P. Merin, T. Nakano, T. Kato, Y. Kitade and T. Okamoto, Inhibition of the DNA-binding activity of NF-κB by gold compounds in vitro (361) 89
Yano, J. see A. Hirasawa (363) 256
Yanofsky, S. see H. Schreuder (373) 39
Yanowitz, J. see M.L. Benka (363) 49
Yaoi, Y. see A. Mogi (373) 135
Yaron, S., E. Morag, E.A. Bayer, R. Lamed and Y. Shoham, Expression, purification and subunit-binding properties of cohesins 2 and 3 of the *Clostridium thermocellum* cellulosome (360) 121
Yasuda, T., D. Nadano, H. Takeshita, E. Tenjo, K. Sawazaki, M. Ootani and K. Kishi, The molecular basis for genetic polymorphism of human deoxyribonuclease I: identification of the nucleotide substitution that generates the fourth allele (359) 211
Yasuda-Fukazawa, C. see M. Noda (367) 246
Yasuhara, T. see C. Nishiyama (377) 62
Yasui, K. see K.A. Krown (376) 24
Yasui, Y. see G.A. Nevinsky (368) 97
Yazaki, Y. see H. Ishihara (371) 329
Yazdankhah, S.P. see H. Nilsen (362) 205
Yee, E.K. see J.M. McCarty (372) 194
Yelin, R. and S. Schuldiner, The pharmacological profile of the vesicular monoamine transporter resembles that of multidrug transporters (377) 201
Yeoh, G.C.T. see E.A. Quail (359) 126
Yeow, K. see M.L. Benka (363) 49
Yermilov, V., J. Rubio and H. Ohshima, Formation of 8-nitroguanine in DNA treated with peroxynitrite in vitro and its rapid removal from DNA by depurination (376) 207
Yin, Y., F. Zhang, V. Ling and C.H. Arrowsmith, Structural analysis and comparison of the C-terminal transport signal domains of hemolysin A and leukotoxin A (366) 1
Ylä-Herttuala, S. see G.T. Stavri (358) 311
Ylinenjärvi, K., T.W. Prasthofer, N.C. Martin and I. Björk, Interaction of cysteine proteinases with recombinant kininogen domain 2, expressed in *Escherichia coli* (357) 309
Yoast, S. see M.M. Przetak (364) 268
Yodoi, J. see S. Toyokuni (358) 1
Yokota, J. see A. Mogi (373) 135
Yokota, K.-y. see K.-y. Akiyama (363) 151
Yokoyama, K., H. Nojiri, M. Suzuki, M. Setaka, A. Suzuki and S. Nojima, Clear differences in ceramide metabolism between glycosphingolipids and sphingomyelin in a human promyelocytic leukemia cell line HL-60 stimulated by a differentiation inducer (368) 477
Yokoyama, M. see S. Kunugi (362) 189
Yokoyama, M. see M. Okuda (368) 343
Yokoyama, S. see M. Shahidullah (371) 307
Yokoyama, S. see M. Tateno (377) 77
Yoneda, Y. see N. Imamoto (368) 415
Yonekura, H. see H. Miyashita (377) 429
Yoneya, T. see S.-i. Kidokoro (367) 73
Yoneyama, H. see H. Kikuchi (360) 26
Yoo, S.J. see J.H. Seol (377) 41
Yoo, Y. see D.T. Mahaffey (370) 109
Yoshida, H. see A. Tanaka (363) 226
Yoshida, K. see K. Tazaki (377) 54
Yoshida, M. see N. Ishii (362) 121
Yoshida, M., H. Yamamoto, S. Noguchi, Y. Mizuno, Y. Hagiwara and E. Ozawa, Dystrophin-associated protein A0 is a homologue of the *Torpedo* 87K protein (367) 311
Yoshida, M. and T. Amano, A common topology of proteins catalyzing ATP-triggered reactions (359) 1
Yoshida, M. see H. Taguchi (359) 195
Yoshida, M. see K. Tozawa (376) 190
Yoshida, M. see K. Saika (368) 207
Yoshida, T., T. Imai, M. Kakizaki, M. Nishimura and O. Yoshie, Molecular cloning of a novel C or γ type chemokine, SCM-1 (360) 155
Yoshida, Y. see N. Kojima (373) 119
Yoshida, Y. see N. Kojima (360) 1
Yoshie, O. see T. Yoshida (360) 155
Yoshii, H. see N. Kobayashi (366) 99

Yoshikawa, K., K.-I. Furukawa, M. Yamamoto, K. Momose and Y. Ohizumi, [^{3}H]9-Methyl-7-bromoeudistomin D, a caffeine-like powerful Ca^{2+} releaser, binds to caffeine-binding sites distinct from the ryanodine receptors in brain microsomes (373) 250
Yoshikawa, K. see Y. Yoshikawa (361) 277
Yoshikawa, Y. and K. Yoshikawa, Diaminoalkanes with an odd number of carbon atoms induce compaction of a single double-stranded DNA chain (361) 277
Yoshimoto, M. see H. Toyoda (377) 403
Yoshimoto, T. see T. Arakawa (363) 105
Yoshimura, Y. see M. Ikawa (375) 125
Yoshino, K.-i., T. Takao, X. Huang, H. Murata, H. Nakao, T. Takeda and Y. Shimonishi, Characterization of a highly toxic, large molecular size heat-stable enterotoxin produced by a clinical isolate of *Yersinia enterocolitica* (362) 319
Yoshioka, K., F. Imamura, K. Shinkai, J. Miyoshi, H. Ogawa, M. Mukai, R. Komagome and H. Akedo, Participation of rhop21 in serum-dependent invasion by rat ascites hepatoma cells (372) 25
Yoshiwara, M. see K. Egawa (372) 74
Yoshizaki, G. see R. Bruzzone (358) 301
Yoshizawa, T. see J. Hirayma (364) 168
Yoshizawa, T., H. Sorimachi, S. Tomioka, S. Ishiura and K. Suzuki, A catalytic subunit of calpain possesses full proteolytic activity (358) 101
Young, A.A. see R.A. Pittner (365) 98
Young, N.A. see L.J. Ball (358) 278
Young, N.M., C.R. MacKenzie, S.A. Narang, R.P. Oomen and J.E. Baenziger, Thermal stabilization of a single-chain Fv antibody fragment by introduction of a disulphide bond (377) 135
Young, P.R. see A. Cuenda (364) 229
Yu, C.-A. see B.R. Crouse (367) 1
Yu, H.J., J.R. Unnerstall and R.D. Green, Determination and cellular localization of adenylyl cyclase isozymes expressed in embryonic chick heart (374) 89
Yu, L. see B.R. Crouse (367) 1
Yu, M.-H. see H.K. Song (377) 150
Yuan, H. see F. Liu (374) 273
Yuan, J. see C. Lütticken (360) 137
Yung, L.Y., S.-T. Tsim and Y.H. Wong, Stimulation of cAMP accumulation by the cloned *Xenopus* melatonin receptor through G_i and G_z proteins (372) 99
Yutsudo, M. see M. Shimakage (371) 245
Yuuki, T. see C. Nishiyama (377) 62

Z

Zacchetti, D., J. Peränen, M. Murata, K. Fiedler and K. Simons, VIP17/MAL, a proteolipid in apical transport vesicles (377) 465
Zachary, I.C. see G.T. Stavri (358) 311
Zagulska, S. see H.M. Hanauske-Abel (366) 92
Zaidi, T. see T.J. Singh (358) 4
Zaidi, Z.H. see M. Kamal (374) 363
Zaitsev, D.A. see A.Z. Metlitskaya (357) 235
Zakharova, O.D., L. Tarrago-Litvak, M. Fournier, S. Litvak and G.A. Nevinsky, DNA synthesis primed by mononucleotides (de novo synthesis) catalyzed by HIV-1 reverse transcriptase: $tRNA^{Lys,3}$ activation (373) 255
Zakharova, O.D., L. Tarrago-Litvak, M. Fournier, M.L. Andreola, M.N. Repkova, A.G. Venyaminova, S. Litvak and G.A. Nevinsky, Interaction of primer $tRNA^{Lys3}$ with the p51 subunit of human immunodeficiency virus type 1 reverse transcriptase: a possible role in enzyme activation (361) 287
Zakin, M.M. see H. Terenzi (369) 277
Zakin, M.M. see I. Petropoulos (372) 273
Zakrzhevskaya, D.T. see B.N. Goldstein (373) 259
Zambonin, M. see A. Fontana (362) 266
Zammit, V.A. see A.M.B. Moir (370) 255
Zamocky, M., C. Herzog, L.M. Nykyri and F. Koller, Site-directed mutagenesis of the lower parts of the major substrate channel of yeast catalase A leads to highly increased peroxidatic activity (367) 241
Zamparelli, C. see M.B. Meyers (357) 230
Zamulaeva, I.V. see V.L. Gabai (375) 21
Zanetti, G. see A. Aliverti (368) 220
Zanetti, M., R. Gennaro and D. Romeo, Cathelicidins: a novel protein family with a common proregion and a variable C-terminal antimicrobial domain (374) 1
Zanetti, M. see L. Bagella (376) 225
Zannoni, D. see A. Hochkoeppler (357) 70
Zannoni, D. see A. Hochkoeppler (375) 197
Zantema, A. see O. Kranenburg (367) 103
Zardi, L. see R. Gherzi (369) 335
Zargarov, A.A. see I.I. Senin (376) 87
Zasedatelev, A.S., V.B. Borodulin, S.L. Grokhovsky, A.M. Nikitin, D.V. Salmanova, A.L. Zhuze, G.V. Gursky and R.H. Shafer, Mono-, di- and trimeric binding of a bis-netropsin to DNA (375) 304
Zaslavsky,, D.L., I.A. Smirnova, S.A. Siletsky, A.D. Kaulen, F. Millett and A.A. Konstantinov, Rapid kinetics of membrane potential generation by cytochrome *c* oxidase with the photoactive Ru(II)-tris-bipyridyl derivative of cytochrome *c* as electron donor (359) 27
Zastawny, T.H., P.W. Doetsch and M. Dizdaroglu, A novel activity of *E. coli* uracil DNA *N*-glycosylase: Excision of isodialuric acid (5,6-dihydroxyuracil), a major product of oxidative DNA damage, from DNA (364) 255
Zatón, A.M.L. and E. Ochoa de Aspuru, Horseradish peroxidase inhibition by thiouracils (374) 192
Zav'yalov, V.P., T.V. Chernovskaya, E.V. Navolotskaya, A.V. Karlyshev, Sh. MacIntyre, A.M. Vasiliev and V.M. Abramov, Specific high affinity binding of human interleukin 1β by Caf1A usher protein of *Yersinia pestis* (371) 65
Zebda, N., S. Pedron, A. Rebbaa, J. Portoukalian and O. Berthier-Vergnes, Deficiency of ganglioside biosynthesis in metastatic human melanoma cells: relevance of CMP-NeuAc: LacCer α2–3 sialyltransferase (GM3 synthase) (362) 161
Zeelen, J.Ph. see T.V. Borchert (367) 315
Zehavi-Feferman, R., J.W. Burgess and K.K. Stanley, Control of p62 binding to TGN38/41 by phosphorylation (368) 122
Zeilinger, S. see J. Strauss (376) 103
Zelder, O., B. Beatrix, F. Kroll and W. Buckel, Coordination of a histidine residue of the protein-component S to the cobalt atom in coenzyme B_{12}-dependent glutamate mutase from *Clostridium cochlearium* (369) 252
Zemlyachenko, Y. see O.N. Kulaeva (366) 26
Zenk, M.H. see M. Rüffer (377) 175
Zenner, H.-P. see T. Doi (375) 193
Zerial, M. see C. Bucci (366) 65
Zhang, F., B. Yang, J.A. Odin, Z. Shen, C.-T. Lin, J.C. Unkeless and K. Jacobson, Lateral mobility of FcγRIIa is reduced by protein kinase C activation (376) 77
Zhang, F. see Y. Yin (366) 1
Zhang, G. see L. Ji (358) 211
Zhang, G.H. and J.E. Melvin, Regulation by extracellular Na^+ of cytosolic Mg^{2+} concentration in Mg^{2+}-loaded rat sublingual acini (371) 52
Zhang, J., M. Ziegler, R. Schneider, H. Klocker, B. Auer and M. Schweiger, Identification and purification of a bovine liver mitochondrial NAD^+-glycohydrolase (377) 530
Zhang, M., P. Åman, A. Grubb, I. Panagopoulos, A. Hindemith, E. Rosengren and H. Rorsman, Cloning and sequencing of a cDNA encoding rat D-dopachrome tautomerase (373) 203
Zhang, M. see K. Siivari (366) 104
Zhang, S. and K.-H. Kim, TNF-α inhibits glucose-induced insulin secretion in a pancreatic β-cell line (INS-1) (377) 237
Zhang, S.Q. see P. Lu (362) 180
Zhang, X.-G. see Z.-Y. Lu (377) 515
Zhang, Y. see S.D. Watts (368) 235
Zhang, Y. see X. Bo (375) 129
Zhang, Y. see J. Mou (371) 279
Zhao, C., T. Ganz and R.I. Lehrer, Structures of genes for two cathelin-associated antimicrobial peptides: prophenin-2 and PR-39 (376) 130
Zhao, C. see S.S.L. Harwig (362) 65
Zhao, C., T. Ganz and R.I. Lehrer, The structure of porcine protegrin genes (368) 197
Zhao, H. see M.T. Henzl (375) 137
Zhong, Q. see M. Kishi (364) 293
Zhou, W. see N. Takuwa (360) 173

Zhou, X.-L., B. Vaillant, S.H. Loukin, C. Kung and Y. Saimi, *YKC1* encodes the depolarization-activated K^+ channel in the plasma membrane of yeast (373) 170
Zhu, H., H.O. Fearnhead and G.M. Cohen, An ICE-like protease is a common mediator of apoptosis induced by diverse stimuli in human monocytic THP.1 cells (374) 303
Zhu, P. see C.O. Ostberg (367) 93
Zhu, W.M., P. Roma, A. Pirillo, F. Pellegatta and A.L. Catapano, Oxidized LDL induce hsp70 expression in human smooth muscle cells (372) 1
Zhu, X., P.B. Chu, M. Peyton and L. Birnbaumer, Molecular cloning of a widely expressed human homologue for the *Drosophila trp* gene (373) 193
Zhulin, I.B., A.F. Lois and B.L. Taylor, Behavior of *Rhizobium meliloti* in oxygen gradients (367) 180
Zhuze, A.L. see A.S. Zasedatelev (375) 304
Ziegler, M. see J. Zhang (377) 530
Zilberberg, N. see N. Chejanovsky (376) 181
Zimmer, C. see H. Simon (373) 88
Zimprich, A., T. Simon and V. Höllt, Cloning and expression of an isoform of the rat μ opioid receptor (rMOR1B) which differs in agonist induced desensitization from rMOR1 (359) 142
Zippel, R. see T. Avidor-Reiss (361) 70
Zirwer, D. see K. Gast (358) 247
Zlotkin, E. see N. Chejanovsky (376) 181
Znamenskaya, L.V., L.A. Gabdrakhmanova, E.B. Chernokalskaya, I.B. Leshchinskaya and R.W. Hartley, Phosphate regulation of biosynthesis of extracellular RNases of endospore-forming bacteria (357) 16
Zobel, A. see C. Harteneck (358) 297
Zocchi, E. see L. Guida (368) 481
Zocchi, E., L. Franco, L. Guida, L. Calder and A. De Flora, Self-aggregation of purified and membrane-bound erythrocyte CD38 induces extensive decrease of its ADP-ribosyl cyclase activity (359) 35
Zocchi, M.R. see E. Ferrero (374) 323
Zoche, M. and K.-W. Koch, Purified retinal nitric oxide synthase enhances ADP-ribosylation of rod outer segment proteins (357) 178
Zorn, M., K.E. Fladmark, D. Øgreid, B. Jastorff, S.O. Døskeland and W.R.G. Dostmann, Ala^{335} is essential for high-affinity cAMP-binding of both sites A and B of cAMP-dependent protein kinase type I (362) 291
Zorumski, C.F. see M.J. Wolf (377) 358
Zucht, H.-D., M. Raida, K. Adermann, H.-J. Mägert and W.-G. Forssmann, Casocidin-I: a casein-α_{s2} derived peptide exhibits antibacterial activity (372) 185
Zufall, N. see N. Seki (375) 307
Zühl, F. see E. Seemüller (359) 173
Zurier, R.B. see K. Karikó (361) 118
Zusman, D.R. see G. Acuña (358) 31
Zvi, A., I. Kustanovich, Y. Hayek, S. Matsushita and J. Anglister, The principal neutralizing determinant of HIV-1 located in V3 of gp120 forms a 12-residue loop by internal hydrophobic interactions (368) 267
Zwickl, P. see E. Seemüller (359) 173
Zwiers, H. see H. Hausmann (370) 227
Zwijsen, A. see J. Willems (363) 289
Zwirner, J. see U. Hespeling (372) 108
Zygmunt, M.S. see P.A. Denoel (361) 238

FEBS Letters Volumes 357–377
Master Subject Index

α Subunit assembly, (371) 307
A0, (367) 311
2A, (365) 115
A:G base pairing, (377) 301
ABC transporter, (359) 1 (366) 1
Abortive infection, (374) 169
Abscisic acid, (358) 62; (371) 61; (371) 223
Absence of promoter methylation, (362) 301
Absorption anisotropy, (377) 502
$ABTS^{++}$, (365) 164
Ac-AMP2, (370) 245
ACAT inhibitor, (363) 29
2-Acetamido-2-deoxyhexuronic acid, (368) 113
Acetate kinase, (374) 161
O-Acetyl ceramide, (361) 201
O-Acetyl GM3, (361) 201
Acetyl group, (367) 237
N-Acetylgalactosamine, (358) 79
N-Acetyl-L-cysteine, (357) 41
O-Acetyl sphingenine, (361) 201
Acetylcholine receptor, (361) 65; (363) 195; (374) 393
Acetylcholinesterase, (357) 265; (368) 461
Acetyl-CoA carboxylase, (377) 237
O-Acetylserine(thiol)lyase, (363) 1
N-Acetylsphingosine, (365) 146
Acid, (370) 105
Acidaminococcus fermentans, (357) 145
Acidic phospholipid, (364) 157; (376) 172
Acidification, (359) 53
Acidosome, (368) 358
Acinar cell, (360) 303
Acinetobacter, (371) 231
Aconitine, (365) 79
Acrosome reaction, (372) 119
Actin, (357) 251; (359) 220; (363) 273; (365) 149; (375) 87; (376) 125
Actin binding, (357) 125; (358) 262; (369) 27; (374) 149
Actin polymerization, (369) 144; (374) 284
β-Actin promoter, (375) 125
Actin-based movement, (375) 151
Actin-binding protein, (360) 227; (364) 283; (368) 500; (369) 38
α-Actinin, (357) 125; (364) 109
Actin-like protein, (360) 235
Actin-myosin interaction, (374) 6
Actinomycin D, (368) 110
Activated rhoA, (372) 25
Activation, (358) 142; (363) 118; (364) 28; (367) 153
Active enzyme concentration (determination of), (358) 53
Active oxygen species, (368) 339
Active site, (368) 445; (375) 235
Active site analysis, (374) 253
Active site model, (362) 10
Active site mutant, (358) 171
Active site prediction, (367) 275
Activin A, (376) 247
Activity, (366) 72; (367) 73
Actomyosin, (373) 221
Actomyosin interaction, (365) 149
Acute pancreatitis, (373) 19
Acute phase response (pig, rat), (371) 227
Acute-phase response, (372) 177; (374) 241
Acute-phase response factor, (360) 137
Acyl·enzyme adduct (X-ray crystal structure of), (358) 53
Acyl enzyme intermediate, (370) 179
Acylation, (367) 198
Acyl-CoA reductase, (370) 15
Acyl-CoA-synthetase, (357) 212
Acyl-enzyme hydrolysis, (375) 18
N-Acylethanolamine, (375) 117
Acyl-lipid desaturase, (361) 111
Acylphosphatase, (364) 243; (367) 145
Acylphosphatase deletion mutant, (362) 175
Acylphosphatase ^{1}H NMR spectrum, (362) 175
Acylphosphatase mutant, (362) 175
Acylphosphatase recombinant, (362) 175
Acyltransferase, (374) 246
AD, (366) 81
Adaptive evolution, (362) 247
Addiction, (361) 70
ADE3, (376) 229
Adeno-associated virus, (367) 267
Adenocarcinoma, (362) 295
Adenophostin, (368) 248
Adenosine diphosphate, (374) 48
Adenosine monophosphate, (377) 421
Adenosine triphosphate, (375) 79; (377) 421
Adenovirus, (371) 337
Adenovirus–human cell system, (362) 301
Adenylate cyclase, (357) 13; (375) 143
Adenylyl cyclase, (360) 97; (361) 46; (361) 70; (370) 6; (371) 241; (372) 99
Adenylyl cyclase A, (368) 381
Adenylyl cyclase isozyme, (374) 89
Adhalin, (364) 245
Adhesion biology, (369) 197
Adhesion molecule, (374) 323
Adhesive glycoprotein, (368) 155
Adipose tissue, (371) 324
Adipsin, (371) 300
Adjuvant, (363) 53
A-DNA, (358) 27
ADP, (364) 87
ADP/ATP Carrier, (364) 143
ADPR-arginine hydrolase, (377) 530
ADP-ribosyl cyclase, (359) 35; (368) 481; (371) 204
ADP-ribosylation, (357) 178; (363) 78; (363) 273; (371) 105
Adrenaline, (370) 175
α_1-Adrenoceptor, (363) 256
β-Adrenoceptor, (358) 133; (364) 120
Adrenomedullary cell, (372) 39
Adrenomedullin, (369) 311
ADRY agent, (357) 55
Adult rat hepatocyte, (366) 159
Adult T-cell leukemia, (375) 31
Aedes aegypti, (368) 461
AEP2 gene, (368) 505
Affinity chromatography, (361) 255; (374) 125
Affinity labeling, (368) 169
Affinity purification, (368) 495; (370) 236; (374) 419
AFG3 (*YTA10*), (373) 66
ω-Agatoxin IVA, (362) 15
Aged cholesterol, (357) 135
Ageing, (371) 81
AGE-product, (371) 81
Aggregation, (365) 133; (371) 25; (375) 174
Aggregative gene expression, (368) 381
Aging, (358) 126; (361) 22; (362) 337; (374) 85; (375) 69
α-Agonist, (368) 165
Agonist-binding affinity, (373) 177
Agromyces, (371) 163
Agrostin, (373) 115
AIDS, (360) 85
Air–water monolayer, (375) 254
Airways, (369) 202
AKIN10, (377) 189
Albumin, (376) 1
Albumin binding, (374) 257
Albuside B, (369) 221
Alcaligenes faecalis, (368) 432
Alcohol dehydrogenase, (367) 237; (367) 306; (368) 445; (370) 23; (373) 212
Alcohol oxidase, (368) 293
Aldehyde, (370) 15
Aldo-keto reductase, (370) 32
Aldose 1-epimerase, (367) 177
Alfalfa mosaic virus, (371) 219
Alkalinization, (361) 153
Alkane oxidation, (362) 5
p-Alkoxyphenol, (374) 95
Alkylating derivative, (369) 287
Alkylsulfonate, (361) 303
Allergen, (364) 36; (377) 62
Allergy, (370) 11
Allium sativum, (371) 159
Allosteric regulation, (374) 100
ALP, (372) 259
Alpha-crystallin, (365) 133

Alpha-helix, (374) 216
Alternative oxidase, (368) 339
Alternative polyadenylation, (361) 220
Alternative splicing, (359) 142; (371) 140; (373) 93; (375) 50; (375) 56
Aluminium (biology), (364) 182
Aluminium fluoride, (371) 261
Aluminofluoride, (362) 286
Aluminum phthalocyanine tetrasulphonate, (360) 47
Alzheimer, (368) 10
Alzheimer's disease, (357) 197; (358) 4; (358) 267; (360) 5; (360) 132; (364) 182; (364) 203; (365) 42; (366) 81; (371) 25; (371) 110; (372) 65; (375) 243; (377) 267
Alzheimer's disease (familial), (368) 363
α-Amanitin, (368) 110
Amantadine, (357) 269
Amicyanin, (365) 92
Amidase, (367) 275
Amine oxidase, (357) 115; (371) 276
Amine transport, (368) 411
Amino acid, (370) 123
D-Amino acid, (365) 227
Amino acid homology, (370) 75
Amino acid mutation, (367) 73
D-Amino acid oxidase, (363) 307
Amino acid sequence, (357) 129; (360) 101; (362) 319; (363) 175; (365) 152; (367) 214; (368) 257; (368) 331; (371) 1; (371) 264; (373) 212; (373) 217; (377) 163
Amino acid substitution, (367) 306; (368) 445
Amino acid transport, (368) 389; (370) 264
Amino acids, (370) 93
Aminoacyl-tRNA, (358) 71
Aminoacyl-tRNA synthetase, (363) 33; (374) 110; (374) 122; (377) 77
Aminopeptidase, (364) 13; (376) 120
Aminopeptidase N, (374) 341
Ammonium assimilation, (367) 45
AMPA, (363) 184; (373) 93
AMP-activated protein kinase, (361) 191; (377) 189; (377) 421
AMPA-selective glutamate receptor channel, (374) 412
Amperometry, (363) 221
Amphibian, (358) 205
Amphidinium carterae, (363) 175
Amphipathic helix, (374) 117
A-*myb* gene, (358) 89
α-Amylase inhibitor family, (364) 36
α-Amylase/subtilisin inhibitor, (363) 299
α-Amylase, (361) 220; (377) 6
Amylin, (365) 98; (368) 36
Amylogenin, (376) 61
Amyloid, (377) 267
Amyloid beta protein, (365) 125
Amyloid β-protein, (364) 203
βA4 Amyloid, (368) 363
β-Amyloid, (371) 25
Amyloidogenic conformation, (371) 110
Amyloidosis, (371) 110
Amyroid precursor protein, (364) 203
Anaerobic cyclization, (371) 21
Anaesthetic, (368) 101
Analgesia, (369) 192
Analytical ultracentrifugation, (375) 137
Anandamide, (359) 133; (375) 117; (375) 143; (377) 82
Anaphylatoxin C5a, (372) 108
ANCA, (374) 29
Ancestor enzyme, (367) 56
Ancient enzyme, (375) 280
Anesthetic, (374) 412
Angiogenesis, (370) 203; (372) 83
Angiography, (357) 247
Angiotensin I, (373) 199
Angiotensin II, (368) 343
Angiotensin receptor, (369) 263
Angiotensin receptor antagonist, (373) 199
Anion channel, (361) 303; (377) 15
Anionic phospholipid, (370) 189
Anisoosmolarity, (377) 47
Ankylosing spondylitis, (369) 243
Ankyrin, (371) 321
Ankyrin$_B$ (440 kDa), (357) 217
Annexin I, (377) 444
Annexin V, (359) 155
Annexin VI, (360) 80
Anopheles gambiae, (362) 111
Anoxia, (375) 87
ANR, (371) 73
Antagonism, (377) 363
Anterior pituitary, (367) 127
Anterograde transport, (369) 89
Antibacterial, (372) 185
Antibacterial glycoprotein, (377) 373
Antibacterial peptide, (370) 46
Antibacterial protein, (368) 485
Antibiotic, (373) 303
Antibiotic peptide, (368) 197
Antibody, (357) 297; (368) 267; (377) 92
Antibody engineering, (377) 135; (377) 227
Anti-C3d reactive binding site, (372) 291
Antichymotrypsin, (359) 262
α_1-Antichymotrypsin, (368) 471
Anticoagulant, (365) 159; (370) 1; (375) 103
Anticodon, (361) 25
Anti-CR2 MoAb, (372) 291
Antidiuresis, (365) 209
Antifreeze protein, (377) 185
Antifungal, (368) 257
Antigen, (374) 122
Antigen A2, (361) 238
Antigen conformation, (368) 267
Antigen presentation, (373) 127; (376) 155
Antigenic determinant, (367) 85
Antigen-presenting cell, (363) 85
Anti-lysozyme mAb, (371) 17
Antimicrobial, (362) 65; (368) 257
Antimicrobial peptide, (368) 331; (368) 526; (374) 1; (376) 130; (376) 225; (377) 519
Antimitotic drug, (377) 59
Antimycotics, (377) 213
Antioxidant, (357) 83; (361) 22; (364) 259; (365) 66; (370) 37; (372) 233; (375) 45
Antioxidant activity, (365) 164; (368) 188
Anti-peptide antibody, (358) 129; (367) 85
Antiporter, (362) 47; (365) 193; (374) 72
Antiproliferative, (358) 273
Antipsychotic drug, (361) 215
Antisense, (369) 192
Antisense mRNA, (371) 329
Antisense oligodeoxynucleotide, (364) 198
Antisense oligonucleotide, (361) 41
α_1-Antitrypsin, (370) 179; (377) 150
Antitumor, (359) 31
Antitumour agent, (360) 231
AOT, (360) 202
AP-1, (368) 59
Apical transport, (377) 465
Aplysia californica, (368) 481
Aplysia limacina myoglobin, (357) 227
Apo-1, (371) 321; (373) 265
APO-1/Fas, (368) 491
ApoB, (370) 255
Apo-glycogenin, (359) 110
Apolipoprotein A-I, (376) 99
Apolipoprotein AI (Human), (361) 29
Apolipoprotein D, (366) 53
Apolipoprotein E, (371) 110
Apo-protein, (368) 432
Apoptosis, (358) 211; (358) 255; (361) 229; (363) 101; (363) 304; (364) 5; (364) 134; (364) 139; (364) 234; (364) 264; (367) 188; (368) 348; (371) 321; (372) 233; (373) 19; (373) 265; (373) 291; (374) 216; (374) 303; (374) 384; (375) 21; (375) 169; (375) 283; (376) 15; (376) 247; (377) 9
APP, (368) 363
AQP1, (373) 269
AQP-CD, (365) 209
Aqueous phase system, (361) 135
Arabidopsis, (369) 331
Arabidopsis thaliana, (358) 43; (358) 67; (358) 199; (362) 215; (363) 1; (364) 103; (372) 13; (374) 351; (376) 81

Arachidonic acid, (366) 53; (367) 198; (367) 228; (375) 79; (375) 117; (377) 306; (377) 358
Arachidonoyl-ethanolamide, (377) 82
Archaea, (359) 239
Archaebacterium, (359) 173; (360) 187; (372) 135; (376) 67
ARF, (362) 286
Arg-Gly-Asp introduction, (374) 262
Arginase, (359) 251; (366) 127
Arginine, (359) 251; (366) 127
Arginine vasopressin, (373) 35
Argininosuccinate synthetase, (372) 69
Armadillo submandibular glycoprotein, (360) 211
Aromatase, (372) 222
ARP3, (360) 235
Arrestin, (362) 185; (362) 247
Arrhenius plot, (361) 273
Arsenite, (364) 223
Artificial myosin isozyme, (369) 255
Artificial protease, (362) 39
Arylalkylamine *N*-acetyltransferase (aaNAT), (375) 148
Ascitic fluid, (373) 19
Ascorbate peroxidase, (358) 149; (367) 28
Asparagine, (358) 171; (363) 179; (374) 122
Aspartate aminotransferase, (366) 170; (377) 481
Aspartic proteinase, (366) 72
Aspergillus nidulans, (368) 547; (377) 118
Aspirin, (371) 315
Asp–Pro bond, (371) 171
Assembly (in vivo), (369) 158
Association, (375) 137
Association constant, (369) 287
Association kinetics, (357) 312
Astaxanthin, (362) 34; (364) 125
Asterina pectinifera, (369) 221
Astrocyte, (357) 86; (362) 75; (364) 301; (377) 489
Astroglia, (360) 266
Atherosclerosis, (358) 175; (358) 311; (360) 271; (360) 291; (361) 291; (363) 161; (363) 277; (366) 75; (368) 239; (368) 513; (372) 1; (374) 12; (375) 45; (377) 309
Atomic force microscopy (AFM), (371) 279
ATP, (364) 161; (369) 217; (375) 129; (377) 444
ATP binding domain, (359) 1
ATP hydrolysis, (369) 144; (369) 283
ATP synthase, (358) 142; (371) 115; (373) 141
ATP synthesis, (371) 119
ATP/ADP translocator, (374) 351
ATPase, (362) 171; (369) 255
ATPase activity, (363) 189
ATPase assembly, (373) 66
ATPase catalytic cycle, (377) 285
ATPase gene, (371) 127
ATPase subunit 9, (373) 56
ATPase-Mg^{2+}, (364) 59
ATP-dependent protease, (377) 41; (377) 249
ATP-sensitive K^+ channel, (375) 215
ATP-sensitive K-channel, (367) 61; (367) 193; (377) 338
Atrial natriuretic factor (ANF), (359) 199
Atrial natriuretic peptide, (360) 169
Atropine, (377) 275
AtT-20 endocrine cell line, (368) 271
Attenuation, (371) 9
Atypical angiotensin receptor, (373) 199
Autoantibody, (365) 219
Autocrine loop, (359) 97
Autodegradation, (377) 41
Autoglucosylation, (376) 61
Autoinhibitory domain, (357) 221
Automated assignment, (365) 172
Automation, (376) 91
Autophosphorylation site, (369) 62
Autoproteolysis, (357) 168
Avidin, (362) 306
Axial H_2O-ligation, (370) 97
Axial ligand, (377) 512
Axon guidance, (370) 269
Axonal mRNAs, (373) 35
Azide, (377) 502
Azidovinyldeoxyuridine, (373) 41
Azole, (374) 174
Azole antifungal, (368) 326
Azotobacter vinelandii , (357) 79

B cell proliferation, (361) 233
B16-F1, B16-G4F mouse melanoma cell, (359) 199
7B2, (362) 151; (364) 91; (371) 154
Baby hamster kidney cells (BHK-21), (365) 203
Bacillus licheniformis, (374) 221
Bacillus subtilis, (360) 307
Bacillus thuringiensis, (360) 217
Bacillus thuringiensis var. *israelensis*, (362) 111
Backbone torsion angle, (362) 156
Bacterial chemotaxis, (374) 161
Bacterial expression, (357) 309; (368) 39
Bacterial photosynthesis, (357) 70; (368) 370
Bacterial polysaccharide, (368) 113
Bacterial reaction centre, (370) 88
Bacterial respiration, (375) 197
Bacterial toxin, (371) 303
Bacteriochlorophyll *a*, (371) 21
Bacterioferritin, (361) 238
Bacteriolytic enzymatic complex, (368) 113
Bacteriophage T5, (366) 46
Bacteriorhodopsin, (359) 65; (367) 297; (373) 81; (377) 263; (377) 330; (377) 419; (377) 502
Bacterium, (362) 1
Baculovirus, (368) 353; (368) 495; (376) 181
Baculovirus expression, (363) 246; (368) 461; (374) 419
Baculovirus/*Sf9* system, (358) 297
Bait region, (367) 137
Baker's asthma, (364) 36
ba_3-oxidase, (368) 132
BAPTA/AM, (359) 151
Bark lectin, (377) 54
Barley, (361) 220; (361) 250; (363) 299
Barley RIP, (373) 115
Barnase, (357) 16
Baroenzymology, (364) 98
Basal membrane, (375) 227
Base tripling, (367) 81
Basement membrane, (365) 129; (365) 183
Basic/leucine zipper, (375) 155
Basidiomycete, (371) 132; (376) 202
BAX, (376) 247
bc_1 complex, (371) 267
B-Cell activation, (369) 177
BCGF 1, (361) 233
BCL-2, (372) 233; (376) 247
BCR signaling, (374) 407
γB-crystallin, (376) 195
Bean sprout, (359) 50
Benzamidine, (363) 81
Benzo(a)pyrenediolepoxide, (368) 64
Beryllium fluoride, (371) 261
Beta vulgaris, (365) 1
Beta-amyloid, (364) 182
Betaglycan, (377) 368
Betaine, (373) 229
Betaine transport, (377) 47
BGT-1, (377) 47
BHK cell, (365) 57
bHLH transcription factor, (370) 149
Bi-allelic expression, (374) 57
Bicarbonate, (363) 251
Bifunctional α-amylase/ serine protease inhibitor, (361) 250
Big endothelin-1, (373) 97
Bilayer, (371) 279
Bile acid, (374) 184
Bimetallic cytochrome a_3–Cu_B, (374) 371
Binase, (357) 16
Binase–barstar complex, (366) 156
Binding, (362) 111
Binding activity, (376) 11
Binding capacity, (376) 151
Binding cleft, (359) 107
Binding mode, (370) 1; (375) 103
Binding protein, (358) 240

Binding site, (365) 155; (374) 125; (375) 91
Binuclear iron protein, (362) 10
Bioactive peptide, (375) 15
Biocarbonate, (361) 123
Biochemical assay, (365) 120
Bioenergetics, (368) 148
Biomembrane, (371) 223
Biopanning, (361) 85
Biopterin, (357) 62
Biosensor, (362) 93
Biosynthesis, (358) 97; (362) 151; (364) 125; (371) 21; (373) 303
Biotin, (368) 5
Biotinylation, (377) 167
Biotransformation, (359) 244
BIR1, (367) 61; (367) 193; (374) 135
1,10-Bis-guanidino-*n*-decane, (375) 215
Bisindolylmaleimide (GF109203X), (365) 137
Bis-mannose photolabel, (368) 19
Bisubstrate inhibitor, (363) 22
Bisulphite PCR, (370) 170
Bitter peptide, (364) 115
Bitterness, (364) 115
BKIN12, (377) 189
Bladder carcinoma, (374) 57
Bleomycin, (362) 80; (372) 144
Bleomycin-binding protein, (362) 80
Blood plasma, (376) 1
Blood platelet, (363) 49
Blood vessel, (369) 311
Blood–brain barrier, (374) 179
Blue copper, (365) 92
Blue copper oxidase, (376) 202
Blue copper protein, (368) 432
BNP, (370) 6
Boar spermadhesin, (365) 179
Boar SPMI, (368) 420
Bone, (364) 171
Bone alkaline phosphatase, (375) 280
Bone resorption, (370) 78
Borna disease virus, (364) 293
Botryococcus braunii, (370) 15
Botulinum C3 exoenzyme, (366) 11; (371) 105
Botulinum toxin, (376) 41
Bovine brain, (372) 59
Bovine β-trypsin, (358) 53
Bovine heart submitochondrial particle, (370) 83
Bovine retina rod cell, (376) 87
Bovine tendon, (368) 307
Bowman–Birk soybean inhibitor, (362) 225
BPTI, (363) 81
Bradykinin, (357) 207
B-Raf, (357) 290
Brain, (368) 485; (373) 250
Brain (mouse), (368) 455
Brain (rat), (357) 86
Brain cell, (358) 48
Brain localization, (357) 27
Brain mitochondrial MAO type A, (368) 367
Brain–nerve cord, (376) 185
Brassica napus L., (374) 225
Breast, (374) 270
Breast cancer, (360) 165; (363) 226; (373) 245
Brefeldin A, (357) 109
Brown adipose cell (rat), (374) 187
Brown adipose tissue, (363) 41
Brucella melitensis, (361) 238
Brucellosis, (361) 238
Brugia malayi, (374) 122
Buckwheat, (371) 264
α-Bungarotoxin, (365) 79
L-Buthionine sulfoximine, (368) 73
Butyrate, (359) 147
B→Z transition, (368) 27

^{13}C dimethyl-Lys NMR, (361) 29
^{13}C NMR, (364) 152; (367) 77
C1, (358) 323
C1-inhibitor, (368) 401
C1q component of complement, (361) 173
p-Cl-phenylalanine, (358) 293; (364) 272
C1s, (368) 401
C1-tetrahydrofolate, (376) 229
C2 domain, (361) 196
C2 toxin, (363) 273
C23/nucleolin, (366) 146
C2C12, (376) 108
C2-domain, (358) 153
C3 component of complement, (376) 6
C5a-receptor, (377) 426
C6 glioma cell, (371) 333; (372) 33
Ca^{2+}, (365) 75; (371) 99; (374) 237
Ca^{2+} binding protein, (368) 509
Ca^{2+} dyes, (364) 335
Ca^{2+} influx, (370) 127
Ca^{2+} measurement, (364) 198
Ca^{2+} on cAMP, (374) 89
Ca^{2+} oscillation, (368) 165
Ca^{2+} release, (370) 127
Ca^{2+} release channel, (359) 223
Ca^{2+} sensor, (361) 196
Ca^{2+} signaling, (373) 193
Ca^{2+} store, (360) 173; (377) 31
Ca^{2+} transient, (364) 335
Ca^{2+}/H^{+} pump, (371) 249
Ca^{2+}-activated K^{+} channel, (359) 41; (359) 85; (366) 49
Ca^{2+}-ATPase, (371) 57; (376) 167; (377) 31
Ca^{2+}-binding, (368) 397
Ca^{2+}-binding protein, (371) 303; (375) 137
Ca^{2+}-induced Ca^{2+} release, (369) 295
Cadherin, (363) 289
Cadmium-113 NMR, (362) 55
Caenorhabditis elegans, (357) 265
Caffeine, (359) 223; (373) 250
Caged compound, (364) 198
Calbindin, (374) 333
Calcein, (368) 385
Calcineurin, (357) 221; (362) 55; (374) 237; (375) 108; (376) 58
Calcium, (358) 101; (359) 101; (359) 119; (360) 266; (360) 303; (362) 316; (363) 217; (364) 328; (366) 104; (368) 101; (373) 23; (373) 182; (374) 77; (374) 169; (374) 403; (377) 444
Calcium binding, (362) 55
Calcium binding site, (360) 227
Calcium channel, (359) 155; (360) 144; (361) 101; (362) 15; (364) 129; (365) 1; (366) 21; (368) 405; (371) 43; (373) 103; (377) 159
Calcium channel activator, (367) 173
Calcium channel blocker, (370) 163; (373) 103
Calcium channel β-subunit, (370) 135
Calcium influx channel, (373) 193
Calcium release, (369) 43; (369) 263
Calcium transport, (374) 333
Calcium-activated proteolysis, (367) 223
Calcium-binding protein, (362) 342; (363) 90; (371) 271; (374) 333; (374) 403; (376) 87
Calcium–calmodulin, (357) 125
Calcium-dependent, (362) 93
Calcium-dependent membrane association, (357) 230
Calcofluor white, (358) 165
Caldesmon, (360) 89; (363) 269
Calmidazolium, (369) 315
Calmitine, (374) 309
Calmodulin, (360) 89; (363) 269; (366) 104; (371) 123; (373) 217; (374) 237
Calmodulin phosphorylation, (363) 111
Calmodulin-dependent protein kinase I, (361) 191
Calmodulin-like, (362) 93
Calorimetry, (359) 123
Calpain, (358) 101; (359) 60; (362) 93; (367) 223; (368) 10; (368) 397
Calpastatin, (362) 93
Calphostin C, (373) 135
Calponin, (363) 269; (365) 167; (371) 123
Calponin-homology, (374) 149
Calreticulin, (376) 53
CaM kinase, (373) 71
CaM kinase II, (358) 23
cAMP, (357) 290; (362) 75; (362) 131; (369) 311; (373) 23; (373) 182; (377) 444

cAMP analog, (362) 291
cAMP element binding protein, (377) 413
cAMP inhibition, (374) 273
cAMP relay, (368) 381
cAMP-/cGMP-dependent protein kinase, (370) 184
cAMP-dependent protein kinase, (368) 381; (369) 57; (374) 356; (375) 231; (377) 470
Cancer, (374) 270
Candida albicans, (373) 275
Candida cylindracea, (360) 202
Candida rugosa, (360) 202
Candida utilis, (368) 105
Candidacidal activity, (368) 526
Cannabinoid, (359) 133; (369) 177; (377) 82
Cannabinoid receptor, (375) 143
Canthaxanthin, (364) 125
Cap structure, (360) 281
CAP-18, (368) 173
cap32/34, (374) 284
Capillary electrophoresis, (369) 283
Capsicum annuum, (358) 149; (372) 199
Capsule, (371) 65
Captopril, (361) 22
Carbamylcholine, (363) 13
Carbohydrate recognition, (360) 34; (360) 34
Carbohydrate recognition domain, (376) 6
Carbohydrate-deficient glycoprotein syndrome, (377) 318
Carbohydrate-protein interaction, (358) 57
Carbon catabolite repression, (376) 103
Carbonic anhydrase, (358) 39
Carbonic anhydrase II, (368) 45
Carbonyl group, (374) 85
Carboxy PTIO, (368) 425
Carboxyatractylate, (371) 258
Carboxyl methylation, (360) 57
Carboxypeptidase, (357) 65; (371) 1
Carcinoembryonic antigen family, (365) 51
Cardiac, (368) 405
Cardiac Ca^{2+}, (376) 24
Cardiac muscle, (377) 109; (377) 131; (377) 338
Cardiac steroid, (368) 169
Cardiac troponin-I, (370) 175
Cardiac-like α myosin heavy chain, (367) 132
Cardioacceleratory peptide, (371) 311
Cardiolipin, (368) 15; (373) 239
Cardiomyocyte, (377) 275
Cardiomyopathic hamster, (364) 245
Cardiomyopathy, (364) 245
Cardiotoxin, (375) 162
Cardiotrophin 1, (372) 177
Carnitine acyltransferases, (371) 137
Carnitine palmitoyltransferase, (363) 41
Carnosine, (371) 81
β-Carotene, (363) 137
ζ-Carotene, (372) 199
β,β- and β,ε-Carotenoid, (367) 158
Carotenoid, (364) 125; (371) 61; (372) 199
Carotenoid binding, (365) 23
Carotenoid electrochromic response, (367) 167
Carotenoprotein complex, (362) 34
Carrier protein, (360) 177; (374) 403
Carsinogenesis, (358) 273
Cartilage, (363) 214; (364) 171
Cartilage oligomeric matrix protein (COMP), (368) 307
Casein, (372) 185
Casein kinase-2, (363) 111; (368) 211
CAT activity, (358) 109
Catabolite repression, (364) 13; (376) 120; (377) 197
Catalase, (367) 241; (370) 97; (371) 297
Catalitic binding site, (374) 192
Catalysis, (370) 75
Catalytic antibody, (375) 273
Catalytic site, (369) 57
Catalytic triad, (368) 397
Catecholamine, (360) 67; (362) 131
Catecholamine secretion, (359) 137; (372) 39
Catenins, (374) 415
Catharanthus roseus, (374) 345
Cathelicidin, (374) 1; (376) 225
Cathelin, (362) 65; (368) 173; (376) 130; (377) 519
Cathepsin, (360) 101
Cathepsin B, L, D, (363) 85
Cathepsin D, (368) 10
Cathepsin G, (367) 251
Cathepsin L, (359) 78; (361) 185
Cation channel, (364) 189
Cation-π interaction, (370) 1
Catostomus commersoni, (370) 227
Caveolae, (375) 11; (376) 108
C_2-ceramide, (374) 299; (374) 299
CCT, (358) 129
CD spectroscopy, (365) 13
CD11b, (369) 301
CD26, (358) 48
CD38, (359) 35; (368) 481
CD38 antigen, (371) 204
CD4, (363) 101
CD40, (358) 113
CD45, (372) 54
CD45 phosphatase, (370) 118
CD67, (369) 301
Cdc2, (358) 34
cdc2 kinase subunit, cks protein, (363) 145
cdc25B, (372) 54
cdc2a gene, (362) 215
Cdc37, (375) 155
cdk5, (376) 238
cDNA, (358) 67; (362) 342; (363) 6; (367) 145; (368) 173; (368) 331; (368) 485; (371) 176; (374) 351; (376) 233; (377) 62
cDNA cloning, (357) 207; (361) 13; (363) 41; (363) 151; (364) 283; (365) 183; (366) 37; (367) 28; (369) 326; (370) 11; (373) 203; (376) 185; (377) 373; (377) 403
cDNA expression, (373) 177
cDNA Sequence, (358) 149; (360) 235; (368) 445; (373) 61; (377) 123; (377) 249; (377) 349
cDNA subtraction, (371) 287
CDP-glucose, (359) 110
Cell adhesion, (365) 51; (371) 271
Cell adhesion activity, (374) 262
Cell adhesion molecule, (365) 51
Cell adhesion receptor, (363) 123
Cell aggregation, (363) 289
Cell attachment, (363) 214; (365) 227
Cell capacitance, (363) 221
Cell culture, (369) 202
Cell cycle, (360) 173; (363) 132; (370) 27; (372) 54; (373) 164; (375) 75; (375) 155; (377) 26
Cell cycle arrest, (358) 165
Cell cycle control, (366) 92
Cell cycle regulation, (362) 295; (363) 145
Cell death, (363) 304; (365) 66; (371) 345
Cell division, (366) 43
Cell growth, (359) 119
Cell growth regulation, (360) 34; (360) 34
Cell membrane, (369) 13
Cell model, (360) 132
Cell motility, (359) 229; (369) 38
Cell permeabilization, (371) 145
Cell proliferation, (359) 15; (364) 309
Cell recognition, (357) 98
Cell redox, (364) 298
Cell signaling, (376) 74
Cell space organization, (369) 13
Cell specificity, (365) 101
Cell surface receptor, (363) 49
Cell volume, (370) 255; (373) 229; (377) 47
Cell wall, (358) 165; (371) 163
β-Cell, (358) 23; (371) 99
Cell–cell interaction, (374) 17
Cell-cycle regulated expression, (358) 67
Cell-free system, (364) 139
Cell-free translation, (359) 89
Cell-free translocation system, (362) 29
Cell-matrix adhesion, (376) 159
Cell-mediated immunity, (363) 53
Cellobiose dehydrogenase, (369) 233

Cellubrevin, (377) 489
Cellular proliferation, (371) 337
Cellular redox, (358) 62
Cellular regulation, (373) 30
Cellulase, (360) 121; (372) 96; (376) 49
Cellulose-binding domain, (372) 96
Cellulosome (*Clostridium thermocellum*), (360) 121
Cell-uptake, (371) 283
Central diabetes insipidus, (362) 19
Central nervous system, (370) 250
Centrifugal elutriation, (373) 164
Cephalopod rhodopsin, (359) 45
Cephalosporium acremonium, (358) 97; (373) 303
Ceramide, (358) 211; (367) 283; (368) 477; (369) 18; (375) 249
c-*erb*B-2, (373) 245
Cerebrospinal fluid, (359) 164; (376) 37
Ceruloplasmin, (376) 202
CF_0CF_1, (377) 163
c-Fgr, (367) 149
c-*fos*, (357) 45; (361) 140; (369) 169; (376) 141
CFTR, (374) 312
cGMP, (364) 189; (373) 250; (374) 34
cGMP-dependent protein kinase, (374) 356; (374) 419; (375) 263
cGMP-inhibited cyclic nucleotide phosphodiesterase, (374) 187
CH_4 activation, (362) 5
Chain fold, (368) 289
Channel, (361) 123; (374) 169
Channel activity, (377) 444
Channel inactivation, (377) 383
Chaperone, (359) 123; (362) 151; (364) 272; (365) 133; (369) 305; (371) 154; (372) 283; (374) 211; (375) 211
Chaperonin, (359) 195; (361) 55; (362) 121; (366) 17; (369) 283
Chaperonin 10, (361) 211
Chaperonin, split of, (362) 121
CHAPS, (375) 108
Chara, (375) 151
Characeae, (361) 65
Charibdotoxin, (359) 41
CheA protein, (374) 161
Chemical carcinogenesis, (366) 143
Chemical cross-linking, (373) 234
Chemical deacylation, (371) 241
Chemical modification, (360) 207
Chemical transduction, (367) 233
Chemically induced dynamic nuclear polarization (CIDNP), (371) 13
Chemiluminescence, (377) 309
Chemokine, (360) 155
Chemokinesis, (367) 180
Chemotaxis, (358) 31; (376) 19
CheY protein, (374) 161
Chick embryo chondrocyte, (373) 207
Chick muscle, (368) 139
Chicken cystatin variant, (361) 179; (361) 185
Chilling stress, (362) 235
Chimera, (360) 144
Chimeric enzyme, (364) 325
Chimeric receptor, (357) 93; (364) 23; (375) 1
CHIP28, (373) 269
CHL cell, (373) 23
Chlamydomonas, (370) 222; (377) 163
Chloramphenicol acetyltransferase, (375) 211
Chlorella protothecoides, (364) 41
Chloride, (361) 123
Chloride channel, (368) 5; (375) 56
1-Chloro-2,4-dinitrobenzene, (368) 73
Chlorophyll, (370) 241
Chlorophyll *c*, (363) 175
Chlorophyll catabolism, (364) 41
Chlorophyll fluorescence, (371) 61
Chloroplast, (358) 39; (361) 35; (364) 305; (367) 19; (368) 263; (373) 262; (377) 349
Chloroplast development, (367) 158
Chloroquine diphosphate, (361) 149
CHO cell, (369) 263; (373) 103; (377) 275; (377) 290
Cholera toxin, (368) 563
Cholesterol, (361) 46; (372) 29
Cholesterol efflux, (363) 29
Cholesterol hydroperoxide, (357) 135
Cholesterol synthesis, (358) 230
Cholesteryl ester cycle, (363) 29
Cholesteryl sulfate, (362) 197
Choline, (357) 279; (358) 243
Cholinephosphotransferase, (377) 271
Cholinesterase, (370) 212
7-Chrolo-4-nitrobenzofrazan, (368) 207
Chondrocyte, (363) 214
Chromaffin cell, (362) 15; (374) 77; (377) 31
Chromaffin granule, (359) 69
Chromatin, (364) 33; (366) 26; (369) 118; (377) 51
Chromatin high-order folding, (361) 149
Chromogranin, (360) 294; (361) 8
Chromogranin B, (369) 267
Chromophore, (362) 50; (374) 157
Chromosomal assignment, (361) 269
Chromosomal localization, (373) 229; (377) 15
Chromosomal mapping, (358) 233; (377) 429
Chromosome 14, (363) 304
Chromosome 16, (361) 233
Chronic low-frequency stimulation, (367) 132
Chymotrypsinogen C, (367) 211
CICR, (367) 23; (373) 182
CIF1 (GGS1/TPS1), (377) 457
Cigarette smoke, (375) 179
Cilia, (364) 147
Cimetidine, (360) 10
Cinnabarinic acid, (376) 202
Cinnamate 4-hydroxylase, (374) 345
Circular dichroism, (358) 133; (358) 247; (360) 202; (361) 176; (362) 266; (364) 165; (364) 185; (366) 99; (368) 526; (369) 197; (370) 153; (374) 257; (375) 304; (377) 92
Citrate, (361) 225
Citrus, (358) 182; (366) 151
CK2 β-subunit, (363) 111
c-*kit*, (374) 69
Cl^- channel, (367) 319
Cl^- conductance, (374) 312
Clean total correlation spectroscopy, (377) 301
Cleavage activity, (368) 304
Cleaved actin, (375) 151
Clone, (375) 56
Cloning, (359) 142; (363) 256; (364) 125; (370) 269; (374) 25; (375) 121; (376) 103
Clostridium botulinum, (376) 41
Clostridium cochlearium, (369) 252
Clotrimazole, (360) 10
ClpA, (377) 41
ClpP, (377) 41; (377) 249
Cluster, (367) 53
c-Met, (372) 78
c-myc, (371) 337
CNP, (370) 6
CNS, (375) 129
CNTF, (362) 75
CO_2 assimilation, (359) 50
CoA, (357) 212
Coactosin, (374) 284
Coagulation, (371) 271; (374) 141; (375) 103
Coat protein, (369) 93
Coat protein gene, (359) 89
Cobalt, (370) 203
Co-culture, (372) 108
Codon distribution, (376) 195
Codon usage, (362) 1
Coenzyme B_{12}, (369) 252
Coexpression, (362) 143
Cofactor biogenesis, (371) 276
Cohesin domain, (360) 121
Coiled-coil, (369) 27; (377) 243
Cold, (373) 131
Cold denaturation, (358) 247
Cold inactivation, (359) 20
Cold stability, (377) 185
Collagen, (364) 171; (366) 33; (368) 377; (368) 551
Collagen lattice culture, (357) 287
Collapsin, (370) 269
Collectin, (376) 6

Colony formation, (362) 257
Color vision, (362) 247
Colorectal carcinoma, (359) 97
Compact denatured state, (367) 297
Compartmental boundary, (369) 97
Compartmentation, (373) 76
Competitive displacement, (360) 111
Competitive inhibition, (368) 97
Competitive PCR, (374) 341
Complement, (358) 323; (368) 87; (368) 401; (376) 31
Complement factor D, (371) 300
Complement fragment 5a, (359) 229
Complement receptor type 2, (372) 291
Complementation, (358) 43; (366) 99
Complete relaxation matrix, (370) 163
Complex, (363) 115
Complex I, (367) 107
Complex II, (359) 23
Computer modeling, (377) 77
Computer program, (376) 125
Con A, (371) 287
15-*cis* Configuration, (363) 137
Confocal microscopy, (364) 198
Conformation, (361) 29; (363) 65; (370) 105; (377) 363
Conformation in solution, (374) 117
Conformational change, (358) 133; (363) 118; (371) 39
Conformational flexibility, (373) 239
Conformational mobility, (371) 35
Conformational probe, (361) 173
Conformational search, (370) 1
Conformational stability, (371) 94
Conformational switch, (366) 87
Congenital muscular dystrophy, (376) 37
Congestive heart failure, (373) 97
Conjugation, (371) 283
ω Conotoxin MVIIC receptor, (366) 21
Consensus sequence, (361) 191; (368) 105
Consensus sequence V3 loop, (374) 117
Conserved core sequence, (358) 182
Conserved negatively-charged residues, (371) 39
Conserved sequence motif, (369) 57
Conserved sequence region, (377) 6
Constitutive, (372) 229
Constitutive activity, (363) 261
Constitutive and regulated cell, (362) 143
Constitutive receptor activity, (377) 275
Contact inhibition, (372) 33
Contact site, (368) 15
Contraction, (361) 51; (363) 235
Conus magus, (370) 163
Convertase, (362) 143; (362) 276
Cooperativity, (363) 81; (377) 330
5-Coordinate vs. 6-coordinate heme systems, (370) 97
Copper, (357) 135; (362) 197; (364) 75; (368) 432
Copper chloride, (367) 19
Copper oxidation, (377) 240
Copper protein, (365) 92; (371) 276
Copper salts, (368) 513
Copper-dependent monooxygenase, (366) 165
Copper(I), (362) 39
Corneal endothelial cell, (361) 61
Coronatin, (377) 523
Coronin-homologue, (364) 283
Corticosteroid-binding protein, (375) 159
Corticotropin releasing hormone (CRH), (374) 113
Corticotropin releasing hormone receptor, (374) 113
Cortisol, (375) 159
COS cell, (368) 321
Cotranscription, (368) 429
p-Coumaric acid, (374) 157
Coupling effect, (363) 127
Covalent binding, (368) 87
Covalent modification, (363) 307
Covalent protein DNA link, (377) 258
Cow brain, (375) 117
CP55,940, (369) 177
CpG, (376) 125
Cpn60, (361) 55
CR3, (373) 189
Crassulacean Acid Metabolism (CAM), (377) 399
Cre, (377) 92
CREA, (371) 191; (376) 103
Critical thiol, (358) 255
Cross validation, (363) 127
Cross-linking, (360) 160; (366) 17; (367) 19; (368) 235; (375) 11
Cross-resistance, (374) 130
Crustacyanin, (362) 34
Cruzipain, (370) 101
Cryo-electron microscopy, (369) 43
Cryogenic transmission electron microscopy, (365) 27
Cryptococcus, (368) 326
Cryptogein, (374) 203
Cryptophycin, (377) 59
Crystal, (359) 244; (374) 292
Crystal structure, (369) 57; (374) 221
2D Crystal, (359) 45
α-Crystallin, (369) 305; (369) 321; (372) 283
γ-Crystallin, (372) 283
Crystallization, (357) 62; (363) 22; (363) 115; (367) 214; (368) 49; (369) 229; (372) 93; (373) 310; (374) 110
Crystallography, (370) 209
CsA, (371) 47
c-Src kinase (CSK), (367) 149
C-Terminal sequencing, (357) 65
C-terminus, (357) 297
C-type lectin, (376) 6
C-type natriuretic peptide, (373) 108
Cu/Zn superoxide dismutase, (374) 85
Cubic membrane, (369) 13
Cubic phase, (368) 143
Cucumber mosaic virus, (372) 165
Cucumis sativus (cucumber), (362) 70; (367) 12
Cu_B-deficient mutant, (370) 259
Cultured endothelial cell, (376) 262
Cultured neurons, (371) 249
Curcacycline A, (358) 215
Cu,Zn superoxide dismutase, (374) 199
CuZnSOD activity, (362) 323
CVdIIIA, (358) 182
CXXC motif, (372) 210
Cyanide-resistant oxidase, (362) 10
Cyanobacteria, *Synechocystis* sp. PCC 6803, (371) 89
Cyanobacterium, (361) 111; (367) 45
Cyclic ADP-ribose, (360) 303; (371) 204
Cyclic ADP-ribose hydrolase, (368) 481
Cyclic AMP, (364) 218; (368) 411
Cyclic AMP-dependent protein kinase, (362) 291; (368) 563; (375) 294
Cyclic GMP, (364) 314; (374) 295
Cyclic peptide, (358) 215; (372) 203
Cyclic voltammetry, (357) 55; (361) 75; (368) 220
Cyclic-AMP analog, (367) 319
Cyclic-AMP receptor (CAR1), (368) 358
Cyclin B2, (370) 109
Cyclin D1, (373) 164
Cyclin-dependent kinase (Cdk), (360) 173; (362) 295; (367) 103
Cycloheximide, (368) 110
Cyclooxygenase, (371) 315
Cyclooxygenase inhibitor, (360) 75
Cyclophilin, (371) 47
Cyclosporin A, (357) 221; (358) 158; (362) 239; (368) 101; (368) 110; (371) 258
Cyclosporine, (358) 109
Cystatin, (357) 309; (360) 101; (370) 101
Cysteine, (364) 55
Cysteine conjugate β-lyase, (360) 277
Cysteine proteinase, (357) 309; (360) 101; (361) 179; (368) 397; (369) 326; (370) 78; (370) 101; (375) 169
Cysteine proteinase inhibitor, (357) 309; (361) 179; (361) 185
Cysteine synthesis, (358) 43
Cysteine-*S*-conjugate β-lyase, (367) 141
Cystic fibrosis, (361) 265; (363) 189; (374) 312
Cystic fibrosis transmembrane conductance regulator (CFTR), (363) 189; (366) 87
Cystine-knot, (376) 251
Cystinuria, (368) 389
Cytochrome, (357) 70

Cytochrome *a*, (374) 371
Cytochrome b_{558}, (367) 1; (367) 77; (370) 69; (377) 345
Cytochrome *b*, *Bacillus subtilis*, (359) 23
Cytochrome *b*-559, (377) 325
Cytochrome *c*, (360) 255; (362) 266; (365) 30; (371) 267; (375) 206
Cytochrome *c* gene, (360) 39
Cytochrome *c* oxidase, (367) 291; (368) 148; (369) 136; (371) 267
Cytochrome c peroxidase, (365) 152; (377) 145
Cytochrome oxidase, (359) 27; (370) 53; (374) 371; (375) 206
Cytochrome P450, (360) 10; (364) 79; (364) 152; (366) 159; (374) 174; (374) 270; (377) 213
Cytochrome P_{450}, (368) 279; (374) 345; (375) 277
Cytochrome P_{450} reductase, (374) 345
Cytochrome *P*-450 reductase, (361) 206
Cytochrome-*c* oxidase, (368) 132
Cytokine, (357) 1; (359) 262; (364) 229; (366) 159; (367) 93; (373) 39; (377) 237
Cytokine receptor, (369) 169
Cytokine receptor domain, (360) 43
Cytokines, (369) 136
Cytokinin-like substance, (365) 10
Cytoplasm, (361) 135
Cytoplasmic droplet, (361) 65
Cytoplasmic dynein, (369) 101
Cytoplasmic granule, (364) 268
Cytoskeleton, (359) 229; (363) 231; (369) 38; (371) 29; (372) 161; (373) 76; (374) 149; (374) 284; (374) 393; (375) 243
Cytosolic free Ca^{2+} concentration ($[Ca^{2+}]_i$), (359) 137
Cytotoxicity, (358) 175; (372) 1; (373) 151; (374) 333

D. africanus, (363) 199
2-D gel protein databases, (369) 122
2-D GTP ligand blotting, (369) 122
D1 protein, (364) 239; (368) 263
D96N mutant, (377) 330
DAD1, (363) 304
DAMGO, (357) 93; (375) 1
DANG cell, (368) 45
Dansyl chloride, (363) 307
DARPP-32, (364) 67
dbEST, (377) 475
$d(CACGTG)_2$, (360) 231
De novo design, (361) 176
Deacylation, (358) 71
DEAD box protein, (363) 25
Deamidation, (358) 171
Death domain, (367) 39; (371) 321
Decrease of DNA content, (367) 188
Defense factor, (377) 373
β-Defensin, (368) 331
Degradation, (369) 249
Degranulation, (369) 301; (371) 300
Dehalogenase, (358) 171
Delayed rectifier, (371) 307
Delayed-type hypersensitivity, (363) 53
Demembranated-reactivated spermatozoa, (368) 420
Denaturation, (362) 43; (370) 105; (375) 174
Dendrite, (368) 455
Dendritic cell, (373) 127
Denitrification, (360) 151; (371) 73
2-Deoxyglucose, (365) 98
Deoxyribonuclease I, (359) 211
6-Deoxytalose, (371) 163
Dependence on Mg^{2+} ion, (368) 304
Dephosphorylation, (375) 75
Depolarization, (361) 145; (366) 131
Deprenyl, (358) 145
Dequalinium, (359) 69
Der f 3, (377) 62
Dermatomyositis, (358) 262
Dermonecrosis, (376) 135
Desensitization, (359) 142; (361) 162; (367) 301; (369) 263
Design (de novo), (375) 15
Design principle, (367) 73
Desmin, (358) 185
Detection, (358) 179
Detergent, (375) 188
Detergent-insoluble complex, (377) 465
Determination of binding constant, (360) 111
De-ubiquitinase, (376) 233
De-ubiquitinating enzyme, (359) 73
Development, (362) 337; (365) 42; (377) 403
Development (*Sphaerechinus granularis*), (361) 115
Developmental expression, (362) 342
Dexamethasone, (363) 285
Dextran, (371) 57
DHFR, (377) 290
Diabetes, (367) 193; (368) 31; (368) 36; (368) 225; (371) 81; (371) 324; (374) 43; (375) 41
Diabetes mellitus, (363) 277
Diabetic nephropathy, (375) 41
Diacylglycerol, (360) 242; (367) 301; (368) 143; (369) 18
Diacylglycerol acyltransferase, (375) 188
2,4-Diamino-6-hydroxy-pyrimidine, (363) 69
Diaminoalkane, (361) 277
Diclofenac, (360) 75
Dictyostelium, (369) 38; (375) 87
Dictyostelium discoideum, (359) 119; (362) 342; (368) 358; (368) 381; (374) 100
Dictyostelium discoideum amoeba, (364) 276
Dielectric constant, (374) 338
Diethylmaleate, (371) 209
DIF, (359) 119
Diffential scanning calorimetry, (364) 9
Difference spectrophotometry, (374) 192
Differential display, (371) 209; (372) 69; (372) 189
Differential gene regulation, (358) 62
Differential hybridization, (357) 129
Differential processing, (365) 108
Differential scanning calorimetry, (358) 17; (358) 247; (360) 247; (361) 173; (371) 123
Differential screening, (363) 41
Differential spectrophotometry, (377) 44
Differentiation, (358) 105; (358) 233; (363) 293; (363) 311; (364) 193; (364) 298; (367) 103; (368) 81; (369) 183; (369) 340; (374) 69; (374) 367; (375) 299
Differentiation marker, (358) 84
Differentiation (phorbol ester-induced), (368) 477
Digitalis receptor, (359) 107
Digoxigenin-labelled oligonucleotide, (368) 488
Dihomogamma linolenic acid, (361) 118
Dihydrofolate reductase gene, (359) 89
7,8-Dihydroneopterin, (364) 234; (377) 461
Dihydropinosylvin, (361) 299
Dihydroxyethylthiamine pyrophosphate, (375) 220
1α,25-Dihydroxyvitamin D_3, (375) 299
Dimer, (367) 315; (368) 55; (372) 169
7,12-Dimethylbenz[a]anthracene, (358) 243
N^{α}-(*N*,*N*-Dimethylcarbamoyl)-α-aza-lysine *p*-nitrophenyl ester, (358) 53
Dinophyceae, (363) 175
Dinucleotide, (376) 125
Dioxygen reduction chemistry, (370) 259
Diphenyleneiodonium, (373) 307
Diphenyleneiodoniumchloride, (376) 45
Direct interfacial localization, (377) 408
$DiSC_3(5)$, (376) 167
Discontinuous gene, (370) 222
Dispensable gene, (362) 257
Displacement method, (362) 189
Dissociation constant, (366) 156
Distal heme pocket, (370) 97
Disulfide, (371) 341; (376) 1
Disulfide bond, (364) 55; (368) 481
Disulfide bond formation, (370) 273
Disulfide bridge, (369) 239; (372) 203; (377) 172
Disulfide reduction, (370) 209
Dithiothreitol-sensitive tetrameric protease, (371) 195
Dityrosine, (364) 279
Divalent adhesive protein, (374) 262
Divinyl ether oxylipin, (371) 159
Dlg-A, (359) 159
Dmc-azaLys-ONp, (358) 53
DNA, (361) 265; (363) 115; (370) 105; (371) 279; (377) 301
DNA alkylation, (360) 231
DNA base modification, (374) 233; (375) 179

DNA binding, (360) 315; (361) 89; (371) 47; (373) 88
DNA binding domain, (358) 278
DNA binding motif, (359) 184
DNA binding protein, (360) 125
DNA cleavage, (364) 75; (372) 144; (373) 88
DNA curvature, (364) 33
DNA damage, (374) 233; (375) 179; (376) 207
DNA digestion, (377) 9
DNA fragmentation, (364) 139; (367) 188; (373) 299; (375) 21
DNA gyrase, (373) 88
DNA methylation, (357) 192; (361) 115; (370) 75; (370) 170; (371) 181
DNA methyltransferase, (361) 115
DNA–peptide interaction, (374) 387
DNA photocleavage, (374) 426
DNA polymerase, (357) 23
DNA polymerizing activity, (369) 165
DNA–protein binding, (360) 115
DNA–protein complex, (362) 59
DNA–protein cross-linking, (375) 27
DNA–protein interaction, (362) 210; (369) 153; (369) 277; (372) 215
DNA recognition, (372) 144; (372) 215; (375) 27
DNA repair, (364) 255; (374) 287; (377) 118
DNA replication, (362) 116
DNA sequence, (364) 33
DNA sequence recognition, (360) 21
DNA sequencing, (359) 203; (366) 46
DNA substitution, (368) 304
DNA superstructure, (364) 17
DNA synthesis, (371) 185; (372) 259; (373) 310
DNA topoisomerase I, (368) 97
DNA triple helix, (360) 21
DNA triplex, (370) 153
DNA/drug interaction, (375) 304
DNA/RNA chimeric ribozyme, (357) 317
DNA-binding protein, (360) 187; (369) 113; (376) 103; (377) 98
DnaJ, (359) 129
DnaJ, in vitro protein synthesis, (375) 211
DnaK, (375) 211
DNase I footprinting, (357) 312
2D NMR, (357) 317
DNP, (365) 7
dNTP utilization, (369) 165
Docosahexanoic acid, (361) 118
7,10,13,16-Docosatetraenoic acid, (367) 198
Dolichol synthesis, (358) 230
Dolichyl phosphate-D-mannose, (377) 128
Domain, (357) 309
Domain function, (363) 299
Domain interaction, (358) 247
Domain structure, (373) 296; (376) 49
Donor side, (363) 251
L-DOPA, (364) 75
D-Dopachrome tautomerase, (373) 203
Dopamine, (361) 215
Dopamine D1 receptor, (374) 273
Dopamine hydroxylation, (366) 165
Dorsal root ganglion, (364) 129
Double helix, (371) 279
Double mutant, (370) 59
Doubly-wound α/β fold, (358) 283
Down-regulation, (358) 105; (376) 11
Doxorubicin, (377) 201
5-DOXYL-stearic acid, (361) 303
Drosophila, (365) 83
Drosophila ion channel, (358) 297
Drosophila melanogaster, (357) 283; (370) 250; (371) 311; (375) 148
Drosophila virilis, (360) 194
Drug design, (374) 379
Drug efflux, (373) 285
Drug resistance, (367) 112
Drug targeting, (376) 95
DsbA, (364) 55
DsbB, (364) 55
ds-DNA, (374) 387
DSIP and analogues, (368) 367
ds-RNA specific RNase, (372) 165
Duplex formation, (360) 231
Dwarfing, (358) 182
dy mouse, (376) 37
Dynamic light scattering, (359) 220; (376) 49
Dynamics, (366) 104
Dynamin, (367) 272; (369) 3
Dystroglycan, (364) 245; (368) 139
Dystrophin, (357) 125; (358) 153; (358) 262; (368) 500; (369) 27; (375) 91; (375) 268
Dystrophin-associated protein, (367) 311
Dystrophin–glycoprotein complex, (364) 245

E box, (366) 131
E1 protein, (375) 134
βE54 as covalent catalytic residue, (357) 145
E7, (371) 214
EBNA2, (371) 245
Ebulin l, (360) 299
Ebulitin, (360) 299
EC 3.4.11.2, (374) 341
E-cadherin, (374) 415
Ecotin, (365) 159
Ectothiorhodospira halophila, (374) 157
EDF/activin A, (374) 69
EDTA dependent phosphorylation, (364) 63
EF hand, (362) 55
EF-1α, (377) 313
Effector, (369) 52; (369) 287
Effector interaction, (364) 45
EF-Tu homolog, (358) 119
EGF, (357) 251
EGF receptor, (357) 161; (357) 251
Egg jelly coat, (358) 205
Egyptian mummy, (375) 280
Ehrlich ascites carcinoma, (375) 21
Eicosanoid, (358) 316
Eicosanoids receptor, (361) 17
eIF-1, (365) 47
eIF2, (372) 249
eIF-4E, (360) 191
eIF-5A, (366) 92
Elastase, (357) 247; (361) 265
Elastin, (362) 225
Elastin fragment, (368) 215
Elastin synthesis, (368) 215
Elastin-binding protein, (375) 159
Electric birefringence, (369) 255
Electric field, (377) 419
Electrogenic H^+-transporter, (375) 79
Electroinsertion, (359) 9
Electron cryomicroscopy, (373) 262
Electron microscopy, (358) 17; (368) 139; (371) 77; (376) 67
Electron paramagnetic resonance, (367) 1; (369) 252; (377) 345
Electron Spin Resonance, (376) 58
Electron transfer, (357) 70; (361) 97; (365) 30; (375) 197
Electron transport chain, (373) 307
Electrooptics, (377) 419
Electrophoresis, (370) 212
Electrophysiology, (369) 290
Electrospray ionization mass spectrometry, (358) 323; (374) 208
Electrospray mass spectrometry, (357) 187; (359) 192; (360) 93; (360) 231
Electrostatic interactions, (368) 551; (374) 387
Elicitor, (360) 57; (374) 203
ELISA, (375) 280; (377) 118
Elongation factor, (358) 119
Elongation factor Ts, (368) 49
Elongation factor Tu, (357) 19; (358) 71; (365) 214; (377) 253
Embryonal carcinoma cell, (370) 231
Embryonal development, (371) 297
Enalapril, (361) 22
Endocytic pathway, (369) 84
Endocytosis, (357) 109; (358) 73; (360) 70; (360) 266; (366) 65; (367) 272; (369) 3; (369) 101; (376) 95
Endoglucanase, (376) 49
Endoglycoceramidase, (374) 299
Endonuclease, (364) 264
Endopeptidase, (357) 129

Endoplasmic reticulum, (357) 305; (362) 126; (362) 229; (369) 76; (369) 89; (369) 93; (370) 69; (371) 145; (372) 210; (376) 53; (377) 31; (377) 271
Endoribonuclease, (371) 345
Endosome, (368) 125; (368) 358
Endothelial cell, (361) 118; (361) 291; (362) 276; (363) 277; (364) 314; (372) 194
Endothelin, (371) 140; (374) 379
Endothelin receptor, (361) 243; (363) 161; (371) 188
Endothelin-1, (362) 276; (371) 188; (373) 97
Endothelin-1 secretion, (376) 262
Endothelin-converting enzyme, (371) 140
Endothelium, (357) 140; (370) 215; (374) 323
Endotoxic shock, (366) 127
Endotoxin, (370) 46; (372) 229; (376) 65
δ-Endotoxin, (360) 217; (362) 111
Endozepine, (362) 106
Energy transfer, (374) 105
Energy-coupling, (370) 83
Engineered monomer, (366) 72
engrailed, (365) 71
Enhancer, (358) 13; (369) 335
Enkephalin, (357) 187
[D-Ala^2,MePhe^4,Gly(ol)^5]Enkephalin, (364) 23
5-Enolpyruvyl shikimate 3-phosphate synthase, (374) 253
Enolpyruvyl transferase, (377) 208
Entamoeba histolytica, (362) 316
Enterococcus hirae, (359) 255
Entero-endocrine cell, (374) 34
env, (365) 141
Enzymatic catalysis, (366) 61
Enzymatic oxidation, (371) 132
Enzymatic synthesis, (367) 67
Enzyme activation, (361) 287; (363) 1; (371) 57
Enzyme active site, (377) 208
Enzyme concentration, (368) 559
Enzyme control, (361) 115
Enzyme family, (367) 237
Enzyme I, (374) 161
Enzyme inactivation, (359) 35; (367) 45
Enzyme inhibitor, (361) 1
Enzyme kinetics, (358) 53; (361) 265; (364) 59
Enzyme mechanism, (358) 57; (361) 1; (364) 215; (368) 203; (374) 221; (377) 208
Enzyme phosphorylation, (367) 263
Enzyme regulation, (366) 170
Enzyme stability, (367) 73
Enzyme structural symmetry, (373) 259
Enzyme structure, (361) 1; (368) 559
Enzyme–substrate interaction, (361) 259
Eosinophil, (361) 229; (363) 217
EP4 subtype, (364) 339
Eph, (368) 353
Epidermal growth factor, (360) 242; (376) 177
Epidermal growth factor binding protein, (376) 177
Epidermal growth factor family, (377) 403
Epimerisation, (358) 97
Epinephrine, (363) 13; (365) 98
8-Epi-PGF$_{2\alpha}$, (368) 225
Epiregulin, (377) 403
Epithelial cell, (359) 262; (376) 74
Epithelium, (357) 140
Epitope mapping, (363) 195
Epoxidation, (376) 45
EPR, (359) 239; (368) 31; (368) 117; (368) 220; (368) 285; (370) 53; (370) 159; (372) 126; (374) 265
EPR spectroscopy, (370) 83; (374) 371
Ergosterol, (372) 29
Erythrocyte, (359) 9; (359) 35; (362) 165; (371) 297
Erythroleukemia, (374) 69
Erythroleukemia cell, (358) 233
Erythropoietin, (359) 267
Erythropoietin receptor, (373) 225
Escherichia coli, (358) 293; (359) 251; (361) 211; (363) 46; (364) 272; (365) 155; (366) 115; (367) 49; (367) 183; (368) 49; (368) 429; (369) 158; (371) 127; (372) 253; (373) 10; (374) 82; (374) 161; (374) 199; (377) 41; (377) 172
Escherichia coli, Deoxyribonucleotide synthesis, (368) 441
Escherichia coli periplasm, (364) 55
E. coli bo-type ubiquinol oxidase, (370) 259; (374) 265
ESEEM, (368) 31
E-selectin, (367) 205
ESR, (358) 251; (372) 103
Esterase, (360) 194; (371) 231; (377) 475
Estrogen, (360) 291; (376) 151; (377) 103
Ethanol, (357) 58; (375) 53; (375) 174
Ethanolamine, (357) 279; (358) 243
Ethanol-intoxication, (372) 140
Etoposide, (367) 188; (377) 9
ETS-domain, (368) 77
Eukaryote, (365) 47
Eukaryotic cell, (366) 65; (373) 159
Eukaryotic initiation factor 5A, (364) 207
Euphorbiaceae, (358) 215
Evolution, (360) 223; (364) 103; (364) 289; (365) 71; (368) 541; (374) 53; (375) 148; (377) 98
Evolutionary relatedness, (377) 6
EXAFS, (358) 278
Exchange, (360) 255
Excised membrane patch, (359) 85; (366) 49
Excitation–contraction, (369) 43
Excitation-contraction coupling, (359) 223
Excitation-transcription coupling, (366) 131
Exciton interaction, (368) 370
Exocytosis, (360) 242; (360) 266; (363) 217; (363) 221; (364) 328; (365) 209; (368) 122; (369) 3; (369) 101; (374) 77; (377) 489
Exoenzyme C3, (372) 161
Exon, (374) 53
Expression, (358) 119; (362) 171; (367) 28; (371) 315; (371) 341; (372) 189; (375) 121
Expression in *E. coli* cell, (368) 466
Expression system, (361) 65
Expression vector, (367) 49; (371) 9
Extended X-ray absorption fine structure, (358) 278
External alkalinity, (371) 249
Extracellular loops, (375) 1
Extracellular matrix, (357) 33; (361) 61; (365) 183; (368) 307; (376) 159
Extracellular matrix protein, (357) 121
Extracellular signal-regulated kinase, (376) 141
Extrachromosomal DNA, (363) 239
Extrinsic polypeptide (16 kDa, 23 kDa, 33 kDa), (360) 251
Ezrin, (376) 172

Fab*, (360) 247; (360) 247
Fab fragment, (362) 43
F-actin capping protein, (374) 284
Factor VIIa, (374) 141
Factor Xa inhibitor, (370) 1; (375) 103
Factor XIIa, (365) 159
Facultative phototrophs, (375) 197
FAD, (369) 173; (369) 233; (376) 45
FAD-containing monooxygenase, (358) 145
FAK, (373) 135
FALL-39, (368) 173
Familial amyloidotic polyneuropathy, (359) 203
Familial amyotrophic lateral sclerosis, (368) 449
Family F xylanase, (362) 281
Fas, (371) 321; (376) 15
Fas antigen, (364) 134
Fas ligand, (373) 265
Fas/Apo-1, (364) 5; (364) 139
Fast, (373) 131
Fasting, (368) 488
Fat body, (376) 185
F$_1$ATPase, (358) 142; (368) 207; (371) 115; (373) 66; (373) 141; (376) 190; (377) 408
F$_1$-ATPase α/β heterodimer, (368) 207
F$_1$-ATPase cooperativity, (368) 207
F$_1$-ATPase core unit, (368) 207
Fatty acid, (359) 179; (361) 118
Fatty acid amide, (377) 82
Fatty acid binding site, (361) 303
Fatty acid synthase, (371) 324; (374) 246
Fatty acid unsaturation, (364) 239
Fatty acid uptake, (375) 227
Fatty acid-binding protein, (374) 184

Fatty acid-responsive element, (361) 118
Fatty acids, (375) 53
Fatty acylcarnitine, (357) 75
Fatty acyl-coenzyme A, (357) 75
Fc receptor, (376) 77
FCCP, (361) 145; (365) 7
FcεRI receptor, (357) 41
Fcγ receptor, (368) 377
FcγR, (373) 189
FDC-P1 cells, (368) 69
6Fe ferredoxin, (368) 23
[3Fe–4S], (368) 23
Ferredoxin, (359) 50; (361) 35; (363) 199
Ferredoxin I, (368) 220
Ferredoxin:plastoquinone oxidoreductase, (367) 107
Ferric nitrilotriacetate, (357) 165
Ferroxidase, (368) 513
Fertilization, (357) 98
α-Fetoprotein, (364) 165
F_0F_1, (362) 171
F_0F_1 H^+-ATPase, (368) 253
F_1–F_0 ATP synthase, (366) 29; (368) 235
FGF9, (370) 231
Fibrinogen, (357) 129; (358) 179
Fibrinogen degradation product, (376) 65
Fibroblast, (357) 287; (361) 162; (363) 141; (364) 5
Fibroblast cell line, (368) 311
Fibroblast growth factor, (372) 44
Fibroblast growth factor family, (363) 226
Fibronectin, (363) 78; (364) 193; (367) 93; (373) 135
Fibrosis, (357) 33
Ficolin, (375) 159
Filamentous phage, (377) 227
Filariasis, (374) 122
Fimbria, (362) 1
Fimbrial adhesin, (357) 103
Fimbrial subunit, (364) 319
FISH, (375) 263
Fish antifreeze protein, (357) 183
Fish skin, (360) 197
F_2-isoprostane, (368) 225
Fission yeast, (375) 235; (377) 155
FixJ, (367) 180
FixL, (367) 180
FK506, (357) 221; (358) 158
FKBP, (374) 211
FKBP25mem, (372) 169
Flagellum, (364) 147
Flash photolysis, (364) 198; (364) 335
Flaveria trinervia, (375) 95
Flavin, (374) 82
Flavin-containing monooxygenase (FMO), (376) 45
Flavin-dependent reductase, (361) 97
Flavoprotein, (361) 97; (374) 82
Flexibility, (369) 305
Flip, (373) 93
Flop, (373) 93
Flow cytometry, (359) 9
Fluorescence, (360) 202; (361) 123; (365) 27; (368) 64; (370) 193
Fluorescence enhancement, (363) 189
Fluorescence lifetime distribution, (374) 338
Fluorescence recovery after photobleaching, (376) 77
Fluorescence spectrometry, (367) 163
Fluorescence spectroscopy, (370) 189; (375) 231
Fluorescent inhibitor, (362) 189
Fluoromethylaniline, (368) 279
3-Fluoro-tyrosine, (374) 165
fMLF-receptor, (377) 426
fMLP, (367) 117
FMN, (369) 173
^{19}F NMR, (374) 165
FNR, (360) 151; (371) 73
Focal adhesion kinase, (368) 343; (373) 135
Folate, (360) 177; (368) 177
8-Fold β/α-barrel, (362) 281
Folding, (360) 307
Folding, in vivo, (369) 72
Folding kinetics, (364) 175
Folding topology, (359) 184
Footprinting, (361) 259
Foreign peptide, (359) 247
Formaldehyde elimination, (370) 23
N-Formyl-Met-Leu-Phe, (359) 229
Formate binding, (357) 227
19-Formyl-1[21H,22H]bilinone, (364) 41
Forskolin, (361) 70
Four helix bundle, (368) 519
Fourier transform infrared spectroscopy, (358) 9; (370) 88; (370) 241; (371) 115
Fourier transform IR spectroscopy, (377) 135
Fracture, (364) 171
Frameshift, (364) 1
Free radical, (364) 314; (370) 37; (373) 299; (375) 53; (376) 164
Freeze-fracture, (377) 181
Freezing point depression, (357) 183
Fructation, (375) 41
Fructose-1,6-bisphosphatase, (368) 559
Fruit-ripening, (358) 149
frz, (358) 31
FT-IR, (364) 152
FTIR spectroscopy, (358) 27; (363) 65; (364) 175; (370) 105; (371) 199
FtsY, (372) 253
Fucose binding site, (363) 123
Function, (367) 280
Functional complementation, (376) 81; (377) 434
Fura-2, (359) 155; (359) 223; (362) 316; (369) 263
Furin, (362) 276; (365) 95; (375) 259
Furin-deficient CHO, (365) 95
Fused gene, (377) 172
Fused protein, (359) 247; (377) 172
Fusion, (369) 80
Fusion peptide, (362) 243
Fusion pore, (363) 217
Fusion protein, (364) 1; (368) 39; (369) 197; (374) 345
Fv, (360) 247
Fyn, (368) 491; (373) 265

G·TA triplet, (360) 21
G_{zq}, (357) 13; (364) 45; (372) 33; (375) 183
G protein, (360) 97; (363) 49; (367) 122; (368) 183; (370) 6; (371) 43; (372) 99; (372) 161; (373) 155
G protein α-subunit, (365) 13
G protein-coupled receptor, (359) 142; (361) 243; (362) 131; (375) 121
G protein-linked receptor, (361) 215
GA module, (374) 257
Gα-16, (377) 426
GABA, (373) 229
GABA transport, (371) 39
GABA uptake, (375) 99
gag, (365) 141
Gag protein, (377) 67
Gag-Pol, (364) 1
GAL4 fusion protein, (369) 153
α-Galactosidase A, (371) 181
β-Galactoside binding lectin, (359) 169; (368) 285
β-Galactoside-binding protein, (373) 159
Galectin, (359) 169; (360) 160
Gamma-glutamyltransferase, (369) 183
Ganglioside, (358) 79; (361) 201; (362) 161; (374) 299; (376) 159
Ganglioside GM1, (375) 11
Gap junction, (358) 301
GAP peptide, (368) 297
Garlic, (371) 159
Gas exchange, (362) 180
GAS1, (358) 165
Gastric adenocarcinoma, (369) 225
Gastrin, (359) 97
Gastrin promoter, (369) 225
Gastrin receptor, (359) 97
Gastrointestinal transit, (369) 192
Gastrula, (369) 221
Gβγ, (362) 286
GBX class, (364) 289
GC-MS, (366) 81; (374) 233; (375) 179
$GdCl_3$, (372) 140
GDP/GTP-binding protein, (377) 253

2-D gel electrophoresis, (369) 122
Gelatinase, (357) 255; (361) 61; (377) 267
Gelatinase A, (358) 189
Gelatinase B, (360) 75
Gel-filtration, (364) 115
Gelonin, (373) 115
Gelonin–gp330 conjugate, (373) 151
Gelsolin, (360) 227
Geminivirus, (362) 116
Gene, (361) 233; (374) 53
Gene amplification, (377) 290
Gene cloning, (357) 16; (377) 172
Gene cluster, (377) 429
Gene duplication, (366) 33
Gene expression, (360) 29; (362) 1; (362) 85; (362) 210; (362) 309; (368) 556; (371) 209; (373) 217; (374) 279; (374) 384; (375) 263; (376) 67; (376) 99; (377) 505
Gene expression regulation, (367) 319; (375) 268
Gene family, (360) 15; (377) 383; (377) 399
Gene fusion, (376) 229
Gene organisation, (361) 215
Gene regulation, (358) 13; (360) 151; (367) 93; (372) 194
Gene structure, (365) 108; (368) 197; (377) 485
Gene therapy, (365) 223; (373) 41
Gene transcription, (365) 101; (369) 335
Gene transfer, (374) 152
Genetic backcross, (363) 25
Genetic disease, (359) 6
Genetic locus, (375) 263
Genetic variation, (359) 211
Genetics, (377) 413
Genomic DNA cloning, (376) 146
Genomic imprinting, (374) 57
Genomic mutation, (369) 34
Genomic structure, (375) 50
GFP, (369) 267
GGP1, (358) 165
GH_3/B_6 cells, (367) 127
Gi1-type G-protein, (361) 106
GIP receptor, (373) 23
GIRK1, (374) 135
GLC, (366) 81
Glial cell, (362) 106; (364) 301
Glial fibrillary acidic protein, (358) 185
Glibenclamide, (371) 137
Glioma, (361) 201; (369) 260; (372) 78
Globular DNA, (361) 277
α_{2U}-Globulin, (357) 165
Glomerular basement membrane, (375) 41
Glomerulonephritis, (370) 141
GLP-1 receptor, (373) 182; (358) 219
Glucagon, (370) 131; (377) 439
Glucagon-like peptide-1, (372) 269
β-Glucan, (358) 165
1,3-1,4-β-D-Glucan 4-glucanohydrolase, (374) 221
β-Glucan hydrolysis, (374) 221
1,3-1,4-β-Glucanase, (374) 221
β(1–3) and β(1–3,1–4) Glucanase, (362) 281
Glucoamylase structure, (358) 57
Glucocorticoid, (376) 151
Glucocorticoid receptor, (362) 309
Glucokinase, (359) 81; (371) 329
Glucose, (363) 277
Glucose dehydrogenase, (364) 325
Glucose homeostasis, (371) 329
Glucose inactivation, (367) 219
Glucose metabolism, (377) 439
Glucose repression, (368) 547; (371) 191
Glucose responsiveness, (365) 223
Glucose transport, (361) 51; (365) 98; (368) 19
Glucose transporter, (371) 324
Glucose-6-phosphate dehydrogenase, (366) 61
β-Glucosylarginine, (376) 61
Glucosylceramide synthase, (375) 249
β-Glucuronidase, (369) 239
GluR-A to GluR-D, (373) 93
GLUT1, (368) 19
GLUT1 glucose transporter, (370) 19
GLUT3, (368) 19
GLUT4, (368) 19; (374) 43
Glutaconate CoA-transferase, (357) 145
Glutamate, (360) 266; (367) 233
Glutamate dehydrogenase, (367) 291
Glutamate mutase, (369) 252
Glutamate receptor, (363) 184; (368) 230; (377) 390
Glutamine synthetase, (367) 45; (371) 287
Glutamine transaminase K, (360) 277; (367) 141
Glutaminergic neuron, (367) 233
Glutaredoxin, (369) 149; (370) 209; (374) 25
Glutathione, (357) 1; (357) 83; (368) 73; (368) 385; (376) 81
Glutathione S-transferase, (366) 151; (371) 94
Glutathione synthetase, (376) 81
Gluten, (372) 103
N-Glycan, (365) 57
Glycation, (375) 41
Glyceraldehyde 3-phosphate dehydrogenase, (359) 126; (368) 92; (375) 18
Glycerol production, (376) 199
Glycine receptor, (368) 495
Glycogen, (362) 101; (375) 294
Glycogen biosynthesis, (362) 271
Glycogen metabolism, (375) 294
Glycogen phosphorylase, (372) 108
Glycogen synthase, (362) 101
Glycogen synthase kinase-3, (365) 42
Glycogenin, (359) 110; (362) 271
Glycogenolysis, (376) 65
Glycolipid, (366) 81
Glycolysis, (374) 100
Glycopeptidolipid, (375) 254
Glycoprotein, (360) 1; (369) 260; (370) 41; (371) 13; (377) 128
P-Glycoprotein isoforms, (374) 179
Glycoprotein processing, (359) 53
Glycosaminoglycan synthesis, (373) 207
Glycosome, (360) 310
Glycosphingolipid, (362) 161; (368) 477; (369) 18; (374) 299
Glycosyl hydrolase, (362) 281; (377) 6
Glycosylation, (365) 83; (365) 179; (375) 63
N-Glycosylation, (373) 225
N-Glycosylation ('brain-type'), (359) 164
Glycosylphosphatidylinositol (GPI)-anchored protein, (361) 295
Glycosylphosphatidylinositol-linked molecule, (360) 34; (360) 34
Glycosyltransferase, (358) 79; (375) 63
Glycosyltransferase gene, (360) 1
Glycyl-histidyl-lysine, (376) 216
Glyoxylate cycle, (367) 219; (377) 197
Glyoxysomal succinate oxidase, (367) 287
Glyoxysome, (374) 225
Glyphosate, (374) 253
GM3 synthase, (362) 161
Gold, (361) 89
Gold drug, (376) 1
Golgi, (377) 271
Golgi apparatus, (369) 84
Golgi glycosyltransferase, (370) 41
Golgi membrane, (369) 89
Gonadotropin, (374) 184
Gouy-Chapman theory, (369) 140; (373) 81
gp120, (367) 251; (368) 267; (374) 117
gp130, (360) 43; (369) 187
GPA1, (367) 122
GPI-anchored protein, (369) 207
G-protein, (358) 297; (361) 46; (361) 162; (362) 286; (363) 261; (364) 45; (375) 183; (375) 201
G-protein coupled, (374) 273
G-protein coupled receptor, (357) 27; (374) 379; (377) 73
G-protein G_o, (370) 135
G-protein receptor, (362) 247
G-protein-coupled receptor, (372) 173
G-protein-linked receptor, (362) 185
Gramicidine A, (371) 35
Gram-positive bacteria, (362) 29
Granulosa cell, (362) 147
Granzyme, (364) 268
Grb2, (369) 47
Green algae, (370) 222

Green fluorescent protein, (369) 267; (369) 331; (375) 125
Green sulfur bacteria, (365) 30
GroEL, (359) 195; (361) 55; (361) 211; (362) 121; (366) 17
GroEL–GroES complex formation, (369) 283
GroES, (359) 123; (361) 211; (366) 17
Group II phospholipase A_2, (370) 141
Growth arrest, (364) 309
Growth factor, (376) 216; (376) 251
Growth hormone, (369) 169
Growth inhibition, (358) 84; (369) 161
Growth on glycerol, (360) 286
Growth-associated protein, (357) 217
Growth-blocking peptide, (376) 185
Gruel, (374) 12
GSK-3, (358) 4; (358) 267
GT pair, (357) 317
GTP, (376) 113
GTP binding, (372) 249
GTP binding protein, (363) 78
GTP cyclohydrolase I, (363) 69; (368) 336
GTP hydrolysis, (357) 19; (370) 135
GTPase, (365) 214; (376) 113; (377) 253
GTPase activity, (365) 13
GTP-binding blot overlay assay, (377) 221
GTP-binding protein, (361) 70; (365) 214; (370) 27; (373) 155; (375) 143; (377) 333
GTPγS, (367) 246
Guanine, (370) 193
Guanine nucleotide regulatory protein, (371) 209
Guanosine triphosphate, (363) 49
Guanylate cyclase activating peptide II, (374) 34
Guanylate kinase, (359) 159
Guanylin, (374) 34
Guanylyl cyclase inhibitor, (376) 262
Guard cell, (362) 180
Gyrase hybrid, (373) 88

^{1}H NMR, (358) 133; (358) 205; (361) 167; (363) 199; (368) 279; (368) 441; (370) 245; (371) 35; (376) 1; (376) 190; (376) 216
H19, (374) 57
Haematococcus pluvialis, (364) 125
α-Haemolysin, (371) 303
Halobacterium halobium, (377) 330
Haloperoxidase, (359) 244
Hammerhead, (361) 273
Hammerhead ribozyme, (374) 241
Hansenula, (366) 137
Harderian gland, (376) 257
H^+-ATPase, (373) 262; (374) 17; (374) 72
H^+-ATPase activation, (367) 167
HAV binding antibody, (367) 85
H^+-conductance, (374) 17
Heart, (360) 144; (375) 56
Heat denaturation, (357) 58; (366) 156
Heat shock, (362) 309; (370) 159; (371) 337; (372) 181; (377) 185; (377) 457
Heat shock factor, (372) 181
Heat shock promoter, (369) 331
Heat shock protein, (369) 72; (371) 214
Heat-shock protein 70, (368) 435; (372) 1
Heat shock proteins, (375) 21
Heat shock $[Ca^{2+}]_i$, (375) 83
Heat stability, (374) 199
Heat-stable enterotoxin, (362) 319
Heavy water, (374) 338
Hedamycin, (360) 231
HEK 293 cell, (373) 182
HEK 293 transfectant, (376) 19
HeLa cell, (373) 61
Helicase, (376) 221
Helix, (374) 21
Helix bundle geometry, (377) 377
Helix stabilization, (361) 176
Helix-loop-helix, (374) 279
Helix-turn-helix motif, (375) 27; (377) 98
Hemagglutinating activity, (377) 54
Hematopoietic cell line, (369) 183
Hematoporphyrin, (360) 47
Heme, (369) 233
Heme group, (371) 89
Heme oxygenase, (372) 279
Heme oxygenase-1, (368) 239
Heme resonances, (367) 77
Heme-copper binuclear center, (370) 259
Heme-heme interaction, (374) 39
Hemocyanin, (364) 9
Hemofiltrate, (368) 331
Hemoglobin, (364) 115; (372) 126
Hemolysin A C-terminal signal, (366) 1
γ-Hemolysin, (357) 260
Hemoprotein, (377) 512
Hep G2 cell, (376) 99
Heparin, (376) 216; (377) 240
Heparin cofactor II, (365) 189
Hepatic 1α-hydroxylation, (375) 277
Hepatic stellate cell, (376) 141
Hepatic zonation, (377) 439
Hepatitis-C virus, (365) 115; (376) 221
Hepatocyte, (363) 132; (372) 108; (372) 177
Hepatocyte growth factor, (362) 220; (372) 78
Hepatocyte growth factor activator, (372) 78
Hepatocyte: Epidermal growth factor, (368) 193
Hepatocytic cell, (365) 223
Hepatoma, (369) 260
Heptafluoroacetic acid, (368) 452
2-*n*-Heptyl 4-hydroxyquinoline-*N*-oxide, (359) 23
Herbicide, (374) 130
Herbicide mutant, (374) 130
Herbimycin A, (368) 491; (371) 333
Hereditary hemolytic anemia, (369) 34
Herpes simplex virus, (368) 289; (373) 41
Heterologous expression, (368) 495; (371) 39; (371) 307; (374) 345; (375) 183; (377) 140; (377) 167; (377) 181; (377) 451
Heterologous gene expression, (374) 100
Heteronuclear, (368) 519
Heteronuclear NMR, (362) 156
Heterotrimeric GTP binding protein, (369) 84
Heterotropic effect, (374) 39
Hevea brasiliensis, (363) 211
Hevein, (363) 211
Heymann's Nephritis, (373) 151
HγII component, (357) 260
High density lipoprotein, (363) 29
High molecular weight DNA fragmentation, (364) 264
High pI α-amylase, (361) 250
High pressure, (364) 98
Higher order structure of DNA, (361) 277
Higher plants, (368) 188
High-molecular weight MAPs, (371) 29
Hindbrain segmentation, (368) 353
HiPIP, (357) 70; (375) 197
Hippocampal neuron, (368) 363
Hippocampus, (363) 293; (370) 32; (377) 358
Histidine, (359) 189; (361) 111; (363) 307
[^{15}N]Histidine, (369) 252
Histidine kinase, (357) 149; (364) 63
Histidine phosphorylation, (372) 238
Histidine residue, (376) 190
Histone, (358) 13
Histone amino-terminal domain, (364) 17
Histone ubiquitination, (377) 193
HIT T15 cells, (371) 253
HIV, (360) 85
HIV envelope, (365) 95
HIV nucleocapsid protein, (362) 59
HIV protease, (367) 112
HIV-1, (358) 48; (361) 85; (362) 243; (365) 141; (367) 251; (368) 267; (373) 255; (374) 117
HIV-1 gag RNA, (357) 317
HIV-1 hammerhead ribozyme, (357) 317
HIV-1 protease, (357) 275
HIV-1 reverse transcriptase, (359) 233; (361) 287; (370) 59
HIV-1 RT mutant, (359) 233; (370) 59
HIV-1-Tat/TAR inhibition, (367) 33
HIV-2 RT, (359) 233; (370) 59
HL-60, (365) 137

HL-60 cell, (361) 206; (368) 477; (375) 299
HL60 granulocyte, (364) 250
HMG 2a (chick liver), (367) 49
HMG box, (377) 37
HMG1 proteins, (368) 466
HMG-CoA reductase kinase, (361) 191; (377) 189
HNF-3/*fork head* DNA binding domain, (369) 277
H-NS, (360) 125
H_2O_2, (374) 233
13-HODE, (369) 301
Homeobox gene, (364) 289
Homeodomain, (364) 289; (365) 71
Homeoprotein, (368) 311
Homodimer, (366) 72
Homology, (365) 71; (371) 1
Homotropic effect, (374) 39
Hormonal effects, (358) 297
Hormone binding, (358) 137
Hormone receptor, (376) 151
Horseradish peroxidase inhibition, (374) 192
Host restriction, (371) 9
Host-specific Nod gene, (368) 536
HPLC, (361) 167
HPLC separation, (368) 452
H^+-pump, (377) 263
HSP27, (364) 229
hsp40 (DnaJ), (358) 161
Hsp60, (377) 481
Hsp70, (359) 129; (377) 481
hsp70 (DnaK), (358) 161
HSV-1 protease, (357) 168
5-HT receptor, (370) 215
HT29, (359) 169
HT-29 cell, (374) 415
5-HT_4 receptor, (370) 215
HTLV-I, (375) 31
Human, (357) 207; (357) 217; (358) 119; (359) 211; (360) 177; (361) 211; (361) 269; (367) 137; (372) 6; (372) 88; (373) 39; (377) 295; (377) 429
Human 26 S protease, (363) 97
Human Alu element, (360) 115
Human β_2-adrenergic receptor, (377) 140
Human brain, (368) 500
Human β-trace protein, (359) 164
Human Burkitt's lymphoma Namalwa cells, (368) 92
Human cathepsin E, (366) 72
Human cathepsin O, (357) 129
Human cell, (365) 101
Human chromosome 9, (360) 277
Human colon, (372) 269
Human embryonic kidney cell expression, (367) 127
Human endothelial cell, (360) 291; (373) 108
Human epidermis, (358) 316
Human erythrocyte, (368) 481
Human fibroblast, (358) 126; (377) 26
Human granulocyte, (377) 87
Human heart, (361) 13
Human immunodeficiency virus, (367) 267
Human insulinoma cDNA, (373) 23
Human intestinal tissue, (371) 345
Human lactoferrin, (365) 57
Human leukocyte cathepsin G, (362) 225
Human leukocyte elastase, (362) 225
Human lung, (375) 121
Human lymphomononuclear cell, (357) 121
Human lysozyme, (374) 262; (377) 505
Human melanoma, (362) 161
Human Mom19, (375) 307
Human monocyte, (364) 234
Human myometrium, (369) 295
Human papillomavirus, (371) 214
Human PK-120, (371) 227
Human placenta, (371) 337; (373) 5; (375) 227
Human plasma, (373) 207; (375) 159
Human plasminogen, (363) 170
Human platelet, (364) 109; (368) 377
Human respiratory tract cell, (375) 179
Human respiratory tract epithelial cell, (374) 233
Human serum amyloid P component (SAP), (371) 13
Human smooth cell, (372) 1
Human T-cell leukemia virus type I, (358) 34
Human tissue-type plasminogen activator, (363) 170
Human trachea, (369) 202
Human transferrin, (359) 164
Human vascular, (367) 23
Human-human hybridoma, (368) 92
Humicola insolens, (376) 49
Hyaluronic acid, (357) 207
Hybrid protein, (374) 195
Hybridization, in situ, (367) 127; (371) 287; (374) 135
Hydrocarbon, (370) 15
Hydrogen bond, (368) 315
Hydrogen peroxide, (357) 161; (368) 73; (368) 339; (371) 94; (372) 74
Hydrogenase, (368) 117; (368) 203
α/β Hydrolase fold, (371) 231
3- Hydroperoxides metabolism, (371) 159
Hydrophobic cluster, (359) 113; (373) 221
Hydrophobic cluster analysis, (357) 103; (364) 319; (374) 211
Hydrophobic interaction, (361) 255; (375) 162
Hydrophobic ligand, (369) 22
Hydrophobicity, (375) 63
3-Hydroxyanthranilic acid, (376) 202
Hydroxyarginine, (359) 251
Hydroxycinnamic acid, (368) 188
8-Hydroxydeoxyguanosine, (371) 86
6-Hydroxydopamine, (360) 67
Hydroxyethylthiamine pyrophosphate, (375) 220
1-hydroxy-indanoyl-(iso)leucine, (377) 523
Hydroxyl radical, (364) 255
4-Hydroxy-2-nonenal, (359) 189
5-Hydroxytryptamine, (377) 73
25-Hydroxyvitamin D_3 1α-hydroxylase, (375) 277
Hyperfine shift, (367) 77
Hypertension, (361) 22
Hyperthyroidism, (375) 206
Hypertriglyceridemia, (367) 257
Hypoosmolality, (373) 35
Hypothalamus, (370) 227
Hypothalamus-pituitary axis, (374) 113
Hypoxia, (358) 311; (368) 367; (372) 233
Hypusine, (364) 207; (366) 92

I domain, (369) 197
ICAM-1, (357) 140
ICE inhibitor, (375) 283
Ice-binding, (357) 183
$ICE_{rel}III$, (375) 169
ICE-like protease, (368) 69; (374) 303
Id, (368) 81
Id2, (374) 279
IE118, (363) 25
IEC-18 cell, (373) 199
IFN-β, TNF-α, ICAM-1, (363) 141
IFNγ-induced regulator, (376) 155
IGCR, (363) 239
IGF-1 receptor, (373) 51
IGF-2, (374) 57
IgG conformer, (361) 173
IKVAV, (365) 227
IL-10, (377) 515
IL-11, (377) 515
IL-13 binding, (366) 122
IL-13 signal transduction, (366) 122
IL-1β, (367) 283
IL-2, (372) 113
IL-4, (372) 194
IL-4-induced phosphotyrosine substrate, (366) 122
IL-6, (364) 5
IL-8 receptor, (367) 117
Ileum (human), (369) 326
Image analysis, (369) 13
Image processing, (369) 43; (371) 77
Imino excited 2D NOESY in water, (357) 317
Immediate-early gene, (372) 273
Immortalization, (374) 384; (375) 263
Immune cell, (369) 272
Immunoaffinity chromatography, (377) 128

Immunoblastic lymphoma, (373) 285
Immunocytochemistry, (357) 121; (377) 181
Immunofluorescence, (360) 235
Immunoglobulin, (361) 173
Immunoglobulin production stimulating factor, (368) 92
Immunoglobulin superfamily, (365) 51; (367) 89
Immunogold electron microscopy, (368) 125; (377) 451
Immunogold labeling, (366) 109
Immunohistochemistry, (359) 81; (363) 235
Immunoliposome, (357) 140
Immunolocalisation, (371) 293
Immunology, (373) 88
Immunomodulation, (369) 177
Immunoprecipitation, (358) 161
Import, (368) 505
Import receptor, (373) 45; (375) 307
In situ hybridization, (365) 183
In vitro transcription translation, (357) 168
Inactivation, (360) 144; (377) 113
Inactivation and reactivation, (373) 111
Incretin, (358) 219
Indispensable gene, (362) 257
Indole derivatives, (374) 387
Indomethacin, (360) 75; (360) 85
Induced fit, (370) 179
Inducible nitric oxide synthase, (363) 69; (377) 461
Inducible promoter, (358) 62; (377) 434
Induction of volatiles, (377) 523
Inflammation, (360) 70; (363) 285; (367) 117; (372) 229; (374) 241
Inflammatory joint disease, (361) 167
Inflammatory mediator, (357) 33
Influenza A, (357) 269
Influenza virus, (366) 57; (372) 148
Infrared fluorescence, (359) 65
Infrared spectroscopy, (367) 297; (373) 141
In-gel proteolysis, (376) 91
Inhibition, (357) 247; (363) 311; (370) 101
Inhibition kinetics, (361) 179; (361) 185
Inhibitor, (357) 221; (359) 69; (368) 253
Inhibitory loop, (377) 150
Inhibitory response, (359) 41
Initiation, (365) 47
Initiator, (373) 159
Innate immunity, (374) 1; (376) 225
Inner filter effect, (363) 189
Inorganic phosphate, (357) 16
Inorganic pyrophosphatase, (359) 20; (377) 44
iNOS, (377) 21
Inosine, (357) 255
Inositol, (358) 240
Inositol 1,4,5-trisphosphate, (359) 151; (362) 316; (368) 248; (372) 291
Inositol 1,4,5-trisphosphate receptor, (368) 248
Inositol monophosphatase, (361) 1
Inositol tetrakisphosphate, (358) 240
Inositol trisphosphate, (360) 303; (367) 301
Inositol(1,3,4,5)tetrakis-phosphate, (362) 316
Inositolphosphate, (370) 236
Inotropy, (376) 24
Insect, (368) 177; (376) 185
Insect cardioactive peptide, (371) 311
Insect cell, (362) 50; (376) 181
Insect cell (Sf9), (371) 293
Insect neurobiology, (371) 311
Insect neurohormone, (376) 251
Insecticide resistance, (368) 461
Insertional mutagenesis, (368) 429
Insulin, (357) 109; (361) 51; (365) 133; (368) 160; (370) 255; (371) 167; (374) 187; (376) 211; (377) 353
Insulin action, (370) 131
Insulin receptor, (369) 57; (370) 131; (373) 51; (377) 353
Insulin receptor substrate, (370) 131
Insulin receptor substrate 1/2, (377) 353
Insulin resistance, (368) 36; (377) 109
Insulin secretion, (358) 23; (367) 283; (369) 315; (371) 253; (377) 237
Insulin-like growth factor, (371) 69
Insulin-like growth factor I, (373) 207
Insulin-mimic activity, (368) 31
Insulinoma, (362) 210
Integrin, (363) 78; (363) 118; (367) 93; (369) 197
Integrin αIIbβ3, (358) 179
Integrin variant, (369) 340
Interaction, (368) 315
Interaction site, (375) 15
Interaction with polypeptides, (369) 217
Inter-α-trypsin inhibitor, (357) 207; (371) 227; (374) 195
Intercalating viologen, (374) 426
intercalation, (374) 387
Intercellular communication, (358) 301
Interconversion, (367) 177
Interface, (367) 315
Interferon α, (365) 87; (369) 161
Interferon β, (358) 225
Interferon regulatory factor, (359) 184
γ-Interferon, (363) 85; (366) 37
Interleukin 6, (364) 298
Interleukin receptor, (371) 65
Interleukin-1, (359) 262; (364) 218; (372) 181; (374) 375
Interleukin-1 receptor, (367) 89; (373) 39
Interleukin-1 receptor antagonist, (373) 39
Interleukin-1α, (371) 149; (372) 83
Interleukin-1β, (363) 161; (366) 159; (367) 205
Interleukin-1β converting enzyme, (364) 139; (375) 169
Interleukin-3 gene, (376) 146
Interleukin-6, (360) 43; (360) 137; (366) 159; (369) 187; (372) 177
Interleukin-6-cytokine family, (372) 177
Interleukin-8, (359) 229; (364) 211; (367) 117
Intermediate compartment, (369) 267
Intermediate filament, (360) 223
Intermediate filament protein, (358) 185
Intermediate species, (372) 126
Internal promoter, (363) 165
Internal protein sequence analysis, (376) 91
Internal ribosome entry site, IRES, (365) 115
Internucleosomal DNA fragmentation, (364) 264
Interspersed repeated DNA, (368) 541
Intestinal chloride secretion, (374) 34
Intestinal epithelium, (373) 199
Intestinal flora, (372) 185
Intestinal mucosa, (359) 169
Intracellular Ca^{2+} store, (368) 165
Intracellular calcium, (364) 83; (370) 118
Intracellular cholesterol transport, (363) 29
Intracellular compartment, (369) 72
Intracellular pH, (361) 145; (374) 17
Intracellular protein targeting, (369) 72
Intracellular signaling, (364) 120
Intracellular transport, (369) 93; (376) 113
Intracisternal A-particle, (376) 146
Intramolecular electron transfer, (370) 259; (374) 265
Intrinsic fluorescence, (368) 559
Intron, (363) 165
Intron retention, (377) 485
Invasion, (364) 28; (369) 290; (372) 25
Invertebrate, (357) 187; (362) 131; (375) 148
Invertebrate neurobiology, (371) 311
Invertebrate photoreceptor, (364) 189
Invertebrate vision, (372) 243
Inward rectification, (363) 157
Inward rectifier, (367) 61; (374) 135
Inward rectifier K^+ channel, (375) 193
Inward-rectifying current, (367) 319
5′-(2-((Iodoacetyl)amino)ethyl)naphthalene-1-sulphonic acid fluorescence, (368) 297
Iohexol (tri iodobenzoic), (357) 247
Ion channel, (359) 101; (361) 65; (369) 290; (371) 35; (372) 119; (377) 377
Ion metal affinity column, (360) 52
Ion pump, (359) 101
Ion selectivity, (370) 113
Ionic channel, (360) 217
Ion-induced hydrolysis, (374) 62
Ionizing radiation, (364) 298
Ionomycin, (359) 151
Ionotropic glutamate receptor, (371) 253
IRF, (358) 225
Iron, (359) 126; (375) 223

Iron chelation, (362) 165
Iron protein, (373) 310
Iron release, (362) 165
Iron uptake, (361) 225
Iron-responsive element, (359) 126
Iron-sulfur center, (362) 235; (365) 30
Iron-sulfur cluster, (361) 75; (363) 199; (367) 107; (368) 220; (370) 83
Iron-sulfur protein, (359) 239
Irradiation, (367) 53
Ischemic injury, (374) 399
ISGF3, (358) 225
Islet, (367) 283
Islet of Langerhans, (371) 253; (377) 353
Islet regeneration, (377) 429
Isoamide bond, (359) 73
*Iso*cyclic ring E, (371) 21
Isodialuric acid, (364) 255
Isoenzyme, (366) 170
Isoform, (365) 51
Isoform regulation, (367) 291
Isomerization of retinal, (364) 168
cis-trans Isomerization, (374) 21
Isopeptidase, (376) 233
Isoproterenol, (374) 187
Isoquinolinesulfonamide (H-89), (365) 137
Isothermal microcalorimetry, (366) 156
Isothermal titration calorimetry (ITC), (360) 247
isotopic labelling, (370) 88
Isozyme, (358) 149; (363) 293; (372) 189
Isozyme hybrid, (363) 299

J coupling constant, (362) 156
Jak kinase, (374) 317
JAK2, (371) 333
Jasmonic acid, (377) 523
Jatropha curcas, (358) 215
Jurkat T-cell line, (359) 151; (370) 118

K^+ channel, (367) 319; (372) 20; (373) 170
K^+ transport, (361) 153; (363) 46; (363) 157; (364) 161
K^+/H^+ antiport, (361) 153
K^+/Na^+ exchange, (376) 167
Kainate, (363) 184
Kalanchoe, (377) 399
Kallikrein, (365) 159
K-channel, (367) 61
KCNJ6, (367) 193
33 kDa extrinsic, (363) 65
20-kDa myosin light chain, (363) 57
21–23 kDa protein, (369) 22
Keratinocyte, (368) 556; (371) 188; (374) 113
6-Ketocholestanol, (365) 7
Kex2 inhibition, (364) 91
KH, (358) 193
Ki antigen, (366) 37
Kidney, (368) 389; (373) 229
Kidney cell *Vero*, (359) 85; (366) 49
Kidney fatty acid-binding protein, (357) 165
Kidney (rat), (377) 321
Kinase, (357) 1; (357) 279; (358) 243
Kinase activity, (374) 407; (374) 419
Kinase peptide substrate, (367) 149
Kinesin, (368) 531; (369) 101
Kinetic, (374) 95
Kinetic difference, (357) 156
Kinetic isotope effect, (372) 148
Kinetic mechanism, (373) 259
Kinetic rate constant, (364) 335
Kinetics, (361) 273; (363) 33; (369) 249; (370) 101; (377) 240
Kinetics of N, (357) 156
Kininogen, (357) 309
Kir6.2, (377) 338
Ki-*ras*, (370) 153
Kiwi protein, (367) 306
Klebsiella pneumoniae, (369) 243
Kluyveromyces lactis, (360) 39; (371) 191
KMSKS sequence, (363) 33
KRAB domain, (369) 153

Kupffer cell, (372) 108; (376) 65
Kv1.5, (372) 20
Kyneurenine amino transferase, (360) 277
Kynurenic acid, (367) 141
Kynurenine aminotransferase, (367) 141

L chain, (375) 273
L6 myotube, (368) 19
L7/L12 protein, (367) 280
Labeling, (371) 315
Lac repressor, (375) 27
Lacrimal, (360) 303
β-Lactamase, (357) 115
β-Lactam, (358) 97; (373) 303
Lactase-phlorizin hydrolase, (368) 563
Lactobacillus brevis IFO 3345, (367) 177
Lactoferrin, (360) 70
Lactoperoxidase, (377) 512
Lactosaminoglycan, (363) 280
Lactotransferrin, (365) 57
Lamin, (360) 223; (365) 108
Lamin phosphorylation, (377) 26
Laminin, (365) 183; (365) 227; (368) 139
Laminin 5, (368) 556
Laminin α2 chain, (376) 37
Laminin γ2 chain, (365) 129
Laminin-2, (376) 37
LA-N-2, (372) 88
Large bowel, (366) 143
Large unilamellar vesicle, (359) 155
Laser, (375) 113
Lasp-1, (373) 245
Late viral transcription, (362) 301
Lateral mobility, (376) 77
LC1 variability, (369) 255
lck, (368) 491
LC-PTP, (372) 113
LDL peroxidation, (363) 277
LDL receptor, (371) 341
LDLr domain, (371) 199
Learning and memory, (370) 250
Lectin, (361) 157; (370) 245
Lectin reactivity, (360) 211
Lectin reactivity of abrin-a, ricin, ML-I and wheat germ, (371) 32
Lectin–carbohydrate interaction, (361) 157
Leech, (357) 187
Legionella pneumophila, (372) 169
Leishmania, (361) 123
Leishmania donovani, (375) 83
Lens, (372) 283
Lepidopterous larvae, (376) 181
Leptin, (373) 13
Leucine zipper motif, (364) 283
Leucine-rich motif, (374) 125
Leucine-rich repeat, (357) 173
Leukemia cell, (363) 311
Leukocidin, (357) 260
Leukotoxicity, (376) 135
Leukotoxin A C-terminal signal, (366) 1
Leukotriene A_4 hydrolase, (358) 316
Leukotriene C_4 synthase, (377) 87
Leupin, (373) 61
LHCII phosphorylation, (371) 176
LHII, (368) 243
Li^+ ion, (363) 264
Licorice, (368) 135
Ligand binding, (357) 93; (360) 111; (363) 118; (364) 23; (375) 1
Ligand binding domain, (368) 230
Ligand binding site, (363) 184
Ligand interaction, (376) 190
Light intensity dependence, (357) 156
Light scattering, (364) 9; (368) 516; (371) 123
Light–dark adaptation, (364) 168
Light-harvesting complex, (363) 175; (367) 158; (368) 243
Lignin degradation, (371) 132; (376) 202
LIM, (373) 245
Limited proteolysis, (360) 62; (362) 266; (369) 255; (370) 179; (371) 276
β-1,2-Linked mannose, (373) 275

Linoleic acid, (371) 159; (377) 306
Linoleic acid desaturase, (368) 135
α-Linolenic acid, Lipoxygenase, (371) 159
Lipase, (360) 202; (362) 29; (377) 475
Lipid A, (370) 46
Lipid binding affinity, (368) 516
Lipid-binding polypeptide, (362) 328
Lipid biosynthetic gene, (368) 429
Lipid body, (367) 12
Lipid fluidity, (357) 13
Lipid interaction, (376) 172
Lipid–membrane interaction, (375) 254
Lipid mixing, (368) 15
Lipid oxidation, (357) 7
Lipid peroxidation, (357) 83; (359) 189; (360) 271; (361) 291; (368) 225; (368) 513; (370) 37; (377) 309
Lipid peroxide, (360) 271
Lipid-protein interaction, (371) 303; (373) 239; (374) 338
Lipid transport, (367) 201; (372) 29
Lipid-associated polypeptide, (362) 261
Lipoate analog, (371) 167
Lipoate enantiomer, (371) 167
Lipocalin, (357) 255; (366) 53
Lipogenic enzyme, (364) 193
Lipolytic, (377) 475
Lipophilic cation, (359) 69
Lipopolysaccharide, (359) 251; (366) 127; (367) 117; (368) 193; (368) 336; (376) 6
Lipoprotein lipase, (367) 257
Lipoprotein(a), (377) 493
Liposome, (363) 53; (365) 27; (375) 113
Lipoxygenase, (367) 12
Lipoxygenase-1, (371) 223
12-Lipoxygenase, (363) 105
Lipoxygenase-2, (371) 223
5-Lipoxygenase, (377) 306
N-Lissamine rhodamine, (368) 393
Lithium, (361) 1
Liver, (357) 33; (359) 81; (359) 126; (370) 255; (371) 137; (372) 181; (376) 65; (377) 439
Liver regeneration, (362) 85; (372) 273
LMP2, (376) 155
LMP7, (376) 155
Localization, (369) 149
Location, (359) 107
Loggerhead sea turtle (*Caretta caretta*) myoglobin, (357) 227
Lon protease, (359) 1
Loop, (375) 239
Lovastatin, (361) 46
Low-density lipoprotein, (357) 7; (360) 271; (361) 291; (365) 164; (374) 12; (377) 240
Low frequency magnetic field (50 Hz), (359) 151; (370) 118
Low-molecular-mass copper, (361) 167
Low molecular weight GTP-binding protein, (368) 271
Low temperature, (371) 61
LPS, (364) 229
LqhαIT (*Leiurus quinquestriatus hebraeus*) anti-insect toxin, (376) 181
L-shaped tail fiber, (366) 46
LTP, (377) 358
L-type Ca^{2+} channel, (373) 30
Luciferase assay, (368) 311
Luffin, (373) 115
LukF component, (357) 260
LukF-I, (376) 135
LukM component, (357) 260
LukS component, (357) 260
LukS-I, (376) 135
Luminescent protein, (367) 163
Lutein, (365) 23; (367) 158
Lycopene, (372) 199
Lymphocyte, (360) 85; (365) 66
Lymphocyte activation, (368) 110
Lymphotactin, (360) 155
Lyn, (358) 34; (367) 149
Lysine, (375) 95
Lysoamidase, (368) 113
Lysophosphatidic acid, (366) 11; (372) 25
Lysophospholipid, (372) 259
Lysosomal recognition signal, (365) 203
Lysosome, (368) 125; (369) 217
Lysozyme, (366) 115; (375) 63
Lysyl residues, (360) 207
Lytic transglycosylase, (366) 115

M2, (357) 269
α2-Macroglobulin receptor, (358) 73
α_2-Macroglobulin receptor, (373) 296
α_2-Macroglobulin, (367) 137; (368) 87; (372) 93; (373) 296
Macromolecular crowding, (361) 135
Macrophage, (359) 251; (360) 29; (363) 85; (366) 75; (371) 47; (374) 12; (377) 47
Macrophage activation, (368) 425; (374) 249
Macrophage foam cell, (363) 29
Macrophage migration inhibitory factor, (373) 203
Macrophage scavenger receptor, (368) 551
Macrophage-uptake, (357) 7
Madin–Darby canine kidney cell, (373) 19; (377) 465
Magnesium block, (363) 157
Magnetic circular dichroism, (367) 1; (377) 345; (377) 512
Magnetic circular dichroism (MCD) spectroscopy, (370) 97
Magnetic field, (376) 164; (377) 419
Magnetic susceptibility, (377) 419
Mahalanobis distance, (363) 127
Maize, (369) 331
Maize auxin-binding protein (ABP1), (371) 293
Major allergen, (363) 6
Major facilitator superfamily (MFS), (377) 232
Malate synthase, (374) 225
MALDI-MS, (357) 65; (367) 67
Malignancy, (377) 51
Maltose 1-epimerase, (367) 177
Mammalia, (368) 541
Manduca sexta, (361) 153; (371) 311
Manganese, (363) 251; (371) 132; (374) 62; (375) 223
Mannose 1-phosphate, (377) 318
Mannose-6-phosphate, 1- and 2-D NMR spectroscopy, (365) 203
Mannose-6-phosphate/insulin-like growth factor II receptor, (360) 34; (360) 34
Mannosyltransferase, (373) 275; (377) 128
MAP kinase, (357) 290; (359) 133; (364) 223; (364) 229; (364) 211; (365) 42; (368) 55; (368) 77; (368) 183; (370) 141; (373) 123; (375) 289; (377) 393; (377) 497
MAP-signaling pathway, (376) 199
MAP1B, (371) 29
Marker, (375) 125
MAS17, (357) 202
Mass analysis, (377) 145
Mass spectrometry, (365) 23; (366) 81; (367) 237; (371) 21; (371) 341; (376) 91
Mast cell, (368) 151
Mastoparan, (374) 216
Matrix metalloproteinase, (361) 61; (369) 249
Matrix metalloproteinase 9, (360) 75
Matrix protein, (377) 434
Maturation, (368) 81
M-caveolin, (376) 108
MCD, (370) 53
MCF-7 breast carcinoma cell, (362) 139
Mch2, (375) 169
MCLA-dependent organ luminescence, (372) 140
MDCK cell, (369) 207; (373) 123
MDR, (373) 285
MDR folding, (359) 1
ME1, (374) 279
ME2, (374) 279
Mechanism of activation, (370) 113
Medicago sativa L., (360) 57
MEK, (357) 290
Melanin-concentrating hormone (MCH), (359) 199
Melanocyte, (374) 113
Melanocyte-stimulating hormone (MSH), (359) 199
Melatonin, (375) 148
Melatonin receptor, (372) 99
Melittin, (372) 131
Membrane, (369) 34; (376) 108; (376) 211
Membrane aggregation, (377) 444

Membrane anchor, (374) 345
Membrane binding, (367) 12
Membrane-bound polysome, (361) 220
Membrane biogenesis, (370) 69
Membrane contact site, (372) 29
Membrane damage, (359) 155
Membrane fusion, (362) 243; (368) 143
Membrane insertion, (369) 76
Membrane lipid, (360) 85; (365) 66
Membrane permeability, (367) 5
Membrane permeability (rat liver), (362) 239
Membrane phosphorylation, (373) 71
Membrane potential, (359) 27; (359) 255; (367) 167; (367) 180
Membrane protein, (361) 255; (365) 18; (368) 148; (369) 140; (370) 69; (377) 140; (377) 451
Membrane protein biosynthesis, (362) 126
Membrane protein crystallization, (368) 132; (373) 10
Membrane protein insertion, (371) 303
Membrane protein intrinsic fluorescence, (371) 303
Membrane remodelling, (357) 98
Membrane skeleton, (363) 231
Membrane traffic, (368) 122
Menasemiquinone, (359) 23
Mercuric chloride, (361) 295
Mercury, (360) 251
Mercury (II), (358) 27
Mesangial cell, (364) 218; (370) 141
Mesangial cell (rat), (374) 375
Mesendoderm, (369) 221
Messenger RNA, (373) 35
Metabolic control analysis, (368) 1
Metabolic unit, (368) 1
Metabotropic glutamate receptor, (367) 301
Metal, (373) 76
Metal analysis, (358) 189
Metal binding, (368) 285
Metal incorporation, (368) 432
Metal ion cluster, (358) 278
Metallo-protease, (371) 195
Metalloproteinase, (364) 28
Metallothionein, (373) 76
Metal-substitution, (372) 126
Metastasis, (362) 161; (369) 290
Methane monooxygenase, (362) 5
Methanobacterium thermoautotrophicum, (368) 203
Methanogenic Archaea, (368) 203
Methanogens, (371) 119
Methanol, (371) 267
$N^{5,10}$-Methenyltetrahydrofolate synthetase, (364) 215
Methicillin-resistant *Staphylococcus aureus*, (362) 80
Methionine, (366) 104
5-Methylcytosine, (370) 75
9-Methyl-7-bromoeudistomin D, (373) 250
2-Methyl,4-carboxy-3,4,5,6-tetrahydropyrimidine, THP(B), (367) 33
2-Methyl,4-carboxy,5-hydroxy-3,4,5,6-tetrahydropyrimidine, THP(A), (367) 33
Methylamine, (371) 267
Methylation, (376) 125
Methylation of regulatory region, (360) 115
N-Methyl-D-aspartate receptor, (377) 390
Methylenetetrahydrofolate dehydrogenase, (368) 177
3-*O*-Methylglucose, (365) 98
Methyllycaconitine, (365) 79
Methylotrophic growth, (371) 267
2-Methyl-2-nitrosopropane, (360) 47
Methyl-*p*-nitrobenzenesulfonate, (363) 307
Methylscopolamine, (377) 275
4-Methylumbelliferyl-*N*-acetyl-α-D-neuraminic acid, (372) 148
Mg^{2+} binding, (377) 44
Mg^{2+} loading, (371) 52
Mg-ATP, (361) 55
Mg^{2+}-ATPase activity, (363) 246
$[Mg^{2+}]_i$ decrease, (371) 52
MGF-Stat 5, (360) 29
MHC class II, (363) 85; (373) 127
Micellar enzymology, (364) 98
Micellar-lamellar transition, (358) 17
Micelle, (373) 239
Microbial product, (372) 54
Microbody, (377) 434
Micro-characterization, (376) 91
Microcin, (357) 235
Microcompartmentation, (361) 135
Microcystin, (362) 101; (371) 236; (377) 123
α_1-Microglobulin, (362) 50
Microinjection, (358) 287
Microsequence, (357) 187
Microsomal 1α-hydroxylation, (375) 277
Microsome, (358) 230; (367) 198; (371) 137; (375) 188
Microtubule, (360) 5; (368) 10; (371) 29
Microtubule-associated protein, (360) 5; (376) 238
Microtubule associated protein tau, (360) 132
Microtubule motor, (368) 531
Microvesicle, (367) 233
Microvillous membrane, (375) 227
Midkine, (362) 147
MIG1, (371) 191
Milk, (372) 185
Millimetre microwave, (359) 85; (366) 49; (367) 53
MIN6 cells, (371) 253
Mineralization, (373) 1
Minimal genome, (362) 257
Minor groove binding, (375) 304
MIP-2 mRNA, (363) 285
Mislocation of proteins, (359) 6
Mismatch base pair, (377) 301
Mite, (370) 11
Mitochondria, (357) 297; (358) 273; (360) 80; (365) 75; (368) 177; (369) 136
Mitochondria, plant, (373) 307
Mitochondria (rat heart), (368) 101
Mitochondrial, (358) 119
Mitochondrial ATPase complex, (368) 505
Mitochondrial channel, (362) 239
Mitochondrial DNA, (362) 337
Mitochondrial matrix, (374) 309
Mitochondrial membrane, (377) 530
Mitochondrial outer membrane, (357) 202; (370) 69
Mitochondrial phosphoprotein, (377) 470
Mitochondrial precursor protein, (359) 93
Mitochondrial presequence, (359) 93; (368) 15; (373) 239
Mitochondrial RNA, (375) 268
Mitochondrion, (359) 179; (360) 235; (362) 24; (363) 41; (364) 143; (370) 222; (372) 29; (372) 238; (373) 45; (375) 206; (375) 307
Mitogen, (360) 62
Mitogen-activated protein kinase, (368) 160; (376) 141
Mitogenic signaling, (373) 146
Mitogenic stimulation, (358) 287
Mitosis, (375) 75
MMoxB, (364) 289
Mn^{2+} influx, (359) 137
Mn-cluster, (377) 325
Mobility shift assay, (358) 109
Mode of action, (360) 217
Model membrane, (357) 75
Modified base, (364) 255
Modified nucleoside, (362) 24
Modified nucleoside 5′-triphosphate, (357) 23
Module, (358) 193
Molecular chaperone, (358) 129; (358) 161; (359) 129; (369) 72; (369) 321; (376) 67; (377) 481; (377) 505
Molecular cloning, (357) 86; (360) 155; (363) 226; (367) 311
Molecular dynamics, (374) 21
Molecular dynamics, (357) 37
Molecular evolution, (367) 306; (373) 212
Molecular expression, (374) 295
Molecular genetics, (369) 38
Molecular interaction, (364) 109
Molecular mechanics, (357) 37; (377) 77
Molecular mimicry, (369) 243
Molecular modeling, (361) 243; (374) 216; (374) 379
Molecular motion of protein, (377) 502
Molecular motor, (368) 531
Molecular properties, (360) 197
Molecular recognition, (362) 306; (370) 1; (375) 15
Molecular replacement, (367) 214; (373) 310; (377) 150

Molecular structure, (357) 37
Molecular superposition, (377) 77
Mollusc, (365) 71
Molluscan hemocyte, (365) 120
Moloney Murine Leukemia Virus, (361) 41
Molten globule, (362) 43; (370) 212
Molten globule state, (359) 6
Molybdenum cofactor, (370) 197
Molybdoenzyme, (370) 197
MOM22, (357) 202
Mono-allelic expression, (374) 57
Monoamine oxidase-B inhibitor, (358) 145
Monoclonal antibody, (357) 140; (358) 262; (359) 189; (362) 80; (363) 17; (363) 57; (363) 118; (363) 195; (367) 85; (367) 153; (368) 401; (375) 280; (376) 243
Monocyte, (363) 78
Monocyte chemoattractant protein (MCP-1), (374) 375
Monocyte-derived macrophage, (357) 129
Monocyte-macrophage (human), (358) 175
Monomer, (367) 315
Monomer–dimer equilibrium, (374) 199
Mononucleotide binding fold, (363) 33
Monooxygenase, (364) 41
Morphine, (369) 192
Morphine-6β-glucuronide, (369) 192
3-Morpholinosydnonimine, (371) 86
Morris hepatoma 7777 cell line, (376) 159
Mortalin, (361) 269
Motif, (377) 475
Motility assay, in vitro, (365) 167
Motility (in vitro), (375) 151
Motor neuron disease, (368) 449
Motor protein, (375) 151
Mouse, (361) 269; (368) 405; (370) 269
Mouse 5-HT_{5A} receptor, (377) 451
Mouse development, (359) 15
Mouse ribonucleotide reductase, (373) 310
Mouse sperm receptor saccharide, (367) 67
Mouse testis, (358) 129
Mouse, transgenic, (364) 171
Mov-34, (363) 97
mRNA, (360) 191; (364) 171; (366) 92; (368) 336; (371) 307; (372) 88; (373) 76; (373) 108; (374) 135
mRNA expression, (366) 170
mRNA level, (372) 157
mRNA localization, (357) 86
mRNA regulation, (366) 170
mRNA stability, (357) 265
mRNA turnover, (377) 185
MRP-14, (371) 271
MRP-8, (371) 271
MSP23, (368) 239
mtDNA, (376) 15
Mu_2 receptor, (369) 192; (369) 192; (369) 192
Mucin, (368) 139
Mucus proteinase inhibitor, (361) 265
Multicatalytic proteinase complex, (366) 37
Multicopy suppressor, (369) 212
Multidrug resistance, (376) 95; (377) 285
Multidrug resistance, P-glycoprotein, (368) 373
Multidrug resistance protein, (368) 385
Multienzyme, (357) 212
Multi-enzyme complex, (360) 121
Multigene family, (368) 500
Multimer structure, (375) 259
Multiple cysteine mutants, (370) 19
Multiple myeloma, (377) 515
Multiple organ failure, (373) 19
Multiple sequence alignment, (357) 149; (368) 105
Multi-step DNA cleavage, (358) 255
Multiubiquitin chain, (359) 73
Murine D_4 receptor, (361) 215
Murine erythroleukemia cell differentiation, (368) 466
Murine macrophage-like cell, (368) 425
Muscarinic receptor, (377) 275
Muscarinic toxin, (371) 171
Muscle, (361) 51; (366) 131; (369) 43; (376) 108
Muscle contraction, (364) 59; (375) 67
Muscle damage, (373) 291
Muscle denervation, (375) 67
Muscle membrane, (366) 109
Muscle relaxation, (369) 136
Muscular dysgenesis, (368) 405
Muscular dystrophy, (358) 262; (364) 245
Mutagenesis, (360) 144; (360) 169; (362) 151; (362) 257; (363) 33; (365) 155; (366) 61; (367) 163; (368) 397; (369) 165; (370) 93; (372) 249; (374) 287; (377) 368
Mutant, (360) 89; (366) 104; (370) 197
Mutant lysozymes, (371) 17
Mutant protein, (370) 209
Mutant rat trypsin, (370) 179
Mutants of *Scenedesmus*, (367) 158
Mutation, (358) 1; (363) 179; (366) 72; (367) 112; (367) 257
Mutational analysis, (374) 327
Mutational hotspot, (362) 205
Mycobacteria, (375) 254
Mycobacterium smegmatis, (368) 23
Myelin, (368) 393
Myelin biogenesis, (377) 465
Myeloid cell, (374) 1; (376) 225
Myeloid differentiation, (360) 29
Myeloid leukemia, (376) 146
Myocardial infarction, (373) 97
MyoD, (368) 81
Myofibril (rabbit psoas), (364) 59
Myogenesis, (362) 89; (369) 340
Myogenin, (361) 140; (362) 89
Myoglobin, (360) 271
Myometrium, (372) 6
Myosin, (363) 246; (369) 101; (373) 217; (377) 123
Myosin isoforms, (375) 67
Myosin light chain, (374) 6
Myosin light chain phosphatase, (367) 246
Myosin light chain (rabbit fast skeletal), (369) 255
Myosin subfragment 1, (371) 261
12-Myristate 13-acetate (PMA), (359) 137
Mytilus, (363) 37
Myxococcus xanthus, (358) 31

Na pump, (363) 75; (376) 211
Na^+ site, (363) 179
Na^+ transport, (363) 46
Na^+/Ca^{2+} exchanger, (371) 249
Na^+/glucose cotransporter trafficking, (377) 181
Na^+/H^+ antiporter, (363) 264; (371) 119; (374) 17
Na^+/H^+ exchange, (361) 145
Na^+/K^+-ATPase, (377) 21
Na^+/K^+-pump, (363) 179
Na^+/K^+-transporting ATPase, (359) 107
Na^+/Mg^{2+} antiport, (371) 52
Na^+-ATPase, (359) 255
Na–Ca exchanger, (364) 198
NAD^+ glycohydrolase, (359) 35; (371) 204; (377) 530
NADH dehydrogenase, (375) 5
NADH:ubiquinone oxidoreductase, (367) 107; (369) 173
NADH-coenzyme Q reductase, (366) 119
NADH-cytochrome b_5 reductase, (361) 97
NADH-quinone reductase, (363) 75
NADH-ubiquinone oxidoreductase, (370) 83; (375) 5; (377) 470
NAD(P)H dehydrogenase, (373) 307
NADPH oxidase, (377) 345
NAD(P)H oxidation, (365) 75
NAD(P)H:plastoquinone oxidoreductase, (367) 107
NADPH-dependent diaphorase, (361) 206
NADPH-dependent oxidoreductase, (370) 32
Na-K ATPase, (372) 119
Na^+,K^+-ATPase, (360) 67; (362) 85; (368) 169
Na,K-ATPase pump, (368) 110
Native and asialo–Tamm–Horsfall glycoproteins, (371) 32
Native DNA, (368) 27
Natriuretic peptide receptor, (360) 169
Natrobacterium pharaonis, (364) 168
Natural product screening, (357) 269
Natural variant, (374) 363
NBD, (368) 393
ncd, (368) 531

NDP kinase, (363) 311
Necrosis, (364) 264
Nedd2, (368) 69
Nedd2/Ich-1, (375) 169
nef, (365) 141
Nef protein, (357) 275
Negative dominant, (372) 49
Negative regulatory domain, (358) 89
Negative regulatory element, (365) 101
Negative stain electron microscopy, (359) 45
Nematode, (357) 265
Neoantigenic, (376) 243
Neomycin phosphotransferase, (369) 239
Neoplasm, (374) 270
Neopterin, (364) 234; (377) 461
Nephrotoxicity, (360) 277
Nerve fiber, (361) 145
Nerve growth factor, (362) 201; (364) 301; (374) 125
Neural cell adhesion molecule, (360) 1; (373) 119
Neural induction, (371) 287
Neurite outgrowth, (357) 217; (365) 227
Neuroblastoma, (369) 260; (372) 88
Neuroblastoma cell, (357) 217; (360) 5
Neuroendocrine, (360) 294; (368) 471
Neurofibrillary degeneration, (360) 132
Neurofibrillary tangle, (368) 10
Neuromuscular junction, (358) 262; (374) 393
Neuron, (363) 293
Neuron guidance, (371) 321
Neuronal differentiation, (362) 201; (370) 231; (375) 243
Neuronal expression, (368) 276
Neuropathological disease, (361) 215
Neuropeptide, (370) 227; (371) 311
Neuropeptide Y, (362) 192
Neuroprotection, (374) 399
Neurosporene, (372) 199
Neurotoxicity, (360) 277
Neurotoxin, (370) 163; (375) 162; (376) 41; (377) 201
Neurotransmission, (361) 196
Neurotransmitter, (377) 201
Neurotransmitter release, (361) 101
Neurotransmitter transporter, (375) 99
Neurotrophin receptor, (374) 216
Neutron scattering, (374) 141
Neutrophil, (361) 206; (368) 173; (371) 300; (372) 233; (373) 189; (377) 309
Neutrophil granulocyte, (375) 79
Neutrophil respiratory burst, (376) 164
NF-κB, (361) 89; (363) 105; (367) 205; (369) 113; (371) 181; (371) 333; (372) 181; (377) 21
NGF, (360) 106
NGF receptor, (374) 216
N-glycan branching, (363) 280
NhaA, (363) 264
Ni-chelate chromatography, (368) 148
Nicotiana plumbaginifolia, (370) 197
Nicotiana tabacum, (364) 33; (374) 203
[^{3}H]Nicotine, (365) 79
Nicotinic acetylcholine receptor, (360) 261
Nicotinic receptor, (362) 15
Nicotinic receptor subtype, (365) 79
Nidogen binding, (365) 129
NIH 3T3 fibroblast, (357) 279; (365) 146
nir, (360) 151
Nitrate, (366) 137
Nitrate reductase, (366) 137; (370) 197; (377) 113
Nitrate transport, (370) 264
Nitric oxide, (358) 9; (360) 10; (360) 47; (360) 291; (361) 229; (361) 291; (363) 69; (363) 235; (364) 259; (364) 314; (366) 127; (368) 193; (368) 425; (369) 131; (369) 136; (370) 37; (370) 159; (370) 215; (371) 86; (371) 99; (372) 229; (374) 228; (374) 249; (376) 207; (377) 461
Nitric oxide electrode, (376) 262
Nitric oxide reductase, (371) 73
Nitric oxide synthase, (357) 178; (365) 120; (368) 336; (371) 333; (372) 229; (374) 399
Nitric oxide synthase (inducible), (357) 121
Nitrilase, (367) 275
Nitrile hydratase, (358) 9
Nitrite reductase, (371) 73
Nitrogen fixation, (361) 225
Nitrogen oxide, (374) 228
Nitrogen source transport, (359) 215
Nitrogen-fixation, (357) 79
8-Nitroguanine, (376) 207
p-Nitrophenyl-*N*-acetyl-α-D-neuraminic acid, (372) 148
S-Nitrosoglutathione, (360) 47
Nitrotyrosine, (363) 235; (364) 279; (374) 105
Nitroxide, (367) 137
NK2 neurokinin receptor, (375) 183
N-linked glycosylation, (368) 230
N-linked oligosaccharide, (358) 323; (360) 1
Nm23, (363) 311
NMR, (357) 301; (358) 17; (358) 193; (360) 125; (361) 157; (362) 261; (362) 333; (363) 61; (366) 6; (367) 67; (368) 519; (370) 46; (372) 135; (372) 203; (372) 288; (374) 117; (374) 257; (375) 108
NMR, ^{1}H, (367) 137; (368) 267
NMR spectroscopy, (366) 1; (369) 305; (370) 175; (374) 387
NMR structure, (370) 163
2D NMR, (368) 526; (373) 239
NO release, (357) 121
NO synthase, (359) 251; (360) 291; (374) 295
Nod factor, (368) 536
NOE, (368) 519
Non-denaturing IEF, (358) 129
Non-enzymatic glycosylation, (364) 182; (371) 81
Nongenomic steroid effect, (364) 83
Non-heme iron, (358) 9
Non-lamellar phase, (368) 143
Non-photosynthetic tissue, (359) 50
Non-selective cation channel, (358) 297
Nonsteroidal anti-inflammatory agent, (366) 143
Nontoxic-nonhemagglutinin, (376) 41
Non-uniform translation, (376) 195
nor, (360) 151
Northern blot, (363) 285
Northern blot analysis, (360) 235
Northern blot hybridization, (377) 221
Novel sequence in pullulanase, (369) 243
NPR2, (359) 215
6-*n*-Propyl-2-thiouracil, (374) 192
NPY, (362) 192
nqr operon, (363) 75
NS3 protein, (376) 221
NSCL, (374) 279
NSF, (369) 80
N-terminal positions, (370) 23
N-terminal sequence, (369) 255; (370) 15
N-Terminal signal sequence, (360) 310
N-terminus, (357) 297; (367) 237
NTH1, *YBR0106* and *ATH1*, (360) 286
Nuclear envelope, (365) 108
Nuclear extract, (358) 137
Nuclear factor B, (364) 218
Nuclear factor κB, (364) 298
Nuclear import, (368) 415
Nuclear localization sequence, (369) 107
Nuclear localization signal, (366) 43
Nuclear location signal, (368) 415
Nuclear magnetic resonance, (359) 113; (359) 184; (363) 90; (366) 99; (377) 363
Nuclear magnetic resonance spectroscopy, (365) 172
Nuclear morphology, (377) 9
Nuclear Overhauser enhancement spectroscopy, (377) 301
Nuclear pore complex, (369) 107
Nuclear pore-targeting complex, (368) 415
Nuclear–mitochondrial interaction, (368) 505
Nucleic acid, (375) 174
Nucleobindin, (373) 155
Nucleocapsid protein, (361) 85
Nucleocytoplasmic transport, (357) 173
Nucleophilic substitution, (358) 171
Nucleoporin, (369) 107
Nucleoside diphosphate kinase, (364) 63
Nucleosome, (358) 13; (361) 149; (369) 118
Nucleosome positioning, (364) 17
Nucleotide, (358) 251

Nucleotide binding, (359) 123; (359) 159; (363) 189; (366) 87
Nucleotide binding site, (366) 29; (377) 408
Nucleotide exchange factor, (368) 49
Nucleotide peptide, (357) 235
Nucleotide sequence, (358) 182; (363) 75; (365) 108; (365) 152; (365) 198; (369) 233
Nucleotide-binding motif, (369) 233
Nucleotidyl transferases, (377) 258
Nucleus, (360) 315; (377) 67
Nucleus transport, (369) 107
Null mutation, (357) 265
Number of epitopes, (359) 9
Nutrition, (362) 257

O_2 activation, (362) 5
^{18}O incorporation, (364) 215
O_{640} intermediate, (359) 65
^{18}O labeling, (364) 41
ob Gene, (371) 324; (373) 13; (373) 131
ob mRNA, (368) 488
ob (obese) gene, (368) 488
ob/*ob* mouse, (368) 488
Obesity, (371) 324
Octadecaneuropeptide, (362) 106
Odorant, (359) 41
1α, 25-$(OH)_2D_3$, (370) 78
Okadaic acid, (357) 197; (370) 184
^{18}O-labelling, (371) 21
Oleoyl-amide, (377) 82
Olfactory bulb, (362) 75
Olfactory neuron, (359) 41
Oligodendrocyte (rat), (368) 393
Oligodeoxynucleotide, (368) 97
Oligomannose, (363) 53
Oligomerization, (359) 35; (363) 145; (371) 57
Oligomycin, (363) 179
Oligonucleotide, (368) 315; (369) 287
Oligosaccharide, (358) 205; (363) 280
Oligosaccharide hydrolysis, (358) 57
Oligosaccharyl transferase, (362) 229
Oncogene, (357) 27
Oncogenesis, (375) 31
Oncostatin M, (359) 262
Oocyte, (358) 301; (368) 389; (371) 307
Oocyte expression, (367) 127
Open time correlation, (370) 113
Ophiostoma, (374) 208
Opiate, (376) 11
Opioid dipeptide, (377) 363
Opioid κ-receptor, (361) 106
Opioid receptor, (357) 93; (359) 142; (361) 70; (364) 23; (369) 192; (373) 177; (375) 1; (375) 201
Opioid receptor (δ, μ, κ) (369) 272
Opioid receptor transcript, (369) 272
δ-Opioid receptor, (376) 11
κ-Opioid receptor, (360) 97
Organelle, (358) 149
Organic hydroperoxide, (373) 299
Orientation, (377) 419
Ornithine decarboxylase, (377) 321
Orphan receptor, (375) 121
Osmolyte, (377) 47
Osmoregulation in fission yeast, (376) 199
Osmotic stress, (364) 229; (373) 123
Osteoblast, (373) 1
Osteoclast, (361) 79
Ouabain, (377) 21
Ouabain-like compound, (360) 67
Outer membrane phospholipase, (373) 10
Outward rectification, (373) 170
Ova, (357) 98
Ovarian cancer, (357) 255
Ovarian cycle, (374) 184
Overall control coefficient, (368) 1
Overexpression, (361) 111; (363) 33; (369) 158; (369) 229
Ovine, (377) 519
Oxidant, (372) 233
Oxidant stress, (357) 161
Oxidation, (357) 135; (362) 197; (375) 45
β-Oxidation, (367) 198
Oxidative DNA damage, (358) 1; (364) 255; (371) 86
Oxidative phosphorylation, (366) 29
Oxidative stress, (371) 94; (371) 209; (373) 299
Oxidative stress protein, (368) 239
Oxidised low density lipoprotein, (374) 12
Oxidized LDL, (357) 135; (358) 175; (362) 197; (366) 75; (377) 309
Oxidized low density lipoprotein, (368) 239; (374) 12
Oxidized-LDL, (372) 1
2-Oxoacid dehydrogenase complex, (371) 167
2-Oxo acid dehydrogenase, (373) 259
1-Oxo-indanoyl-(iso)leucine, (377) 523
2-Oxoglutarate, (371) 167
Oxyanion hole, (362) 151
8-Oxoguanine, (376) 207
Oxygen, (367) 180; (370) 203
Oxygen activation, (367) 56
Oxygen binding, (364) 9
Oxygen evolution, (367) 173
Oxygen evolving complex, (360) 251; (375) 223
Oxygen intermediate, (359) 27
Oxygen radical, (361) 22; (365) 66; (369) 131
Oxygen sensor, (369) 136
Oxygen transfer catalysis, (362) 5
Oxygen uptake, (376) 65
Oxygenation, (372) 126
Oxysterol, (357) 135
Oxytocin, (373) 35
Oxytocin receptor, (370) 227
Ozone, (363) 285

P_i binding protein (*E. coli*), (364) 59
P_1 residue, (368) 471
p16, (373) 164
P2, (372) 135
$p21^{WAF1/CIP1}$, (357) 290; (362) 295
p220 cleavage, (377) 1
P2-purinoceptor, (375) 129
$p34^{cdc2}$ kinase, (375) 249
P450 61, (377) 217
P450IA1, (365) 101
p53, (358) 161; (368) 348; (374) 384; (377) 295
$p72^{syk}$, (367) 149
PACAP, (362) 75
PAF-acetylhydrolase, (357) 7
PAI-1, (376) 243
Paired helical filament, (358) 4; (358) 267; (368) 10; (372) 65
Palmitic acid, (371) 283
Palmitoyl CoA, (364) 143
Palmitoylation, (371) 241
Pancreas, (368) 45
Pancreatic β-cell, (367) 61; (367) 193; (377) 338
Pancreatic cancer cell line, (373) 85
Pancreatic islet cell, (364) 259
Pancreatic phospholipase A_2 (PLA_2), (373) 85
Pancreatic secretory trypsin inhibitor, (372) 69
Pantetheine, (357) 212
PAP, (373) 115
Papain, (361) 185
Paracoccus, (371) 267
Paracoccus denitrificans, (360) 151
Paralichthys olivaceus, (360) 197
Parallel DNA triplex, (367) 81
Paramagnetic mapping, (367) 137
Parasitism, (376) 185
Parathyroid, (364) 67
Pargyline, (358) 145
Parkinsonism, (377) 201
Partial hepatectomy, (362) 220
Parvalbumin, (375) 137
Pasteurella multocida, (360) 62
Patch clamp, (365) 1; (373) 30; (373) 103; (373) 127; (375) 215
Pathological chaperone, (371) 110
Paxillin, (362) 201; (368) 343
Pb^{2+}, (377) 390
PC12, (362) 201
PC12 cell, (357) 290; (360) 106; (368) 276

PC2, (362) 151; (371) 154
PC2 convertase, (364) 91
PCR, (357) 255; (359) 211; (370) 11; (371) 287; (373) 203; (375) 125; (376) 41
PDGF-R, (372) 49
PECAM1, (374) 323
Pentobarbital, (374) 412
Pentose-5-phosphate 3-epimerase, (377) 349
Pepsinogen, (357) 58
Peptic hydrolysate, (364) 115
Peptide, (358) 97; (362) 65; (368) 257; (371) 283; (371) 341; (372) 185
Peptide α-amidation, (366) 165
Peptide antibiotic, (357) 235
Peptide antigenicity, (361) 176
Peptide blocking, (374) 125
Peptide bond cleavage, (371) 171
Peptide conformation, (361) 176; (362) 243; (368) 526
Peptide–enzyme complex, (372) 131
Peptide fragment, (371) 171
Peptide insertion, (370) 189
Peptide library, (361) 85
Peptide–lipid interaction, (375) 239
Peptide nucleic acid, (365) 27
Peptide–phospholipid interaction, (358) 133
Peptide-protein interaction, (375) 108
Peptide purification, (373) 207
Peptide synthetase, (357) 212; (373) 303
Peptide transport, (370) 264
Peptidoglycan metabolism, (366) 115
Peptidomimetic, (359) 113
Peptidyl-prolyl *cis/trans* isomerase, (365) 198; (372) 169
Peptidyl-prolyl-*cis/trans*-isomerase, (371) 47
Peribacteroid membrane, (361) 225
Peripheral blood mononuclear cell, (364) 293
Permeability, (374) 312
Permeability transition, (371) 258
Permeability transition pore, (365) 75; (368) 101
Peroxidase, (367) 28; (367) 241; (371) 132; (375) 273
Peroxisomal matrix protein, (368) 293
Peroxisome, (357) 115; (358) 230; (359) 179; (367) 198
Peroxisome (human), (377) 213
Peroxisome proliferator response element, (360) 183
Peroxisome proliferator-activated receptor, (360) 183
Peroxynitrite, (363) 235; (364) 314; (369) 131; (371) 86; (372) 229; (376) 207
Pertussis toxin, (364) 211; (366) 11
PG-5, (368) 197
Δ^{12}-PGJ_2, (368) 348
P-Glycoprotein, (360) 165; (368) 385; (373) 285; (377) 285
PgsA, (364) 157
pH, (361) 123; (375) 193
pH dependence, (368) 551
PH domain, (362) 286
pH sensor, (363) 264
Phage, (361) 85
Phage adsorption, (366) 46
Phage display, (377) 227
Phage T5, (374) 169
Phagocytosis, (373) 189
Phalloidin, (369) 144
1, 10-Phenanthroline, (362) 39
Phase partition, (364) 276
Phase separation, (361) 135
Phaseolus lunatus, (377) 523
Phenethyl alcohol, 4-hydroxy, (365) 10
Phenobarbital, (366) 159
Phenolic compound, (365) 10
Phenylalanine, (358) 293; (364) 272
Phenylalanine dehydrogenase, (370) 93
Phenylalanine hydroxylation, (357) 62
Phenylalanyl-tRNA synthetase, (358) 293; (364) 272
Phenylarsine oxide, (368) 377
Phenylephrine, (368) 165
Phenylglyoxal, (360) 93
Phenylpropanoid metabolism, (368) 188
Pheochromocytoma, (368) 411
Pheromone receptor, (367) 122
PHF, (365) 42; (366) 81
Pho box, (357) 16
Phoborhodopsin, (364) 168
Phopholipase A_2, (375) 79
Phorbol ester, (358) 73; (363) 13; (364) 203; (371) 185; (374) 415; (376) 99; (377) 87
Phosopholipase A_2, (359) 133
Phosphatase, (373) 123; (376) 58
Phosphatidyl inositol 4-kinase, (361) 282
Phosphatidylbutanol, (364) 250
phosphatidylcholine, (364) 301; (365) 146
Phosphatidylethanolamine, (365) 146
Phosphatidylethanolamine synthesis, (360) 165
Phosphatidylethanolamine-binding protein, (369) 22
Phosphatidylinositol 3-kinase, (357) 279; (361) 51; (368) 160; (373) 51; (376) 74; (376) 141
Phosphatidylinositol glycan-class A gene (PIG-A), (361) 295
Phosphatidylinositol synthase, (377) 271
Phosphatidylinositol-3 kinase, (358) 243; (361) 79; (366) 122
Phosphatidylinositol-4,5-bisphosphate, (376) 172
Phosphatidylinositol-specific phospholipase C, (360) 34; (360) 34
Phosphatidylinositol-specific phospholipase C (PIPLC), (361) 295
Phospho*enol*pyruvate carboxykinase, (360) 207; (362) 70
Phosphoenolpyruvate carboxylase, (375) 95; (377) 399
Phosphofructokinase, (374) 100
Phosphofructokinase (yeast), (363) 17
Phosphoglycerate mutase, (359) 192
Phosphohistidine, (364) 51
Phosphohistidine protein, (364) 63
Phosphoinositide, (361) 282
Phosphoinositide hydrolysis, (364) 45
Phospholamban, (373) 71
Phospholipase, (372) 131
Phospholipase A_2, (364) 218; (365) 125; (367) 228; (374) 17; (377) 358
Phospholipase C, (358) 287; (361) 106; (361) 243; (365) 125; (365) 155; (372) 173; (372) 243; (377) 333
Phospholipase Cγ, (368) 377
Phospholipase C-γ1, (358) 105
Phospholipase C-γ2, (358) 105
Phospholipase D, (361) 162; (363) 13; (364) 250; (365) 125; (365) 146; (373) 189
Phospholipid, (357) 7; (360) 255; (363) 269; (368) 143; (371) 123; (374) 403
Phospholipid biosynthesis, (370) 149
Phospholipid hydroperoxide glutathione peroxidase, (366) 151
Phospholipid molecular species, (364) 250
Phospholipid monolayer, (357) 75
Phospholipid-binding protein, (369) 22
Phosphomannomutase, (377) 318
Phosphoprotein phosphatase, (364) 51
Phosphorothioate oligonucleotide, (366) 146
Phosphoryl transfer, (363) 22; (368) 289
Phosphorylase, (362) 101
Phosphorylase kinase, (362) 271
Phosphorylation, (357) 149; (357) 197; (357) 251; (358) 142; (360) 137; (362) 185; (363) 170; (363) 246; (364) 185; (365) 42; (367) 223; (367) 301; (368) 10; (371) 149; (373) 111; (373) 135; (374) 367; (375) 243; (376) 87; (377) 131
Phosphorylation of tau, (360) 132
Phosphorylation site, (377) 113
Phosphoserine, (377) 113
Phosphotransferase system, (374) 161
Phosphotyrosine, (364) 223
Phosphotyrosine protein phosphatase, (374) 249; (375) 235
Phosphotyrosine tyrosine phosphatase, (372) 49
Phosporylated oligomannosidic glycan, (365) 203
Photoactivation, (358) 9
Photoactive yellow protein, (374) 157
Photoaffinity cross-linking, (377) 408
Photochromism, (375) 113
Photo-CIDNP, (372) 135
Photocycle, (373) 81; (377) 330
Photocycle model, (357) 156
Photoelectric signal, (377) 419
Photoinduced electron transfer, (374) 426
Photoinhibition, (362) 235; (364) 239; (371) 61
Photolabeling, (364) 143; (375) 188
Photolysis, (375) 113
Photomorphogenesis, (370) 146

Photoreception, (376) 87
Photoreceptor, (377) 333
Photoreceptor protein, (374) 157
Photosynthesis, (362) 1; (362) 235; (363) 137; (365) 30; (368) 263; (370) 88; (370) 241; (375) 223
Photosynthetic apparatus, (367) 158
Photosynthetic bacterium, (374) 130
Photosystem I, (362) 235
Photosystem II, (357) 55; (360) 251; (363) 137; (363) 251; (364) 239; (367) 173; (370) 241; (371) 195; (375) 223; (377) 325
Phototaxis, (364) 276
Phylogenetic tree, (361) 17; (367) 275; (377) 98; (377) 399
Phylogeny, (357) 187
Physarum polycephalum, (363) 145
Phytanic acid, (359) 179; (377) 213
Phytochrome, (370) 146
Phytohormone, (362) 215; (365) 10
PI 3-kinase, (367) 272
PI(3)-kinase, (369) 52
Pichia pastoris, (377) 451
Picornavirus, (374) 327
Pig brain, (375) 117
Pig heart, (373) 71
Pig plasma protein, (371) 227
Pineal gland, (375) 148
Pinealocyte, (367) 233
Pinosylvin, (361) 299
Pinus strobus, (361) 299
Pisum sativum, (360) 15; (367) 19
Pituitary, (377) 37
Pituitary gland, (364) 79
PKC, (363) 293; (366) 143; (374) 367
PKC γ, (368) 276
PKC inhibitor, (359) 259
PKC isotype, (373) 146
Plant, (370) 264
Plant DNA virus, (377) 258
Plant mitochondria, (362) 10; (365) 7; (368) 339; (371) 258; (373) 56; (374) 152
Plant photoreceptor, (357) 149
Plant signal transduction, (357) 149
Plant viral 3′-UTR, (360) 281
Plasma glycoprotein, (357) 207
Plasma kallikrein, (357) 207
Plasma membrane, (367) 201; (370) 264; (373) 170; (374) 43; (374) 203; (377) 181
Plasma membrane fatty acid-binding protein ($FABP_{pm}$), (375) 227
Plasma membrane protein, (364) 276
Plasma protein binding, (373) 97
Plasminogen activator, (377) 290
Plasminogen activator inhibitor, (376) 243
Plasminogen activator inhibitor type-1, (361) 118
Plastid, (372) 199; (374) 351
Platelet, (358) 240
Platelet aggregation, (363) 231; (364) 87; (374) 48; (375) 15
Platelet factor 4, (357) 301
Platelet-derived growth factor, (358) 311
Platelet-derived growth factor (PDGF-AB, PDGF-BB), (374) 375
Platelet-derived growth factor (PDGF-B/c-sis), (357) 1
Platelet-derived growth factor-β, (368) 377
Platinum complex, (370) 193
PLCβ, (364) 45
PLCβ1, (375) 183
Pleckstrin homology, (377) 243
plsX gene, (368) 429
PMA, (358) 105; (374) 367
PMN serine protease, (374) 29
PNA, (363) 115
Pneumolysin, (371) 77
Point mutation, (367) 315; (368) 405
Poliovirus, (367) 5; (371) 4; (377) 1
Poliovirus protease 2A, (371) 4
Poly (ADP)-ribose polymerase, (375) 283
Poly(A) tail size, (373) 35
Poly(ADP-ribose) polymerase, (364) 103
Polyamine, (363) 157; (365) 61; (368) 27; (377) 321
Poly(arabitol phosphate) teichoic acid, (371) 163
Polychlorinated biphenyl, (374) 403
Polyclonal antibodies for C3c and C3d fragments of human complement (C3), (372) 291
Polyclonal antiserum, (374) 195
Polyethylene glycol, (368) 559
Polyglutamylation, (364) 147
Polyglycylation, (364) 147
Polyheme cytochromes *c*, (373) 280
Polyketide synthase, (361) 299; (374) 246
Polymerase chain reaction, (359) 203; (362) 80; (363) 165; (367) 145; (368) 500
Polymorphism, (359) 211; (370) 11
Polymorphonuclear leukocyte, (359) 229; (369) 301; (372) 161
Polymorphonuclear neutrophil, (374) 29
Poly-(*N*-acetyllactosamino)glycan, (367) 67
Polypeptide conformation, (362) 261
α-Polypeptide, (368) 243
β-Polypeptide, (368) 243
Poly(Phe) synthesis, (357) 19
Polyphenol oxidase, (371) 195
Polyphosphoinositide, (365) 155
Polyphosphoinositide metabolism, (362) 106
Polyproline, (369) 67
Polyprotein, (363) 175
Polypurine–polypyrimidine, (370) 153
Polysaccharide structure, (368) 113
Polysialic acid, (360) 1
Polysialic acid synthase, (373) 119
Polysialyltransferase, (373) 119
Polysome, (373) 76
Poly(U), (376) 221
Polyunsaturated fatty acid, (376) 15
poly[d(A-C)]·poly[d(G-T)], (358) 27
POM, (374) 113
POMC cleavage, (371) 154
'Poor-heat-shock-recovery' phenotype, (360) 286
Pora, (371) 258
Porcine leukocyte, (362) 65
Pore formation, (375) 134
Pore-forming protein, (367) 5
Pore-forming toxin, (371) 77
'Porin 31HL'
Porphobilinogen deaminase, (372) 264
Porphyrin, (375) 273
Portal vein, (368) 36
Positional specificity, (367) 12
Post-golgi secretory vesicles, (373) 269
Postnatal development, (359) 81
Post-transcriptional regulation, (367) 89; (367) 291; (370) 203
Post-translational activation by the substrates, (357) 145
Post-translational modification, (362) 50; (364) 207; (366) 92
Potassium, (359) 101
Potassium channel, (361) 13; (370) 32; (374) 135; (377) 383
Potassium channel inhibitor, (368) 485
Potassium current, (373) 127
Potato virus Y, (372) 165
Potential sensitive dye, (376) 167
Potentiometric titration, (374) 265
Poxvirus, (371) 9
PPIase, (371) 47
PPO, (371) 176
PPR1, (358) 278
PQQ (pyrroloquinoline quinone), (364) 325
PR-39, (376) 130
pRb, (373) 164
Prealbumin, (360) 177
Pre-α-trypsin inhibitor, (374) 195
Precursor processing, (362) 276
Precursor protein, (367) 19
Pregrammed DNA fragmentation, (358) 211
Preimplantation embryo, (375) 125
Pre-irradiated solutions, (366) 49
cis-Prenyltransferase, (358) 230
P_i-release, (369) 144
Prelevansucrase, (360) 307
Preprocathepsin C, (369) 326
Preprolactin mRNA, (359) 206
Pressure, (370) 212
Pre-steady state kinetics, (362) 189

Pre-steady-state, (358) 293
Presynaptic protein, (368) 455
prICE/CPP32/Yama/ apopain, (375) 169
Primary cell culture, (374) 179
Primary cultured neuron, (376) 238
Primary electron donor P, (357) 239
Primary response gene, (368) 160
Primary sequence, (365) 183
Primary structure, (377) 145
Pristanic acid, (359) 179
Pro sequence, (362) 319
Probucol, (358) 175
Procarboxypeptidase A, (367) 211
Procathepsin L, (370) 78
Processing, (358) 39; (362) 143; (364) 1
Processing activity, (367) 112
Processing by Yap3, (364) 91
Procine, (358) 240
Prodigiosin 25-C, (359) 53
Progenitor toxin, (376) 41
Progesterone, (364) 83; (376) 151
Proglucagon processing, (372) 269
Proglycogen, (362) 271
Programmed cell death, (361) 229; (363) 304; (368) 69; (376) 247
Prohibitin, (358) 273
Prohormone, (361) 8
Prohormone processing enzyme, (368) 471
Prokaryote, (357) 79
Prolactin, (358) 158
Prolactin receptor, (358) 84
Prolactin secretion, (367) 127
Prolamin, (372) 103
Proliferating cell nuclear antigen, (363) 132
Proliferation, (357) 1; (364) 5; (364) 120; (372) 44; (373) 85; (375) 69
Proline, (359) 215; (372) 13
cis-Proline, (372) 203; (374) 21
Proline-rich, (362) 65
Promastigote, (361) 123
Promoter, (362) 210; (362) 215; (365) 108; (368) 276; (373) 159; (374) 279
Promoter control, (362) 301
Promoter region, (377) 413
Promoter sequence, (371) 181
Proopiomelanocortin, (361) 8
Prooxidants, (368) 513
n-Propanol, (361) 29
Property, (359) 107
Prophenin, (376) 130
Propofol, (357) 83; (368) 101
Proproteinase E, (367) 211
Prostaglandin, (360) 85; (368) 225; (372) 108
Prostaglandin E, (360) 75; (364) 339; (372) 83; (372) 151
Δ^{12}-Prostaglandin J_2, (372) 279
Prostanoid EP_2 receptor, (372) 151
Prostanoid receptor, (364) 339
Prostate cancer, (363) 226; (369) 290
Protease, (358) 101; (361) 61; (364) 1; (364) 134; (377) 267
Protease 2A, (377) 1
Protease inhibitor, (357) 242; (362) 93; (364) 139; (371) 264
Protease sensitivity, (374) 199
Protease Ti, (377) 41
Proteases inhibitor, (377) 9
Proteasome, (359) 1; (359) 173; (366) 37; (367) 39; (376) 155
Proteasome activator PA28, (366) 37
26S Proteasome, (363) 151
Protegrin, (368) 197; (376) 130
α, β, $\alpha + \beta$, α/β Protein, (363) 127
Protein, (363) 65; (369) 34; (371) 283; (374) 53
Protein aggregation, (358) 185; (359) 93
Protein assembly, (368) 293
Protein biosynthesis, (365) 214; (368) 49
Protein C, (365) 219; (367) 153
Protein–carbohydrate interaction, (370) 245; (372) 96
Protein–carbohydrate recognition, (366) 57
Protein carbonyl, (364) 279
Protein characterization, (363) 37
Protein–chromophore interaction, (362) 34
Protein conformation, (359) 31; (371) 171
Protein crystal, (373) 39
Protein crystallization, (364) 243; (367) 211
Protein degradation, (371) 171; (377) 249
Protein denaturation, (367) 297
Protein disulfide isomerase, (357) 305; (369) 212; (372) 210; (377) 505
Protein–DNA interaction, (363) 61
Protein electrostatics, (360) 89
Protein engineering, (359) 31; (361) 179; (364) 325; (367) 241; (377) 131
Protein expression, (373) 296; (374) 356
Protein fold recognition, (358) 283; (371) 199
Protein folding, (357) 301; (357) 305; (358) 247; (359) 6; (359) 123; (359) 129; (359) 195; (360) 255; (361) 55; (364) 175; (366) 6; (366) 99; (368) 435; (369) 76; (372) 210; (372) 215; (372) 288; (374) 105; (374) 356; (375) 211; (375) 231; (376) 195; (377) 481; (377) 505
Protein fragment, (362) 266
Protein fragmentation, (364) 279
Protein G, (366) 99
Protein glycosylation, (362) 229; (370) 41; (377) 318
Protein HC, (362) 50
Protein histidine phosphatase, (364) 51
Protein identification, (369) 122; (376) 91
Protein import, (357) 202; (360) 310; (361) 35; (364) 305; (367) 19; (374) 152
Protein kinase, (358) 4; (358) 199; (358) 267; (364) 120; (364) 185; (364) 223; (365) 137; (372) 59; (372) 279; (373) 217; (375) 289
Protein kinase A, (367) 263; (369) 315; (375) 37; (377) 413
Protein kinase C, (359) 60; (359) 137; (359) 259; (363) 13; (364) 87; (364) 203; (364) 301; (367) 223; (367) 301; (368) 373; (369) 263; (373) 135; (374) 17; (374) 415; (375) 69; (375) 99; (376) 77; (377) 87; (377) 159
Protein kinase C inhibition, (362) 139
Protein kinase C (mouse), (372) 189
Protein kinase C subspecies expression changes, (372) 33
Protein kinase CK1, (369) 57
Protein kinase CK2, (363) 111
Protein kinase inhibitor, (364) 229
Protein kinase M, (367) 223
Protein kinase N, (360) 106
Protein–ligand interaction, (360) 111
Protein–lipid interaction, (358) 251
Protein methylation, (360) 57
Protein modelling, (364) 45
Protein modelling, (357) 50
Protein module, (369) 67
Protein NMR, (365) 172; (369) 197
Protein *O*-glycosylation, (377) 128
Protein oxidation, (362) 165; (374) 85
Protein PAB, (374) 257
Protein phosphatase, (362) 101; (368) 39; (371) 236; (373) 30; (374) 237; (375) 75; (375) 294; (375) 299; (376) 238; (377) 123; (377) 295
Protein phosphatase-1, (364) 67
Protein phosphatase-2A, (377) 421
Protein phosphatase-2C, (377) 421
Protein phosphorylation, (357) 161; (358) 23; (359) 192; (360) 5; (360) 106; (362) 70; (363) 111; (364) 309; (368) 211; (368) 411; (368) 563; (370) 175; (371) 236; (375) 289; (377) 439
Protein processing, (363) 211
Protein–protein interaction, (368) 441; (369) 67; (375) 15
Protein purification, (377) 167
Protein reactivation, (368) 293
Protein refolding, (360) 52
Protein secretion, (362) 29; (367) 201
Protein-serine/threonine kinase, (376) 31
Protein Ser/Thr kinase, (366) 11
Protein serine/threonine phosphatase, (370) 184
Protein solvation, (366) 6
Protein sorting, (375) 307
Protein stability, (364) 165; (370) 273
Protein structure, (361) 8; (373) 141; (374) 141; (375) 162
Protein structure prediction, (357) 103; (364) 319
Protein structure, tertiary, (376) 31
Protein superfamily, (376) 251
Protein synthesis, (357) 287; (359) 262; (370) 123; (372) 249
Protein synthesis inhibition, (360) 299
Protein synthesis regulation, (363) 273
Protein targeting, (370) 69; (372) 253; (373) 45
Protein threading, (373) 13
Protein topology, (369) 76

Protein trafficking, (357) 98
Protein translocation, (358) 251; (364) 157; (371) 145
Protein transport, (368) 263; (369) 97
Protein-tyrosine kinase, (363) 101; (363) 231; (374) 48
Protein-tyrosine phosphatase, (358) 233; (364) 5; (372) 113; (372) 173
Protein tyrosine phosphorylation, (370) 127
Protein unfolding, (367) 297
Protein/rRNA parallels, (367) 306
14-3-3 Protein, (368) 321; (374) 77
Proteinase, (357) 247
Proteinase 3, (374) 29
Proteinase inhibitor, (359) 78; (377) 172
Proteolipid, (377) 465
Proteoliposome, (365) 18; (368) 253; (374) 72
Proteolysis, (359) 173; (361) 115; (363) 17; (363) 293; (365) 149; (368) 151
Proteolytic activation, (362) 220
Proteolytic cleavage, (357) 275
Proteolytic degradation, (367) 219
Proteolytic digestion, (360) 255
Proteolytic inhibition, (362) 276
Proteolytic processing, (360) 294; (371) 149
Prothoracicotropic hormone, (376) 251
Prothymosin α, (359) 15; (366) 43; (371) 337
Proton pump, (368) 253; (370) 53
Proton pumping, (359) 27
Proton transfer, (358) 142
Proton translocation mechanism, (357) 156
Proton transport, (377) 330
Protonmotive force, (358) 142
Proton-translocating ATPase, (371) 127
Protostomia, (360) 223
Provirus, (375) 31
Proximal histidine, (374) 39
Pseudo symmetry, (368) 49
Pseudoazurin, (368) 432
Pseudomonas aeruginosa, (365) 152; (367) 275; (371) 73; (377) 145
Pseudomonas solanacearum, (369) 239
PSII reaction center, (363) 65
Psoralen, (372) 222; (374) 287
Pteridine, (364) 234
Pterin, (360) 177
Pterin cofactor, (357) 37
PTH, (370) 78
PTH secretion, (364) 67
PTS2, (357) 115
P-type, (362) 15
P-type ATPase, (359) 101
PufQ protein, (372) 264
Pullulanase, (369) 243
Pulmonary surfactant, (362) 261
Purification, (358) 316; (362) 70; (362) 171; (362) 319; (367) 49; (369) 229; (370) 15; (371) 315; (377) 217; (377) 530
Purine nucleoside phosphorylase, (367) 214
N(7)-β-D-Purine nucleoside, (367) 214
Purine receptor, (375) 129
Purine–pyrimidine–purine sequence, (367) 81
Purple acid phosphatases, (367) 56
Purple membrane, (359) 65; (377) 330
Putative ATPase family, (363) 151
Putrescine, (357) 192
Pycnoporus cinnabarinus, (376) 202
Pyrococcus furiosus, (368) 117
Pyrroline-5-carboxylate synthetase, (372) 13
Pyruvate, (371) 167
Pyruvate carboxylase, (377) 197
Pyruvate decarboxylase, (375) 220
Pyruvate dehydrogenase, (364) 185
Pyruvate dehydrogenase complex, (373) 111

Q intermediate, (359) 65
Qβ phage RNA, (359) 89
Quantal Ca^{2+} release, (368) 248
Quantal mitosis, (358) 126
Quaternary structure, (359) 20; (374) 82
Queuosine, (361) 259
Quiescence, (372) 33
Quinacrine mustard, (359) 69
Quinidine, (375) 193
Quinol oxidation, (374) 265
Quinone binding protein, (367) 1
Quinternary complex, (358) 71

R358 α1-antitrypsin, (365) 219
Rab protein, (366) 65; (376) 113
Rab3, (377) 109
Rab5 isoform, (366) 65
Rabbit, (375) 67; (377) 73
Rabbit chondrocyte, (360) 75
Rabbit heart, (372) 20
Rabbit skeletal muscle, (367) 132
3′ RACE, (377) 519
5′-RACE, (360) 191
Radical cation, (370) 241
Radioligand binding, (361) 243
Raf, (368) 183; (369) 52
Raf kinase, (368) 55
Raf-1, (368) 321; (375) 37; (377) 497
Rainbow trout, (377) 37
ralGDS, (375) 37
RalGEF, (369) 52
Raman, (368) 23
Ran/TC4, (369) 107
RANTES/ MIP-1α receptor, (376) 19
*rap*1 p21, (375) 37
Rapamycin, (358) 158
Rape, (374) 225
Rapid, (374) 53
Rapid kinetics, (359) 27
Rare codons, (376) 195
Ras, (357) 279; (368) 183; (368) 297; (369) 47; (369) 52; (377) 497
RAS oncogene, (368) 373
ras p21, (368) 321; (375) 37
Ras protein, (376) 113
*ras*GAP, (370) 127
ras-p21, (358) 283
ras-recision gene, (372) 74
ras-related GTPase, (377) 221
Rat, (359) 81; (359) 126; (361) 201; (363) 41; (364) 51; (375) 99
Rat 3Y1 fibroblast, (366) 11
Rat $\alpha_1\beta_1$ integrin, (373) 234
Rat ascites hepatoma cell, (372) 25
Rat brain, (367) 141; (377) 383
Rat brain microvessel endothelium, (374) 179
Rat brown and white adipose tissue, (373) 131
Rat cardiac myocyte, (376) 24
Rat cortical astrocyte, (367) 319
Rat ECE-1β, (371) 140
Rat hepatocyte, (360) 10; (373) 299; (374) 228
Rat hepatocyte, (357) 33
Rat insulin II gene, (362) 210
Rat liver, (361) 282; (373) 203
Rat liver macrophage, (372) 108
Rat liver mitochondrion, (366) 119
Rat lung, (363) 285
Rat peroxisomal enoyl-CoA hydratase/3-hydroxyacyl-CoA dehydrogenase, (360) 183
Rat retina, (374) 399
Rat vascular smooth muscle cell, (369) 311
Rate limiting step, (364) 59
Ratiometric fluorescence analysis, (370) 127
RCA1 (*YTA12*), (373) 66
(R_P)-cAMPS, (375) 231
rcK_{ATP}, (374) 135
Reaction center, (357) 239; (362) 235; (363) 137; (365) 30; (374) 130
Reaction mechanism, (361) 250
Reactivation, (358) 171
Reactive nitrogen species, (369) 131
Reactive oxygen intermediate, (364) 234
Reactive oxygen species, (358) 1; (359) 189; (364) 75; (374) 228
Reaper, (371) 321
RecA, (368) 64
Receptor, (357) 1; (357) 109; (358) 240; (362) 111; (364) 211; (365) 87; (365) 125; (367) 39; (369) 161; (372) 88; (374) 203; (375) 239; (376) 31
Receptor affinity, (377) 451

Receptor binding, (359) 199
Receptor crosstalk, (372) 173
Receptor down-regulation, (367) 272
Receptor for PLA_2, (373) 85
Receptor, muscarinic, (377) 275
Receptor subtype, (362) 19
Receptor tyrosine kinase, (368) 353; (370) 250; (372) 173
Receptor/hormone interaction, (360) 169
Receptor-binding, (372) 93
Receptorial peptide, (365) 13
Recombinant, (361) 211
Recombinant 12 kDa BCGF, (361) 233
Recombinant α-amylase, (363) 299
Recombinant bovine conglutinin, (376) 6
Recombinant CD4, (359) 9
Recombinant chemokine, (376) 19
Recombinant DNA, (374) 195
Recombinant expression, (375) 259
Recombinant glycoprotein, (365) 57
Recombinant hemoglobin, (374) 39
Recombinant HMG 2a, (367) 49
Recombinant human erythropoietin, (365) 203
Recombinant mRNA, (359) 89
Recombinant protein, (367) 145
Recombinant receptor, (358) 137
Recombination, (368) 64; (377) 92
Recombination junction, (363) 239
Reconstitution, (362) 126; (364) 189; (365) 18; (374) 72; (374) 157; (377) 167
Recoverin, (376) 87
Red cell, (369) 34
Redox, (359) 267
Redox potential, (357) 305; (368) 220
Redox regulation, (368) 59
Redox signalling, (372) 238
Redox state, (364) 55
Redox-active thiols, (370) 209
Reductive carboxylation, (359) 50
Refolding, (358) 101
Refolding, in vitro, (373) 296
Reg family, (377) 429
Regenerating liver, (367) 228
Regional immunity, (376) 74
Regulated secretion, (361) 8; (364) 328; (368) 271
Regulation, (357) 125; (369) 118; (374) 393; (377) 98; (377) 131
Regulation of enzyme activity, (364) 98; (369) 62
Regulation of expression, (360) 115; (360) 194
Regulatory complex, (363) 97
Regulatory sequence, (377) 413
Rel, (363) 105
Rel family, (369) 113
Relative stability, (367) 81
Relaxation, (368) 519
Renal 1α-hydroxylation, (375) 277
Renal carcinogen, (357) 165
Renal failure, (371) 300
Renaturation, (368) 64
Renaturation (in situ), (373) 71
Renin promoter, (372) 157
Rep78, (367) 267
Replication, (357) 283
Replication factor C, (363) 132
Replication initiation, (377) 258
Repression, (357) 283; (366) 131
Reptilian protein, (373) 212
Resistance, (357) 1; (368) 326; (372) 44; (374) 174
Resistance to U-90152S, (359) 233; (370) 59
Resolution, (371) 279
Resonance Raman, (377) 345
Respiration, (364) 161; (371) 267
Respiratory chain, (367) 107
Respiratory complex, (377) 470
Respiratory electron transport, (371) 89
Respiratory Na^+-pump, (369) 173
Respiratory oxidase, (371) 89
Response element, (362) 215
Restriction enzyme, (357) 192
Retention, (369) 97
Retention signal sequence, (371) 293
Retina, (357) 178; (362) 247
Retinal protein, (364) 168
Retinoblastoma, (371) 321
Retinoblastoma gene product, (367) 103
Retinoic acid, (368) 45; (368) 311; (369) 183; (370) 231
9-*cis* Retinoic acid receptor alpha, (360) 183
Retinoid, (369) 183
Retinoid X receptor α, (358) 137
Retrieval, (369) 97
Retrograde transport, (369) 89
Retrotransposon, (376) 146
Retrotransposon 1731, (357) 283; (377) 67
Retroviral vector, (365) 223
Rev-dependency, (365) 141
Reverse micelle, (360) 202
Reverse transcriptase, (357) 23; (373) 255
Reverse transcriptase-polymerase chain reaction, (367) 132; (369) 272
Reversed phase HPLC, (371) 89
RGL, (375) 37
Rheumatoid arthritis, (361) 89; (372) 83
Rhizobium, (367) 180
Rhizobium tropici, (368) 536
Rho, (363) 78; (367) 246
rho p21, (366) 11; (371) 105
Rhodamine, (372) 229
Rhodamine-phalloidin and mechanical forces, (369) 144
Rhodanese, (359) 195
Rhodobacter capsulatus, (372) 264
Rhodobacter sphaeroides, (368) 148; (374) 371
Rhodobacter sulfidophilus, (368) 243
Rhodococcus erythropolis, (367) 275
Rhodoferax fermentans, (375) 197
Rhodopsin, (362) 185; (368) 452; (376) 87
Rhodopsin family, (361) 17
Rhodopsin kinase, (376) 87
Rhodospirillum rubrum, (365) 10
Rhodotorula gracilis, (363) 307
Rhop21, (372) 25
Riboflavin carrier protein, (361) 176
Ribonuclease, (359) 31; (360) 187
Ribonuclease A, (364) 175
Ribonuclease Bp, (357) 16
Ribonuclease H, (368) 315
Ribonucleotide reductase, (358) 67; (368) 441; (374) 95
Ribosomal control, (357) 287
Ribosomal protein, (369) 229
Ribosomal protein gene, (368) 429
Ribosomal protein S6, (375) 289
Ribosomal protein S7, (369) 158
Ribosomal RNA, (357) 287; (370) 123
Ribosomal S6 kinase, (358) 199
Ribosome, (367) 280; (370) 222
Ribosome-inactivating protein, (360) 299; (373) 115
Ribozyme, (361) 273; (362) 156; (368) 304
Rice, (358) 62
Ricinus communis, (368) 559
RIE-1 epithelial cell, (368) 160
Rieske, (359) 239; (361) 75
RINm5F cells, (371) 253
RKIN1, (377) 189
RNA-binding, (376) 221
RNA-binding domain, (362) 333
RNA-binding protein, (359) 267; (367) 291
RNA-dependent RNA polymerase, (371) 219
RNA-duplex unwinding, (371) 219
RNA editing, (373) 56; (374) 152
RNA hairpin, (374) 292
RNA *N*-glycosidase, (370) 123
RNA processing, (357) 173
RNA recognition motif, (366) 146; (372) 135
RNA structure, (362) 156
RNA1 mutant, (357) 173
RNase activity, (363) 6
RNase H, (361) 41
RNase protection assay, (358) 219
r-NGFI-B family, (372) 273
Robinia pseudoacacia, (377) 54

Rod outer segment, (357) 178
Role in disease resistance, (377) 175
Rolipram, (358) 305
Rolling circle, (362) 116
Rolling circle replication, (377) 258
Root nodule, (361) 225
Rose Bengal, (360) 47
Rotational diffusion, (359) 45
Rotational echo double resonance, (377) 208
Rouse sarcoma virus, (358) 13
rps10, (374) 152
rRNA, 28S, (371) 345
rRNA *N*-glycosidase, (360) 299
5S rRNA, (374) 292
RT-PCR, (360) 191; (364) 293
Ruffled border, (361) 79
Ru-modified cytochrome, (359) 27
Rusticyanin, (365) 35
Ryanodine, (360) 303; (367) 23; (372) 6
Ryanodine receptor, (359) 223; (369) 43; (373) 250
Rye, (364) 36

S100, (363) 90; (363) 90
S100 protein, (371) 271
S100A8, (371) 271
S100A9, (371) 271
S15261, (368) 36
S6 kinase, (375) 289
Saccharomyces cerevisiae, (359) 215; (362) 229; (364) 13; (364) 91; (365) 198; (366) 43; (367) 201; (367) 241; (368) 39; (368) 73; (368) 505; (369) 212; (370) 41; (370) 149; (371) 4; (373) 66; (374) 100; (376) 120; (377) 128; (377) 271
Saccharomyces cerevisiae sec6-4 mutant, (373) 269
Salicylic acid, (363) 6; (368) 339; (377) 175
Salinity, (365) 18
Salivary acini, (371) 52
Salt-stabilized protein structure, (372) 288
Salt stress, (372) 13
Salt tolerance, (366) 151
Sambucus ebulus L., (360) 299
S-antigen, (362) 185
Sapecin B, (368) 485
Saponin, (367) 23
Saposin-like module, (362) 328
Sapstain, (374) 208
Sarcoplasmic reticulum, (373) 71; (376) 167
Satellite cell, (362) 89
Saturated phosphatidylcholine, (358) 17
Saturation mutagenesis, (370) 149
Scaffoldin, (360) 121
Scanning microcalorimetry, (357) 58; (364) 165; (366) 156
Scanning tunnelling microscopy, (371) 25
Scavenger receptor, (376) 95
Schizosaccharomyces pombe, (363) 145; (367) 263; (375) 183; (377) 140
Sea hare, (377) 373
SecA, (358) 251; (362) 29; (364) 157; (364) 305
SecA folding, (359) 1
SecG, (364) 157
Second messenger system, (363) 49
Secondary structure, (359) 184; (362) 328; (362) 333; (363) 90; (365) 35; (365) 115; (371) 115; (374) 327; (375) 174
Secondary structure prediction, (358) 283; (371) 199
Secretase, (377) 267
Secretion, (360) 266; (362) 15; (364) 91; (364) 203; (368) 363; (369) 80; (369) 202; (370) 255; (374) 77; (377) 489; (377) 505
Secretory granule, (364) 328
Secretory pathway, (369) 84; (369) 267
Secretory vesicle, (368) 411
Sedimentation, (359) 20; (375) 137
Seed development, (360) 15
Segmentation, (365) 71
Sek-1, (368) 353
Selectin P-, L-, E-, (363) 123
Selectively-infective phage, (377) 227
Selectivity, (377) 363
Selenium, (368) 59
Selenocysteine, (377) 313
Selenodiglutathione, (368) 59
Self-assembly, (361) 55
Self-glucosylating protein, (376) 61
Semaphorin, (370) 269
Semen, (374) 53
Seminal plasma, (368) 420
Seminal plasma protein, (365) 179
Seminal plasma sperm motility inhibitor, (368) 420
Seminal vesicle protein, (368) 420
Semiquinone radical, (374) 265
Semliki Forest virus, (375) 134
Senescence, (358) 126
Senescent cell antigen, (362) 165
Sensititization to L-697,661, (359) 233
Sepia officinalis, (364) 189
Sepsis, (377) 461
Septic shock, (363) 235
Sequence, (358) 67; (377) 62
Sequence alignment, (367) 56
Sequence analysis, (358) 153; (363) 269; (366) 33; (374) 211
Sequence conservation, (357) 149
Sequence Fourier transform, (366) 33
Sequence homology, (364) 36; (365) 198; (374) 246
Sequence specificity, (362) 205; (372) 144
Sequence-directed antibody, (358) 137
Ser/Thr-phosphopeptide, (368) 452
Ser-Arg motif, (372) 59
Serine acetyltransferase, (358) 43
Serine kinase, (370) 175
Serine protease, (364) 268; (371) 1; (377) 62
Serine protease inhibitor, (365) 159
Serine proteinase, (374) 208
Serine proteinase inhibitor gene, (364) 179
Serotonin, (368) 367; (368) 411; (377) 73
Serotonin biosynthesis, (368) 151
Serpin, (359) 78; (365) 189; (368) 401; (368) 471; (373) 61; (376) 243; (377) 150
Serum amyloid A, (374) 241
Serum response element, (361) 140; (368) 77
Serum response factor, (357) 45
Serum-free, (377) 290
Serum-free medium, (368) 92
Seven transmembrane receptor, (363) 261
Severin, (374) 284
Sexual dimorphism, (376) 257
SH2, (358) 287
SH2 domain, (369) 47; (369) 62; (374) 407
SH3, (358) 287; (373) 245
SH3 domain, (369) 47; (369) 62; (373) 265
Shark, (370) 53
Shc, (377) 497
SH-containing compounds, (375) 18
Shear stress, (373) 108
Sheep brain, (375) 117
β-Sheet protein, (371) 199
SH-groups cross-linking, (365) 75
Shock, (372) 229
Short-chain ceramide, (374) 299
Shortening velocity, (365) 167
Short-length bifunctional photoaffinity label, (377) 408
SH-SY5Y cell, (358) 305
Shuttle vector, (377) 434
Sialic acid, (362) 161; (366) 57; (369) 260; (371) 13
Sialidase, (372) 148
Sialyl Lewis^x binding site, (363) 123
Sialylation, (363) 280
Sialyl-Lewis, (366) 57; (366) 57
Sialyloligosaccharides, (366) 57
Sialyltransferase, (360) 1; (363) 280; (369) 260; (373) 119
Side-by-side binding, (375) 304
Sidechain interactions, (377) 377
Signal peptide, (367) 141
Signal recognition particle, (372) 253
Signal sequence, (360) 307
Signal transducers and activators of transcription (STAT), (370) 63

Signal transduction, (358) 31; (358) 84; (358) 113; (358) 153; (360) 97; (360) 137; (361) 282; (361) 295; (363) 49; (365) 1; (365) 155; (366) 143; (367) 122; (367) 223; (367) 263; (369) 84; (370) 63; (370) 118; (370) 146; (370) 236; (370) 250; (371) 236; (372) 99; (372) 113; (373) 51; (373) 225; (374) 48; (374) 149; (374) 317; (375) 239; (377) 103; (377) 243; (377) 333
Signaling, (367) 39; (368) 55
Signaling molecule, (376) 74
Silencer, (369) 335
Silicomolybdate, (357) 55
Sinapis alba var. Albatros, (364) 179
Single cell RT-PCR, (376) 24
Single K^+ channel, (371) 307
Single molecular observation, (361) 277
Single-chain Fv, (377) 135
Single-chain Fv fragment, (377) 227
Single-strand break assay, (377) 118
Single-stranded DNA binding protein, (357) 283
Sinusoidal cell, (372) 140
Site-directed disulfide reduction, (360) 261
Site-directed mutagenesis, (357) 145; (359) 20; (361) 111; (361) 243; (362) 47; (362) 291; (365) 92; (365) 129; (365) 214; (367) 241; (368) 169; (368) 220; (373) 177; (374) 253; (374) 312; (374) 356; (374) 412; (375) 289; (376) 190
Site-specific mutant, (377) 502
Site-specific photo-crosslinking, (371) 145
Skeletal, (368) 405
Skeletal muscle, (359) 60; (359) 223; (360) 144; (362) 271; (365) 98; (374) 43; (374) 309; (375) 215; (377) 338
Skinned fibre, (377) 131
SKNSH-SY cell, (357) 197
Sleep-inducing factor, (377) 82
Slime mould, (370) 146
Small GTP-binding protein, (363) 231; (365) 209; (377) 109; (377) 243
Small heat-shock protein, (369) 305
Small intestine, (368) 563
Small-angle X-ray solution scattering, (372) 169
Smooth muscle, (363) 246; (365) 167; (367) 23; (367) 246; (369) 295; (370) 215; (372) 6; (377) 123
Smooth muscle cell, (363) 161; (363) 277; (366) 75; (368) 215; (368) 239; (377) 493
Smooth muscle myosin, (363) 57
SNAP, (369) 80
SNAP-25, (372) 39; (377) 489
SNARE, (369) 80; (372) 39
SNF1, (361) 191; (377) 189
SOD, (371) 297; (372) 140
SOD cDNA, (362) 323
Sodium, (359) 101
Sodium binding, (371) 39
Sodium borohydride, (370) 123
Sodium channel, (361) 145
Sodium cholate, (358) 17
Sodium ion translocation, (375) 5
Sodium ion-motive force, (371) 119
Solanum tuberosum, (377) 349
Soleus, (365) 98
Solid phase assay, (358) 179
Solid-state MAS ^{13}C NMR spectroscopy, (362) 34
Soluble galactose binding lectin, (363) 165
Solute release, (375) 113
Solution structure, (359) 113; (360) 125; (372) 203
Solvent effect, (359) 113
Solventogenesis, (362) 1
Soma, (368) 455
Somatostatin, (362) 143; (372) 88
Somatotroph, (364) 79
Sorcin, (357) 230
Sorting, (369) 18
Sos, (369) 47
Sox, (377) 37
Soybean, (371) 223
Soybean agglutinin, (369) 221
Soybean chloroplast, (368) 135
Soybean trypsin inhibitor binding protein, (365) 179
Sp1, (369) 225
Specific induction, (368) 547
Specific promoter, (368) 509
Specificity, (362) 19
Specificity determinant, (361) 191
Specificity of origin recognition, (362) 116
Spectrin, (369) 27
β-Spectrin, (368) 500
Spectroscopic technique, (375) 239
Speculation, (361) 167
Sperm, (357) 98; (364) 147
Sperm membrane potential, (372) 119
Sperm nuclear basic protein, (363) 37
Sperm whale (*Physeter catodon*) myoglobin, (357) 227
Spermadhesin, (368) 420
Spermatogenesis, (360) 315; (368) 509
Spermatozoa, (360) 242; (364) 83
Spermidine, (357) 192
Spermidine synthase, (365) 61
Spermidine/spermine N^1-Acetyltransferase, (377) 321
Spherical harmonics, (372) 169
Sphingolipid, (367) 201; (367) 283; (375) 11; (377) 271
Sphingomyelin, (368) 477; (369) 18; (375) 249
Sphingomyelin biosynthesis, (368) 393
Sphingomyelinase, (358) 211
Sphingosine, (364) 301; (367) 205
Spin label, (367) 137
Spin label ESR (spectroscopy), (359) 45
Spin state, (377) 512
Spinacea oleracea, (377) 113
Spinach, (363) 137; (364) 51; (367) 28
Spinach ferredoxin, (361) 75
Spinach leave, (369) 149
Spinach thylakoid, (371) 195
Spinacia, (376) 45
Spin-labeling, (371) 261
Splice variant, (363) 256
Splicing, (369) 340
Spodoptera frugiperda cell (Sf9 cell), (368) 321
Sporulation, (362) 1; (370) 146
Squalene synthase, (358) 230
Squalus acanthias (spiny dogfish shark), (371) 69
Squamous cell carcinoma antigen, (373) 61
Squamous cell carcinoma antigen (SCCA), (359) 78
Squelching, (357) 45
Squid, (377) 333
SR 120819A, (362) 192
Src protein tyrosine kinase, (369) 62
src-family tyrosine kinase, (358) 34
Src-PTK, (374) 407
SRY, (377) 37
ST2, (372) 189
Stability, (359) 9; (366) 72; (369) 217; (375) 63
Stabilization of enzyme, (364) 98
Stable expression, (371) 293
Stable isotope, (363) 61
Stacking interaction, (370) 193
Staphylococcus aureus, (357) 260; (365) 193
Staphylococcus carnosus, (362) 29
Staphylococcus intermedius, (376) 135
Stat, (360) 137
Stat 3, (369) 169
Stathmin, (364) 309
Staurosporine, (365) 137
Staurosporine analogue, (362) 139
STE18, (367) 122
STE4, (367) 122
Stefin, (360) 101
Steroid binding, (376) 257
Steroid-binding protein, (361) 255
Steroid hormone, (365) 7; (374) 184
Steroid hormone action, (376) 151
Steroid hormone receptor, (377) 103
Sterol 14α-demethylase (P45051A1), (368) 326
Sterol Δ^{22}-desaturase, (377) 217
ST-ESR, (372) 103
Stilbene synthase, (361) 299
Stimulation of bacteriochlorophyll biosynthesis, (372) 264
Stimulatory GTP-binding protein, (357) 13
Stoma, (362) 180
Stomata, (363) 157

Stopped-flow, (374) 105
Stopped-flow fluorescence kinetics, (361) 250
Stopped-flow method, (362) 189
Strand breakage, (374) 233; (375) 179
Streptavidin, (362) 306
Streptomyces verticillus, (362) 80
Stress, (364) 223; (366) 151
Stress protein, (370) 159
Stress response, (372) 210; (377) 457
Stress response element CCCCT (STRE), (360) 286
Stromelysin-1, (358) 189
Structural alignment, (371) 231
Structural amino-acid replacement, (374) 363
Structural motif, (374) 246
Structural similarity, (357) 103; (364) 319
Structure, (358) 193; (358) 278; (363) 199; (367) 280
Structure comparison, (373) 221
Structure determination, (364) 243
Structure prediction, (363) 269; (367) 56; (373) 13
Structure–Function, (367) 122
Structure–function analysis, (360) 43; (369) 187
Structure–function relationship, (365) 149; (373) 280
Subcellular distribution, (359) 81
Sub-cellular fractionation, (369) 122
Subcellular fractions, (368) 125
Sub-library, (362) 306
Submucosa, (369) 202
Substantia nigra, (358) 305
Substrate aglycon, (372) 148
Substrate channel, (367) 241
Substrate interaction, (364) 152
Substrate specificity, (363) 22; (370) 93
Substrate turnover, (370) 23
Substrate-binding site, (367) 306; (375) 95
Substrate-mediated inhibitor displacement, (361) 250
Subtelomeric repeat, (364) 33
Subtilisin, (374) 208; (374) 363
Subtraction, (363) 239
Subtractive cloning, (376) 257
Subunit, (373) 88
Subunit 12, (363) 97
Subunit association, (357) 301
Subunit p45, (363) 151
α_1 Subunit, (364) 129; (368) 405; (371) 43; (371) 43; (373) 103
α1A Subunit, (366) 21
α_{1B} Subunit, (371) 43
α2 Subunit, (366) 21; (374) 412
β Subunit, (370) 32; (377) 383
β_3 Subunit, (361) 13; (371) 43; (372) 20; (373) 103
β1 Subunit, (377) 485
$\beta\gamma$ Subunit, (368) 183
c Subunit mutant, (368) 235
γ and ε Subunits, (368) 235
Subunit-integrating domain, (360) 121
Subunit-specificity, (363) 17
Succinate dehydrogenase, (367) 1; (367) 287
Succinate quinone reductase, (359) 23
Succinate-ubiquinone reductase, (367) 1
Sucrose, (362) 180
Sucrose transporter, (377) 167
SUG1, (363) 151
SUI1, (365) 47
Sulfate assimilation, (358) 43
Sulfation, (368) 536
Sulfhydryl, (374) 25
Sulfhydryl group, (360) 251
Sulfhydryl reagent, (362) 47
Sulfite reductase, (374) 82
Sulfite-mediated inactivation, (366) 165
Sulfolobus solfataricus, (360) 187; (372) 135
Sulfur amino acid metabolism, (367) 15
Sulfur deprivation, (363) 1
Sulphonylurea receptor, (377) 338
Sulphonylureas, (371) 137
Supercoiled DNA, (362) 59
Superfamily, (362) 281
Superoxide, (363) 235; (364) 314; (366) 75; (369) 131; (371) 86; (371) 297; (372) 140; (372) 229; (376) 207; (377) 309
Superoxide dismutase, (357) 79; (358) 62; (360) 197; (363) 289; (368) 449
Superreduction, (361) 75
Suppressor tRNA, (361) 25
Suramin, (375) 129
Surface charge density, (373) 81
Surface hydrophobicity, (369) 321
Surface pH, (370) 189
Surface plasmon resonance, (369) 283
Surface potential, (369) 140
Surfactant polypeptide-C, (362) 261
Suspension culture, (360) 57
SV40, (374) 384; (375) 263
SV40 shuttle vector, (374) 287
Swelling, (375) 56
SWI/SNF complex, (369) 118
Swiss 3T3 cell, (371) 105
Syk, (374) 407
Synapse, (368) 455; (369) 3; (374) 393; (377) 489
Synaptic protein, (359) 159
Synaptic vesicle, (364) 328; (367) 233; (377) 201
Synaptobrevin, (361) 101; (365) 209; (377) 489
Synaptophysin, (361) 101
Synaptotagmin, (361) 101; (364) 328
Synaptotagmin V, (361) 196
Syncytiotrophoblast, (375) 227
Synechocystis, (361) 111; (362) 171; (364) 239
Synechocystis 6803, (367) 45
Synergohymenotropic toxin, (376) 135
Synovial fluid, (361) 167
Syntaxin, (361) 101; (377) 489
Synthesis (de novo), (373) 255
Synthetase, (358) 97
Synthetic peptide, (361) 85; (363) 195; (364) 45; (365) 227; (367) 85; (369) 161; (372) 96
Synthetic peptide library, (362) 306
Syntrophin, (367) 311; (375) 91
Syrian hamster, (376) 257

T cell, (364) 134; (374) 341
T cell receptor, (358) 79
T lymphocyte, (375) 69
T_1 relaxation measurement, (368) 279
T1, (372) 189
T7 RNA polymerase, (369) 165; (371) 9
Tacrine, (377) 201
Talin, (368) 516
Tamoxifen, (360) 165
Tandem mass spectrometry, (374) 208
Target duplication, (376) 146
Targeting, (361) 8
Targeting signal, (368) 122
Targetting subunit, (375) 294
TATA box, (372) 157
TATA-box binding protein, (357) 45
Tau, (360) 5; (365) 42; (368) 10; (372) 59; (375) 243; (376) 238
Tau phosphorylation, (372) 65
Tau protein, (357) 197; (358) 4; (358) 267
Tax, (375) 31
Tax1, (358) 34
T-cell, (363) 101
T-cell receptor, (363) 101
TCEP, (371) 341
TCFs, (368) 77
TDP-glucose, (359) 110
Teleost, (360) 197; (362) 89
Telomere, (364) 33
Temperature, (372) 103
Template interaction, (374) 327
Temporary inhibition, (361) 185
Tenascin-C, (369) 335
Tentoxin, (368) 253
Terminal deoxynucleotidyl transferase, (357) 23
Terminal differentiation, (358) 126
Terminal transferase, (374) 367
Ternary complex, (357) 19; (358) 71; (367) 211
Tertiary structure, (362) 43; (368) 315; (375) 174
Testis, (357) 27; (368) 509

Testosterone, (360) 291
Tet K, (365) 193
Tetracycline, (365) 193; (374) 72
Tetracycline/H^+, (365) 193
Tetracycline/H^+ antiporter, (362) 47; (374) 72
Tetraethylammonium, (361) 145
Tetrahydrobiopterin, (363) 69
Δ^9-Tetrahydrocannabinol, (369) 177; (375) 143
Tetrahydromethanopterin, (368) 203
Tetrahymena pyriformis, (362) 24
Tetranectin, (373) 1
Tetrodotoxin, (361) 145; (365) 79; (369) 290
TEXAN, (377) 201
TGF-β, (358) 109; (362) 295; (364) 193; (368) 556; (373) 1
TGN38 phosphorylation, (368) 122
Thapsigargin, (360) 173; (368) 165; (376) 167; (377) 31
Thermal denaturation, (370) 273
Thermal inactivation of enzyme, (364) 98
Thermal stability, (364) 325; (373) 280; (377) 135
Thermal transition, (369) 321
Thermodenaturation, (377) 92
Thermodynamics, (357) 227; (361) 273; (370) 153
Thermolysin, (362) 189
Thermophilic, (360) 187
Thermophilic *Bacillus*, (376) 190
Thermoplasma acidophilum, (359) 173; (376) 67
Thermosome, (376) 67
Thermostability, (360) 197
Thermostable strain, (374) 363
Thermotolerance, (360) 286; (377) 457
Thermus thermophilus, (362) 121; (368) 132; (369) 158; (369) 229; (374) 110
Thiocyanate uptake, (367) 167
Thioester, (368) 87
Thiol, (366) 75; (376) 1
Thiol ester, (367) 137
Thioltransferase, (374) 25
Thionin, (369) 239
γ-Thionin, (368) 257
Thioredoxin, (357) 305; (369) 149; (371) 167
Thioredoxin reductase, (357) 305; (373) 5
Thiouracils binding, (374) 192
Thiyl radical, (360) 47
THP.1 cell, (374) 303
THP(A) uptake by mammalian cells, (367) 33
THP(A)/TAR-RNA binding, (367) 33
Three-dimensional reconstruction, (369) 43
Three-dimensional structure, (374) 379
Three-helix bundle, (374) 257
Thrombin, (365) 189; (365) 219; (369) 311; (373) 146
Thrombin receptor, (363) 231
Thrombin–thrombomodulin complex, (367) 153
Thrombopoietin, (370) 63; (374) 48; (377) 497
Thrombospondin, (363) 214; (364) 109; (368) 307
Thromboxane A_2, (364) 87; (372) 108
Thylakoid, (364) 305; (368) 253; (368) 263
Thylakoid kinase, (371) 176
Thylakoid membrane, (364) 239
Thymidine kinase, (368) 289; (373) 41
Thymidylate synthase, (373) 41
Thymocyte, (358) 79; (375) 283
Thymocyte apoptosis, (357) 242
Thyroid hormone receptor α, (358) 137
Thyroxine, (360) 177
Time-resolved solid-state NMR, (377) 208
Timothy grass pollen, (363) 6
TIMP-2, (364) 28
Tissue distribution, (363) 256; (372) 151; (377) 15
Tissue factor, (374) 141
Tissue Inhibitor, (364) 28
Tissue inhibitor of metalloproteinase, (357) 33; (360) 52
Tissue kinetics, (373) 97
Tissue-specific enzyme accumulation, (377) 349
Tissue-specific expression, (358) 89
Tissue-specific expression, *Homo sapiens*, (377) 249
tms1–p53 interaction, (377) 155
TNF, (357) 1; (364) 5
TNF receptor, (371) 321
TNF-α, (358) 211; (368) 556; (370) 78; (377) 237
TNFα receptor, (376) 24
Tobacco mosaic virus, (359) 247
α-Tocopherol, (357) 83; (358) 175; (360) 271
Tolbutamide, (371) 137
Toll receptor, (365) 83
Tomato mosaic virus, (372) 165
Tonoplast, (361) 65
Topa quinone, (371) 276
Topogenic signal, (357) 115
Topology, (369) 140
Torpedo, (375) 91
Torpedo 87K protein, (367) 311
Toxic protein, (371) 4
Toxicity, (361) 291
Toxin, (360) 62; (369) 239
TRAF, (358) 113
Trans-Golgi network, (368) 122; (369) 267
Trans-activation, (377) 413
Trans-Activation response element, (367) 267
Transcription, (358) 109; (366) 26; (368) 311; (369) 113; (369) 118; (374) 327; (376) 11; (377) 51; (377) 98
Transcription factor, (357) 62; (358) 1; (358) 109; (358) 225; (360) 29; (360) 137; (360) 315; (363) 105; (368) 77; (368) 509; (369) 225; (369) 277; (370) 170; (371) 181; (372) 215; (374) 48; (376) 103
Transcription, in vitro, (360) 115; (374) 62
Transcription regulation, (357) 45; (364) 13; (376) 120
Transcriptional activation, (360) 183
Transcriptional activator, (358) 89
Transcriptional control, (362) 210
Transcriptional control region, (358) 13
Transcriptional regulation, (360) 39; (363) 1; (367) 15; (368) 547
Transcriptional repression, (369) 153
Transfectant, (372) 25
Transfection, (358) 84; (371) 245
Transfer RNA, (362) 24
Transferrin enhancer, (369) 277
Transferrin receptor, (365) 137
Transforming growth factor-β, (376) 31; (377) 493
Transforming growth factor-β receptor type III, (377) 368
Transforming growth factor-β1, (375) 159
Transgenic *Drosophila*, (377) 185
Transgenic mouse, (368) 509; (371) 329; (375) 125
Transgenic plant, (372) 165
Transgenic tobacco, (377) 54
Transglutaminase, (360) 160; (370) 27
Transient activation, (370) 113
Transient electric birefringence, (358) 185
Transient expression, (369) 331
Transient receptor potential, (373) 193
Transient surface potential changes, (373) 81
Transit peptide, (358) 39; (361) 35
Transit peptide–lipid interaction, (361) 35
Transition from G0 to G1 of the cell cycle, (372) 273
Transition state, (372) 148
Transketolase, (375) 220
Translation, (357) 19; (359) 206; (362) 1; (365) 47; (365) 115
Translation, in vitro, (368) 505; (376) 195
Translation initiation factor, (360) 191
Translational control, (366) 92
Translational efficiency, (361) 25
Translational elongation factor, (377) 313
Translational enhancement, (360) 281
Translational regulation, (365) 61
Translocation, (369) 140
Transmembrane, (370) 269
Transmembrane Ca^{2+} gradient, (357) 13
Transmembrane electrical potential, (371) 258
Transmembrane helix, (374) 21; (377) 377
Transmembrane topology, (368) 230
Transmission electron microscopy, (369) 13
Transmitter release, (363) 221
Transphosphatidylation, (364) 250
Transport, (359) 179; (365) 18; (376) 211
Transport protein, (377) 232
Transporter, (357) 86; (363) 264; (373) 229
Transposase, (368) 541
Transthyretin, (359) 203; (360) 177; (365) 23

Transverse tubule, (374) 43
trans-Zeatin, (366) 26
Trefoil peptide, (357) 50
Trehalase activation, (367) 263
Trehalase gene, (360) 286
Trehalose, (377) 457
Trehalose hydrolysis, (360) 286
N,N',N''-Triacetyl chitotriose, (361) 157; (370) 245
Tricarboxylate carrier, (357) 297
Trichoderma reesei, (372) 96; (376) 103
Trichokirin, (373) 115
Trichosanthin, (373) 115
Tricyclic cannabinoids, (375) 143
Trifluoroethanol, (362) 266
Trigger factor, (374) 211
Triosephosphate isomerase, (367) 315
Triple helix, (357) 312; (368) 551
Triple helix DNA, (374) 287
Triple-helical peptides, (368) 551
Triplex formation, (372) 222
Triticum aestivum, (373) 56
Tritin, (373) 115
Trk, (360) 106
tRNA, (358) 293; (361) 25; (373) 115; (374) 62; (377) 313
tRNA AC-arm mutants, (374) 62
tRNA aminoacylation, (374) 110
$tRNA^{Lys3}$ derivative, (361) 287
$tRNA^{Lys,3}$ induced activation, (373) 255
tRNA modifying enzyme, (361) 259
Tropism, (358) 48
Tropomyosin, (363) 273
Troponin C, (377) 131
Troponin I, (377) 131
trpl, (358) 297
Trypanosoma brucei, (360) 310
Trypanosoma cruzi, (370) 101
Trypsin digestion, (357) 297
Trypsin fragments, (368) 49
Trypsin inhibitor, (360) 15
Trypsin-like protease, (357) 242
Tryptase, (363) 81; (364) 268
Tryptase TL_2, (358) 48
Tryptophan, (370) 193
Tryptophan hydroxylase, (368) 151
Tryptophan oxidation, (364) 279
Tryptophane, (374) 387
t-Tubule, (364) 129
Tubulin, (360) 5; (360) 132; (364) 147; (371) 29; (372) 59; (374) 165; (377) 59
Tubulin:tyrosine ligase, (374) 165
Tumor biology, (358) 1
Tumor cell, (364) 28; (369) 161; (372) 44
Tumor necrosis factor, (359) 147; (367) 39; (372) 44; (376) 15
Tumorigenesis, (367) 103
Tumorigenicity, (371) 245
Tumour suppressor p53, (377) 155
Turbidimetry, (372) 161
β-Turn conformation, (374) 262
β-Turn, (372) 203
Two hybrid system, (377) 243
Two-color FISH, (377) 429
Two-component system, (358) 31; (372) 238
Two-dimensional crystal, (373) 262
Two-dimensional electrophoresis, (368) 5
Two-dimensional thin-layer chromatography, (368) 477
Two-hybrid system, (367) 39; (373) 51; (377) 295
$TX/ICE_{rel}II/Ich-2$, (375) 169
TYLCV, (362) 116
Type 1 copper protein, (365) 35
Type I IFN-R, (374) 317
Type II citrullinema, (372) 69
Type II dehydroquinase, (360) 93
Type II diabetes mellitus, (358) 219
Type IV collagenase, (360) 52
κ-Type, (364) 23
μ-type, (357) 93; (364) 23
Tyrocidine synthetase, (357) 212
Tyrosination, (374) 165
Tyrosine, (377) 44
Tyrosine kinase, (357) 41; (364) 120; (369) 47; (370) 131
Tyrosine kinase inhibitor, (370) 127
Tyrosine kinase receptor, (374) 125
Tyrosine kinase specificity, (367) 149
Tyrosine phosphatase inhibitor, (372) 54
Tyrosine phosphorylation, (358) 34; (363) 195; (364) 83; (368) 343; (370) 63; (372) 238; (375) 87
Tyrosine protein kinase, (375) 50
Tyr-phosphopeptide, (368) 452

U937 cell, (358) 105; (367) 251
UAS element, (370) 149
Ubiquinol cytochrome *c* reductase, (359) 239
Ubiquinol–cytochrome *c* oxidoreductase, (368) 105
Ubiquinone, (370) 88
Ubiquitin, (368) 125; (370) 109; (373) 291
Ubiquitin-conjugation, (377) 193
Ubiquitin-specific isopeptidase, (359) 73
Ubisemiquinone, (370) 83
UCN-01, (359) 259
UL26 open reading frame, (357) 168
Ultracentrifugation, (367) 315; (371) 123
Ultraviolet B, (371) 188
UMP/CMP-kinase, (363) 22
Unc, (371) 321
Uncoupler, (357) 55; (365) 7; (371) 258
Uncoupling, (375) 206
Uncoupling protein, (361) 303; (364) 143; (364) 193
Underevaluation of Complex I activity, (366) 119
Unfolded protein, (359) 93
Unfolding, (371) 94
Unilateral nephrectomy, (362) 220
Unspecific binding to iron-containing proteins, (377) 175
3'-Untranslated region, (359) 206; (374) 327
5' Untranslated region, (365) 115
Uracil derivative, (374) 192
Uracil-DNA glycosylase, (362) 205
Urea, (359) 215; (372) 103
Urea denaturation, (366) 6; (372) 288
Uridine diphosphate *N*-acetylglucosamine enolpyruvyl transferase, (377) 208
Uridine phosphorylase, (367) 183
Uroguanylin, (374) 34
Urokinase, (359) 147
Urokinase receptor, (358) 73; (359) 147; (369) 207
Urokinase-type plasminogen activator, (363) 170; (376) 177
Urokinase-type plasminogen activator receptor, (376) 177
Uromastix hardwickii, (373) 212
Uroporphyrinogen III synthesis, (372) 264
Urtica dioica, (361) 157
Usher protein, (371) 65
Uteroglobin, (374) 403
3'-UTR, (362) 323
Utrophin, (357) 125; (369) 27
UV fourth derivative spectrophotometry, (358) 27
UV-melting, (370) 153

V3 loop, (367) 251
Vaccinia virus, (362) 143; (367) 89; (377) 1
Vacuolar H^+-ATPase, (359) 53; (359) 69; (367) 233
Vacuolar targeting, (363) 211
Vacuole, (364) 13; (365) 1
Vanadium, (368) 31
Vanadium enzyme, (359) 244
Vanadium (IV), (376) 58
Vanadyl, (376) 58
Variable region, (365) 219
Vascular biology, (377) 103
Vascular endothelial growth factor, (358) 311; (372) 83
Vascular permeability, (374) 323
Vascular smooth muscle, (373) 30
Vascular smooth muscle cell, (358) 311; (368) 81; (368) 343; (370) 127; (374) 295
Vasculitis, (374) 29
Vasoactive peptide, (369) 311
Vasoactivity, (373) 97
Vasopressin, (362) 19; (377) 393

Vasopressin receptor, (370) 227
V-ATPase, (361) 153
Vav, (374) 149; (377) 497
VCAM-1, (372) 194; (377) 21
VDAC, (368) 5
Verapamil, (377) 201
Veratridine, (365) 79
Vertebrate, (360) 223
Vesicle, (369) 80; (377) 489
Vesicle budding, (369) 89; (369) 93
Vesicle coat, (369) 89
Vesicle fusion, (372) 39
Vesicular trafficking, (369) 84; (377) 465
VGF, (360) 106
VH, (377) 92
VHR, (372) 54
Vibrio alginolyticus, (363) 75
Vicia faba, (362) 180
Vigilin, (358) 193
Vinblastine, (377) 59
Vincristine transport, (374) 179
Vinculin, (359) 220; (368) 516
VIP, (362) 75
VIP21-caveolin, (375) 11; (376) 108
Viral infection, (358) 225
Viroid, (358) 182
Virulence factor, (376) 135
Virus-like particle, (377) 67
Virus particle, (359) 247
Virus resistance, (372) 165
Vision, (362) 185; (377) 333
Vitamin C, (364) 259
Vitamin E, (364) 259; (365) 164; (375) 45
Vitronectin, (368) 155; (369) 249
Voltage, (358) 301
Voltage dependence, (377) 263
Voltage-gated Ca^{2+} channel, (369) 315
Voltage-gated sodium channel, (377) 485
Voltage-sensitive Ca^{2+} channel, (359) 137
Voltage-sensor, (363) 157
Von Willebrand factor, (358) 283; (375) 259

Water, (367) 53
Water channel, (365) 209
Water deficit, (371) 223
Water dynamics, (377) 377
Water oxidation, (377) 325
Water solubility, (366) 119
Water transport, (373) 269
Watermelon malate dehydrogenase, (357) 115
Wave packet, (357) 239
WD repeat, (364) 283
Western blot analysis, (370) 159
Western blotting, (374) 195
White adipose tissue, (368) 488
White mustard, (364) 179
White sucker, (370) 227
Whole-cell recording, (357) 269
Wild type and mutant myoglobin, (357) 227
Wilms' tumor, (360) 26
WIN55212-2, (369) 177
Wis1 kinase, (376) 199
Withdrawal, (361) 70
Wood degradation, (369) 233
Wortmannin, (358) 243; (361) 79; (367) 272; (371) 185; (372) 161; (376) 141; (377) 393
Wound repair, (373) 207
Wound-inducible gene, (364) 179
WT1 gene, (360) 26
WW-domain, (358) 153

Xanthine oxidase, (368) 513
Xanthomonas, (368) 113
Xanthophyll cycle, (371) 61; (376) 45
Xenopus, (358) 301
Xenopus intermediate pituitary, (371) 154
Xenopus laevis, (359) 206; (360) 191; (362) 247; (368) 211; (368) 389
Xenopus laevis oocyte, (368) 169; (377) 426
Xenopus oocyte, (357) 269; (361) 13; (370) 19; (374) 312; (375) 201; (375) 249; (377) 15; (377) 159; (377) 263
X-Ray analysis, (368) 289; (373) 39; (377) 44
X-ray crystal structure, (375) 103
X-ray crystal structure (of the ferric loggerhead sea turtle myoglobin:formate complex), (357) 227
X-Ray crystallography, (357) 62; (358) 57; (361) 97; (367) 211; (367) 214; (373) 10; (374) 379
X-ray diffraction, (357) 247; (359) 244; (364) 243; (368) 132
X-ray scattering, (374) 141
X-ray solution scattering, (363) 145
X-ray structure, (367) 183; (369) 113; (377) 150

Y chromosome, (360) 315
Y_1 receptor antagonist, (362) 192
3Y1 cell, (375) 155; (377) 393
YAC, (377) 429
yap65, (358) 153
Yeast, (364) 13; (366) 137; (367) 122; (367) 219; (370) 264; (373) 111; (373) 170; (376) 120; (376) 229; (377) 197; (377) 271; (377) 434
Yeast complementation, (358) 305
Yeast genome, (377) 232
Yeast homeologous recombination, (363) 299
Yeast mitochondrion, (364) 161
Yeast protein, (370) 23
Yeast (*Saccharomyces cerevisiae*), (377) 457
Yeast two-hybrid, (373) 155
Yeast two-hybrid system, (357) 221
Yeast vector, (377) 140
Yellow component, (365) 23
Yellow fever mosquito, (368) 461
Yersinia, (371) 65
Yersinia enterocolitica, (362) 319
YKC1, (373) 170

Z-conformation, (368) 27
Z-DNA, (358) 13
Zea mays, (367) 287
Zeatin-binding protein, (366) 26
Zeta-crystallin, (365) 133
Zinc, (361) 89
Zinc binding, (371) 47; (376) 53
Zinc finger, (377) 243
Zinc-finger protein, (360) 315; (371) 191; (372) 273
Zinc finger protein domain, (369) 153
Zona pellucida, (360) 242
Zona pellucida binding protein, (365) 179
Zonal distribution, (359) 81
Zucker rat, (377) 109
Z-VAD.FMK, (375) 283
Z-Val-Ala-Asp·fluoromethylketone, (374) 303

2.10. *References:* These will be numbered in square brackets, e.g. [7], or [11-13,17], in order of citation in the text. The Harvard system of citation will not apply. The list of references will be printed at the end of the paper. References to journal articles should contain the names and initials of all authors, year of publication in parentheses, abbreviation of the journal title according to current practice, volume number and inclusive page numbers. Articles may be cited as 'in press' only if a copy of the acceptance notice is supplied at the time of submission. References to books should include the names and initials of the author(s), year of publication, title of the book, name and initials of editor(s) in parentheses, volume, edition, inclusive page numbers, and name and location of the publisher. No part of the references should be underlined; 'and' should be used instead of '&'; authors' surnames should always be in lower case and precede authors' initials. Citations as 'unpublished' and 'personal communication' should be placed in the main text. *Examples of journals [1] and books [2,3]:*

[1] Diller, R., Stockburger, M., Oesterhelt, D. and Tittor, J. (1987) FEBS Lett. 217, 297-304.

[2] Gomperts, B.D. and Fewtrell, C.M.S. (1985) in: Molecular Mechanisms of Transmembrane Signalling (Cohen, P. and Houslay, M.D. eds) Mol. Aspects Cell. Regul. vol. 4, pp. 377–409, Elsevier, Amsterdam, New York.

[3] Robson, B. and Garnier, J. (1986) Introduction to Proteins and Protein Engineering, Elsevier, Amsterdam, New York.

2.11. **Submissions on diskette:** The manuscript (three copies), floppy and a list of non-standard characters should be submitted in the usual manner. The preferred storage medium is a 5 ¼ or 3 ½ inch disk in MS-DOS format, although other systems are welcome, e.g., Macintosh (in this case save your file in the usual manner, do not use the option 'save in MS-DOS format'); if you use NEC, please submit your article on a double density or high density 5 ¼ inch disk or double density 3½ inch disk (**not** a high density 3½ inch disk). Please **do not split** the article into separate files (title pages as one file, text as another, etc.). Format your disk correctly and ensure that only the relevant file (one complete article only) is on the disk. Accurate keyboard practice is essential, for instance, 'one' (1) and 'el' (l) must be clearly different. Non-reproducible characters should not be left as a blank space in the file but be replaced by (a) character(s) not used elsewhere, and used consistently, e.g. using Γ (for capital gamma) and γ (for lower case gamma); the use of such non-standard symbols should be stated. Recommended reading: Chicago Guide to Preparing Electronic Manuscripts, The University of Chicago Press, Chicago (1987). The Publisher is under no obligation to use the submitted floppy, but will make every attempt to ensure that it is used.

3. Preparation of Figures

3.1. All line figures (including graphs) should be clearly drawn in black ink on white paper and machine-lettered to allow for reduction. Graph paper should be ruled in pale blue and any grid lines to be shown should be in black ink. All figures should be designed to economise on space. Half-tone figures should not be included in line drawings. Figures will be returned to authors only if requested when the manuscript is submitted.

3.2. *Nucleic and amino acid sequences* should be submitted as sharp, clean prints already reduced as much as possible to fit within a single-column (8.4 cm) or double-column width (17.6 cm), while retaining perfect legibility (e.g. to avoid confusion between the letters C and G). If a word-processor is used to generate the sequences, a letter-quality printer should be employed; matrix-printed characters do not reproduce.
In reporting DNA sequences, presentation of a sequencing strategy is generally unnecessary. However, it should be confirmed by a statement in the Materials and Methods section that the sequence was determined on both strands.

3.3. Original half-tone figures should be very sharp, high-contrast photoprints and be designed to display relevant information only, avoiding disproportionately large labelling of lanes. Line drawings should not be included in half-tone figures. For photographs which require labels, such as electrophoretograms, please supply the initial photographs mounted on white paper with lettering. Do NOT send photographs of photographs.

3.4. *Symbols:* The following symbols can be typeset and should be used in preference to non-standard forms:

△ ▽ ◇ ○ ⊙ ⊖ ⊕ □ ☆ ▲ ▼ ◆ ● ■ ★ × +

3.5. When preparing figures, particularly graphs, we urge authors to follow the suggestions of H.G. Hers ((1984) Nature 307, 205). In particular: **(1)** Graph with more than one line: identify each by appropriate labelling. **(2)** Figure containing several panels with the same axes, usually denoted a,b, etc: indicate on each panel its experimental specificity. **(3)** Use one symbol for the same experimental condition in all comparable figures in the article. **(4)** If several symbols necessary: use the open circle (suggesting nothing added) for the control, e.g. experiment without (○) or with (●) an addition or treatment. **(5)** Label axes as precisely as possible: e.g. 'Time after drug addition' rather than 'Time'. Also express results in mol rather than cpm or absorbance units, sparing readers the task of conversion. If results are given in percent, define 100% in standard units in the legend. **(6)** *Legend:* should be as short as possible, and could often be restricted to the title since, ideally, the figure would be intelligible without referring to the legend.

3.6. *Colour reproduction:* When these are essential to the understanding of a paper, figures may be reproduced in colour, at the authors' own expense. This will, however, lengthen the publication time. The price of a single printed full colour page is Dfl. 750.00, exclusive of sales tax. Two, three or four full colour pages in combination will cost Dfl. 500.00 per page ex sales tax.

4. Publication of Protein Structures If pertinent, authors should follow the suggestions stated in the Letters to the Editor in FEBS Lett. Vol. 380, pp. 301 & 302, 1996.

5. Ethics of Experimentation In scientific investigations in people the steps taken to avoid unjustified risk or discomfort should be stated. These should include peer review of the proposed investigation and informed consent by the subjects being investigated. Similarly the steps taken to protect animals from pain should be stated explicitly.

6. Proofs Proofreading will be undertaken by the Publisher. *Unless strictly necessary* and specifically requested on the title page and by the Editor, proofs will not be sent to authors. Proofs will be supplied to authors only for checking of typesetting accuracy; no change to the accepted manuscript will be allowed at this stage (see 2.9 above). Sending of proofs to authors will of course delay publication of those papers; to minimise this, authors should respond within 24 hours after receipt of their proofs.

7. Requests for Permission to Reproduce Material from Published Articles Authors wishing to reproduce figures, tables and text from articles published in *FEBS Letters* for *non-commercial purposes* may do so providing the original publication is acknowledged accordingly and the authors' approval is obtained. No special permission is needed from either the Publisher or the Managing Editor for this.

8. Reprints On acceptance of a paper the submitting author will receive an order form on which all authors' reprints of that article may be ordered, including the 50 free reprints. In addition, the author should supply supplementary material as requested under (a)–(d) on the form. The intact reprint order form should be returned as soon as possible to: *FEBS Letters*, Elsevier Science BV, PO Box 1527, 1000 BM Amsterdam, The Netherlands.

9. Editorial Matters Address all queries concerning accepted manuscripts to: *FEBS Letters*, Elsevier Science BV, PO Box 2759, 1000 CT Amsterdam, The Netherlands **(FAX no. +31 (20) 4853271)**, specifying editor's code and manuscript number.

Notes to Authors

Editorial Policy Papers should be short, complete and essentially final reports. Papers not sufficiently sustained by experimental details will not be published. The overriding criterion is that a paper must be of sufficient immediate importance to the work of other investigators to justify urgent publication. *FEBS Letters* is not a repository for material which, though sound, does not meet this criterion (see cover page 2).

Subject Coverage Protein Chemistry, Enzymology, Biophysical Chemistry, Nucleic Acids, Protein Synthesis, Biochemical and Molecular Genetics, Cell Biology, Metabolism, Immunochemistry, Natural Products.

Submission Procedure *The authors should submit their papers to the Editor* **who is the closest to their field of interest** *(rather than geographically): this accelerates the reviewing process.* The full addresses of the Editors are given on page 2 of the cover. Papers may be submitted in English, French or German, with an abstract in English. *Authors should include 3 self-addressed sticky labels and three extra copies of the title page* with their manuscript to facilitate editorial handling *and provide their fax, telex and/or telephone numbers* on the title page to enable the Editor/Publisher to contact them on queries. A file on diskette must be included whenever possible subject to the provisions in paragraph 2.11.
Authors may *not* re-submit to other Editorial Board Members a paper that has already been rejected.

We assume that the manuscripts submitted to us have been approved by **all** authors. If this assumption turns out to be incorrect, the manuscripts will be considered either as rejected or withdrawn, and not be published.

Submission of a paper to FEBS Letters is understood to imply that this has not been published in part nor is being considered elsewhere, and that all authors agree to the submission.

Minireviews and Hypotheses in FEBS Letters Minireviews and Hypotheses should be submitted to Professor M. Saraste. The minireviews should, as a rule, be not more than 2000 words in length, preferably with fewer than 40 references and with 1–3 figures or tables. A short abstract (less than 100 words) and 4–6 key words should be included. The minireviews should be topical and of interest not only to specialists in the field but also to the general reader. Sufficient information should therefore be included in the Introduction to explain the background to non-specialists. The author(s) should use short descriptive subtitles. The papers labelled as Hypotheses should present novel ideas or new interpretations of established observations, and should be based on sound data and avoid excessive speculation. Personal views can also be expressed in minireviews.

Three copies of the paper should be submitted. The authors must also submit the paper in electronic form. This will accelerate the publication process and reduce the danger of misprints.

1. General Arrangement of Research Letters The first page should carry the title, authors' names and affiliations (with full postal addresses, telephone and fax numbers), an abstract, up to six specific keywords and appropriate footnotes. The abstract should be less than 100 words and summarize the research problem and pertinent findings; the keywords should reflect significant factors of the investigation as a whole (see 2.7 below). On subsequent pages the Introduction (1.) should be followed by numbered sections: 2. Materials and Methods, or 2. Experimental; 3. Results; 4. Discussion. When appropriate these may be combined. Acknowledgements should precede References and not be included as a footnote. Figure legends and tables (see 3 below) should appear on separate sheets after References.

2. Preparation of Text

2.1. Manuscripts must be typewritten, *double spaced with wide margins*, on one side of the paper only.

2.2. The original manuscript and figures, and two copies of both, should be submitted to facilitate refereeing. Unless requested otherwise, only the top copy of a manuscript will be returned to the author if a paper is rejected.

2.3. The length of the submitted manuscript should be such that the final printed version does not exceed 5 pages, including the figure legends, tables and references. (As an approximate guide to authors for judging the length of their paper, the following estimation may be used: 3 type-written A4 (double-spaced) pages = 1 printed page; 3 'average' figures plus legends = 1 printed page; 3 'average' tables = 1 printed page; 30 references = 1/2 printed page (1 full-length column).) The Editors will only accept longer papers when there are compelling reasons. Any repetition of information in the text and figures should be avoided.

2.4. Papers may be returned to authors for shortening and language correction. Revised versions returned more than two months after the original date of receipt will be considered as resubmissions and will carry only the date of receipt of the revised version.

2.5. The author(s) for correspondence and full postal address should be indicated in a footnote on the title page, with telephone and fax numbers.

2.6. If the paper is a dedication, part of a numbered series or has been reported in part previously, this should be indicated in a footnote on the title page.

2.7. *Keywords:* Authors are requested to consult the annual cumulative subject index of *Biochimica et Biophysica Acta* or the list of subject headings from Index Medicus for preferred synonyms and standard abbreviations. A maximum of six keywords should be selected and included with the submitted manuscript. American spelling will be used and plural terms avoided where possible. The list submitted may be amended to ensure that index entries are consistent in the master index. General terms such as enzyme, membrane, etc. should not be used unless qualified, e.g. membrane phosphorylation, enzyme activation. Terms indicating the origin of the material studied such as rat, *E. coli*, etc. should only be used as sub-keywords within parentheses, e.g. (Rat heart) (Bovine uterus) (CHO cell). Example: Game, S., Holman, G. and Eisenthal, R. (1986) FEBS Lett. 194, 126-130.
Title: Sugar transport in *Trypanosoma brucei:* a suitable kinetic probe
Keywords: Sugar transport; Glucose, D-; Anhydro-D-glucitol, 1,5-; Deoxy-D-glucose, 1-; *(Trypanosoma brucei)*

2.8. *Nomenclature and abbreviations:* Authors should follow internationally agreed rules as set out in 'Information for Contributors' to *Biochimica et Biophysica Acta* (1982) Elsevier Science Publishers BV, PO Box 1345, 1000 BH Amsterdam, The Netherlands, and in 'Biochemical Nomenclature and Related Documents' (1978), The Biochemical Society Book Depot, PO Box 32, Commerce Way, Colchester CO2 8HP, England. Abbreviations should be expanded in a footnote on the title page.

2.9. Typescripts should be carefully checked before submission to obviate alterations after acceptance.